

# GCCS No-CUI and CUI-Ready UAT Guide

This guide is written for a new GCCS user running User Acceptance Testing with synthetic data. Do not use real customer CUI, classified information, export-controlled technical data, credentials, payroll records, private keys, or production customer evidence.

## Main Tabs

Use the left navigation tabs in this order for the full UAT flow:

- 1. Dashboard
- 2. Settings
- 3. Profile
- 4. Contracts
- 5. Obligations
- 6. Calendar
- 7. Evidence
- 8. CMMC
- 9. Subcontractors
- 10. Reports
- 11. Settings again for audit review

## Test Users

| User         | Email                             | Suggested Role                   | Use For                                        |
|--------------|-----------------------------------|----------------------------------|------------------------------------------------|
| Morgan Lane  | morgan.lane+uat@gccs.example      | Admin                            | Tenant setup, mode switching, acknowledgements |
| Priya Shah   | priya.shah+uat@gccs.example       | Compliance Manager               | Profile, obligations, reports                  |
| Devin Brooks | devin.brooks+uat@gccs.example     | Contributor                      | Evidence and CMMC readiness                    |
| Elena Carter | elena.carter+uat@gccs.example     | Compliance Manager               | Contracts and flow-downs                       |
| Avery Quinn  | avery.quinn+platform@gccs.example | Admin / platform security tester | CUI-ready approval                             |

## Tenant Modes

| Mode        | What It Means                                           | UAT Rule                                           |
|-------------|---------------------------------------------------------|----------------------------------------------------|
| NoCui       | Compliance management only. Real CUI is blocked.        | Use for normal MVP testing.                        |
| CuiReady    | CUI workflows are allowed only after approval gates.    | Use only after completing the CUI-ready checklist. |
| DemoSandbox | Demo/training mode for approved synthetic CUI examples. | Use only with approved synthetic demo seed data.   |

The existing approved synthetic dataset is [dataset.json](#), version 2026.06.phase1a .

## Quick Rule For Switching Gates

Go to Settings tab -> Data handling mode form.

To switch to No-CUI:

| Field  | Value                                           |
|--------|-------------------------------------------------|
| Mode   | NoCui                                           |
| Reason | UAT reset to No-CUI compliance management mode. |

| Field              | Value       |
|--------------------|-------------|
| Approval reference | Leave blank |

Click `Update mode` .

To switch to CUI-ready, you must first complete `Settings` tab -> `Approval checklist` , then copy the displayed `Approved checklist ID` .

| Field              | Value                                                   |
|--------------------|---------------------------------------------------------|
| Mode               | CuiReady                                                |
| Reason             | UAT CUI-ready gate validation after approved checklist. |
| Approval reference | Paste the approved checklist ID                         |

Click `Update mode` .

Expected gate behavior: `CuiReady` fails if `Approval reference` is blank, invalid, not approved, from another tenant, or older than one year.

## UAT-01: Start In Settings And Confirm No-CUI Mode

Goal: Confirm the tenant starts in safe No-CUI mode.

- 1. Sign in as `Morgan Lane` .
- 2. Click the `Settings` tab.
- 3. Find the `Data handling mode` section.
- 4. Confirm the status badge shows `NoCui` .
- 5. In the `Data handling mode` form, enter:

| Field              | Value                                    |
|--------------------|------------------------------------------|
| Mode               | NoCui                                    |
| Reason             | Initial UAT confirmation of No-CUI mode. |
| Approval reference | Leave blank                              |

- 6. Click `Update mode` .
- 7. In the `Tenant data handling mode history` table, confirm a row appears with `New = NoCui` .

Expected result: The tenant is in `NoCui` , and the mode history is visible.

## UAT-02: Invite Synthetic Users

Goal: Confirm user onboarding works.

- 1. Stay on the `Settings` tab.
- 2. Find the `User invitations` section.
- 3. In the invitation form, create these invitations one at a time:

| Email Field                   | Role Field         | Button |
|-------------------------------|--------------------|--------|
| priya.shah+uat@gccs.example   | Compliance Manager | Invite |
| devin.brooks+uat@gccs.example | Contributor        | Invite |
| elena.carter+uat@gccs.example | Compliance Manager | Invite |

Expected result: Each invitation appears in the invitation list with role, status, and expiration date.

# UAT-03: Complete The Company Profile

Goal: Create the company compliance profile.

- 1. Click the Profile tab.
- 2. In the Create company profile form, enter:

| Field Name                     | Value                                                                                                              |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Legal entity                   | Aegis Systems Workshop LLC                                                                                         |
| DBA                            | Aegis Workshop                                                                                                     |
| UEI                            | DEMOUEI12345                                                                                                       |
| CAGE                           | 9ZZZ9                                                                                                              |
| SAM expires                    | 2026-10-31                                                                                                         |
| Role                           | Subcontractor                                                                                                      |
| Agency customers               | DoD, DHS                                                                                                           |
| Products and services          | Help desk support, compliance documentation support, and secure workflow consulting using synthetic UAT data only. |
| Employees                      | Small                                                                                                              |
| Revenue                        | Small                                                                                                              |
| Location                       | Headquarters                                                                                                       |
| Street                         | 100 Example Parkway                                                                                                |
| City                           | Arlington                                                                                                          |
| State                          | VA                                                                                                                 |
| Postal code                    | 22201                                                                                                              |
| Country                        | US                                                                                                                 |
| IT summary                     | Microsoft 365 Business Premium, MFA, endpoint protection, MSP support. No CUI stored in this No-CUI tenant.        |
| FCI/CUI posture                | FCI only                                                                                                           |
| Key systems                    | Microsoft 365, SharePoint, Intune, GCCS                                                                            |
| Uses external service provider | Checked                                                                                                            |
| External service provider      | DemoSecure MSP LLC                                                                                                 |

- 3. In NAICS codes , enter two rows:

| Primary      | Code   | Title                            | Size basis                      | Status |
|--------------|--------|----------------------------------|---------------------------------|--------|
| Selected     | 541512 | Computer Systems Design Services | Public SBA synthetic test basis | Small  |
| Not selected | 541519 | Other Computer Related Services  | Public SBA synthetic test basis | Small  |

- 4. In Certifications , enter two rows:

| Type | Certification status | Issuer | Effective  | Expires    | Reference    |
|------|----------------------|--------|------------|------------|--------------|
| WOSB | Active               | SBA    | 2026-01-01 | 2027-01-01 | WOSB-UAT-001 |
| SDB  | Active               | SBA    | 2026-01-01 | 2027-01-01 | SDB-UAT-001  |

5. Click **Complete profile** .

Expected result: The profile status changes from **Draft** toward **Complete** , and no CUI warning appears because posture is **FCI** only .

## UAT-04: Acknowledge No-CUI Upload Limits

Goal: Confirm uploads are blocked until the user acknowledges No-CUI rules.

1. Click the **Evidence** tab.
2. Find the **No-CUI** acknowledgement panel.
3. Confirm the notice says No-CUI mode prohibits real customer CUI.
4. Click **I acknowledge the No-CUI upload limitation** .
5. Confirm **Status** changes to **Acknowledged** .

Expected result: Evidence upload controls become available after acknowledgement.

## UAT-05: Create Evidence Metadata

Goal: Create reusable synthetic evidence records.

1. Stay on the **Evidence** tab.
2. Find the **Evidence metadata** form.
3. Click **New evidence** .
4. Enter the first evidence record:

| Field Name            | Value                                                                                                                  |
|-----------------------|------------------------------------------------------------------------------------------------------------------------|
| Title                 | MFA configuration summary – synthetic                                                                                  |
| Type                  | System configuration                                                                                                   |
| Owner                 | Security                                                                                                               |
| Status                | Approved                                                                                                               |
| Effective             | 2026-06-01                                                                                                             |
| Expires               | 2027-01-31                                                                                                             |
| Tags                  | FAR 52.204-21, FCI, MFA, UAT                                                                                           |
| Obligations           | Leave blank unless an obligation ID is available                                                                       |
| Controls              | AC.L1-3.1.1                                                                                                            |
| Classification        | FCI                                                                                                                    |
| Classification reason | User confirmed synthetic FCI-only evidence for No-CUI UAT.                                                             |
| Description           | Synthetic summary proving MFA is configured for test users. Contains no screenshots, credentials, logs, or real system |

5. Click **Create metadata** .
6. Repeat for:

| Title                                  | Type               | Owner     | Status    | Effective  | Expires    |             |
|----------------------------------------|--------------------|-----------|-----------|------------|------------|-------------|
| Access control policy – synthetic      | Policy             | Security  | In review | 2026-06-01 | 2027-03-31 | policy, acc |
| Vendor telecom attestation – synthetic | Vendor attestation | Contracts | Requested | 2026-06-01 | 2026-12-31 | FAR 52.204- |

Expected result: Evidence records appear in the Evidence list with classification badges and expiration dates.

## UAT-06: Upload A Synthetic Evidence File

Goal: Confirm upload intent works only after acknowledgement.

- 1. In the Evidence tab, find the Evidence file upload control.
- 2. Choose a small synthetic file, for example a TXT file named uat-mfa-summary.txt .
- 3. Confirm the file contains only this synthetic text:

Synthetic UAT evidence. MFA is enabled for test users only. No real customer data, credentials, CUI, classified information, or export controls.

- 4. Click Upload evidence .

Expected result: The app creates an upload intent or shows the accepted-upload placeholder. If upload is blocked, the error should clearly explain the gate.

## UAT-07: Create A No-CUI Contract

Goal: Create a contract record with FCI-only posture.

- 1. Click the Contracts tab.
- 2. Click New contract if an existing contract is selected.
- 3. In the Create contract record form, enter:

| Field Name           | Value                                                                                                                                |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Contract number      | DEMO-NC-26-0007                                                                                                                      |
| Title                | Non-CUI Help Desk Support BPA Call                                                                                                   |
| Agency or prime      | Fictional Prime Systems Inc. for DHS                                                                                                 |
| Role                 | Subcontractor                                                                                                                        |
| Contract type        | Fixed price                                                                                                                          |
| Status               | Active                                                                                                                               |
| Awarded              | 2026-06-15                                                                                                                           |
| Start                | 2026-07-01                                                                                                                           |
| End                  | 2027-06-30                                                                                                                           |
| FCI/CUI posture      | FCI only                                                                                                                             |
| Place of performance | Virginia, remote support                                                                                                             |
| Description          | Synthetic No-CUI contract for UAT. FCI-only support workflow, no customer CUI, no classified data, no export-controlled information. |

- 4. Click Create contract .

Expected result: DEMO-NC-26-0007 appears in the Contract records list.

## UAT-08: Add Contract Deliverables

Goal: Confirm contract dates appear as managed work.

- 1. Stay on the `Contracts` tab.
- 2. Select contract `DEMO-NC-26-0007`.
- 3. In the `Deliverables` form, enter:

| Field Name              | Value                                                             |
|-------------------------|-------------------------------------------------------------------|
| Name                    | Monthly synthetic compliance status update                        |
| Owner                   | Contracts                                                         |
| Due date                | 2026-07-31                                                        |
| Deliverable status      | Not started                                                       |
| Deliverable description | Monthly internal status summary using synthetic UAT records only. |

- 4. Click `Add deliverable`.

Expected result: The deliverable appears in the deliverable list and should be eligible for calendar visibility.

## UAT-09: Upload Contract Document Metadata

Goal: Validate contract document classification behavior in `No-CUI` mode.

- 1. Stay on the `Contracts` tab.
- 2. In the `Documents` section, choose:

| Field / Control                           | Value                               |
|-------------------------------------------|-------------------------------------|
| Document type dropdown                    | Contract                            |
| Contract document classification dropdown | FCI                                 |
| Clause candidate review status dropdown   | All review states                   |
| Contract document file                    | demo-nc-contract.txt synthetic file |

- 3. The file content may be:

Synthetic `No-CUI` contract fixture for UAT.  
Includes FAR 52.204-21, FAR 52.204-25, and FAR 52.204-27 references.  
No customer CUI, classified information, export-controlled technical data, credentials, payroll, or secrets.

- 4. Click `Upload metadata`.

Expected result: The document appears in the contract document list with an `FCI` classification badge.

## UAT-10: Prove No-CUI Blocks CUI

Goal: Confirm the gate blocks real CUI workflows in `NoCui` mode.

- 1. Stay on `Contracts`.
- 2. In the same `Documents` section, set `Contract document classification` to `CUI`.
- 3. Select the same synthetic test file.
- 4. Click `Upload metadata`.

Expected result: Upload is rejected because `NoCui` tenants cannot create, upload, process, report on, export, or delete real CUI records.

Then confirm audit logging:

- 1. Click `Settings`.
- 2. Find `Audit log`.
- 3. In the filter form, enter:

| Field  | Value                        |
|--------|------------------------------|
| Action | Rejected                     |
| Entity | TenantDataHandlingModePolicy |

4. Click `Filter` .

Expected result: A rejected audit event appears for the blocked CUI attempt.

## UAT-11: Attach Clauses

Goal: Link source-backed clauses to the contract.

1. Click the `Obligations` tab.
2. Find `Clause library search` .
3. Search and record the published clause IDs for:

| Clause search | Category |
|---------------|----------|
| 52.204-21     | FAR      |
| 52.204-25     | FAR      |
| 52.204-27     | FAR      |

4. Return to the `Contracts` tab.
5. Select `DEMO-NC-26-0007` .
6. In `Attached clauses` , fill the form once for each published clause:

| Field Name                | Example Value                                    |
|---------------------------|--------------------------------------------------|
| Published clause ID       | Paste the selected published clause ID           |
| Attachment reason         | Manual UAT tagging from synthetic contract text. |
| Source document reference | demo-nc-contract.txt                             |

7. Click `Attach clause` after each row.

Expected result: Attached clauses appear with clause number, title, source URL, and reviewed date.

## UAT-12: Review Obligation Work Queue

Goal: Confirm obligations can be filtered and reviewed.

1. Click the `Obligations` tab.
2. In `Obligation work queue` , use these filters:

| Filter Field | Value           |
|--------------|-----------------|
| Contract     | DEMO-NC-26-0007 |
| Risk         | High            |
| Owner        | Security        |
| Status       | All status      |
| Module       | Cybersecurity   |
| Due date     | Next 30 days    |
| Source       | 52.204-21       |

3. Click `Apply filters` .

4. Open a matching obligation by clicking `View details` .
5. In `Obligation detail` , verify these sections are present:
  - `Why it applies`
  - `Required action`
  - `Owner`
  - `Source`
  - `Confidence`
  - `Last reviewed`
  - `Evidence examples`
  - `Flow-down`
6. In `Update status` , choose `In progress` .
7. Click `Save status` .
8. In `Assign by` , choose `Role` .
9. In `Role` , choose `Compliance manager` .
10. Check `Notify owner` .
11. Click `Assign owner` .

Expected result: The obligation status and owner assignment update, and the source-backed details remain visible.

## UAT-13: Review Calendar

Goal: Confirm tasks and due dates roll into the calendar.

1. Click the `Calendar` tab.
2. Filter by the contract or owner if available.
3. Confirm the calendar includes applicable items such as:
  - `Contract deliverable due 2026-07-31`
  - `SAM expiration 2026-10-31`
  - `Evidence expiration dates`
  - `Obligation due dates`

Expected result: Calendar data is tenant scoped and reflects profile, contract, evidence, and obligation dates.

## UAT-14: Create CMMC Readiness Workspace

Goal: Confirm CMMC readiness setup for No-CUI / FCI-only work.

1. Click the `CMMC` tab.
2. In `CMMC and NIST workspace` , enter:

| Field Name      | Value                              |
|-----------------|------------------------------------|
| Assessment name | No-CUI Level 1 readiness workspace |
| Target level    | Level 1                            |
| Framework       | FCI safeguarding baseline          |
| Status          | In progress                        |
| Started         | 2026-06-15                         |
| Affirmation due | 2027-06-15                         |
| Owner           | Security                           |
| Contract link   | DEMO-NC-26-0007                    |

3. Click `Create assessment` .
4. In `POA&M remediation` , enter:

| Field Name       | Value                                                              |
|------------------|--------------------------------------------------------------------|
| Control          | Select the first available control, if present                     |
| Risk             | High                                                               |
| Status           | Open                                                               |
| Owner            | Security                                                           |
| Due date         | 2026-07-15                                                         |
| Gap              | Synthetic UAT gap: document annual access review evidence.         |
| Remediation plan | Upload synthetic access review summary and link it to the control. |

5. Click `Create POA&M` .

Expected result: The assessment appears in `Readiness assessments` ; the POA&M appears in `POA&M remediation` .

## UAT-15: Create Subcontractor And Flow-Down

Goal: Confirm supplier tracking works.

1. Click the `Subcontractors` tab.
2. In the subcontractor form, enter:

| Field Name              | Value                                                                |
|-------------------------|----------------------------------------------------------------------|
| Name                    | Northstar Demo Components LLC                                        |
| Contact name            | Rowan Ellis                                                          |
| Contact email           | rowan.ellis+uat@gccs.example                                         |
| Small business          | Small, SDB                                                           |
| CMMC status             | Level 1 self-assessment draft                                        |
| Insurance expires       | 2026-12-15                                                           |
| NDA status              | Signed                                                               |
| Workshare %             | 18                                                                   |
| Contract link           | DEM0-NC-26-0007                                                      |
| CUI access allowed      | Unchecked for No-CUI UAT                                             |
| Export-control exposure | Unchecked                                                            |
| Role                    | Component documentation support using synthetic No-CUI records only. |

3. Click `Create subcontractor` .
4. Select `Northstar Demo Components LLC` from the `Subcontractor list` .
5. In `Assign flow-down` , enter:

| Field Name      | Value                                                                               |
|-----------------|-------------------------------------------------------------------------------------|
| Contract        | DEM0-NC-26-0007                                                                     |
| Obligation      | Select the FAR 52.204-21 obligation if present; otherwise <code>Manual entry</code> |
| Clause number   | FAR 52.204-21                                                                       |
| Status          | Sent                                                                                |
| Title           | Basic safeguarding flow-down acknowledgement                                        |
| Signed evidence | No evidence linked , or select the synthetic policy evidence                        |

- 6. Click `Save flow-down` .
- 7. In `Request evidence` , enter:

| Field Name        | Value                                          |
|-------------------|------------------------------------------------|
| Requested item    | Signed FAR 52.204-21 flow-down acknowledgement |
| Evidence type     | SignedFlowDown                                 |
| Due date          | 2026-08-05                                     |
| Recipient         | Rowan Ellis                                    |
| Email             | rowan.ellis+uat@gccs.example                   |
| Related flow-down | Select the saved flow-down if available        |
| Status            | Sent                                           |

- 8. Click `Create request` .

Expected result: The flow-down appears in `Flow-down register` , and the evidence request appears in `Evidence requests` .

## UAT-16: Generate Reports

Goal: Confirm reports are tenant-scoped and source-backed.

- 1. Click the `Reports` tab.
- 2. In `Compliance status` ,click `Generate status` .
- 3. In `CMMC readiness` , choose the assessment `No-CUI Level 1 readiness workspace` .
- 4. Click `Generate readiness` .
- 5. In `Subcontractor compliance` , set:

| Field           | Value           |
|-----------------|-----------------|
| Contract filter | DEM0-NC-26-0007 |

- 6. Click `Generate supplier report` .
- 7. In `Evidence package builder` , enter:

| Field Name                                      | Value                                          |
|-------------------------------------------------|------------------------------------------------|
| Package title                                   | Prime review evidence package – No-CUI UAT     |
| Obligation                                      | Select a FAR 52.204-21 obligation if available |
| Contract                                        | DEM0-NC-26-0007                                |
| Control ID                                      | AC.L1-3.1.1                                    |
| Subcontractor                                   | Northstar Demo Components LLC                  |
| Include draft/rejected evidence when authorized | Leave unchecked                                |

- 8. Click `Generate package` .

Expected result: Reports appear under `Generated this session` . They must not claim legal approval, certification, official pass/fail status, or government endorsement.

## UAT-17: Prepare CUI-Ready Approval

Goal: Complete the formal gate before switching to `CuiReady` .

- 1. Click the `Settings` tab.
- 2. Find `Shared responsibility matrix` .

- 3. Click Acknowledge .
- 4. Confirm Acknowledgement changes to Current .
- 5. Find Approval checklist .
- 6. Click New checklist .
- 7. For every checklist row, click Mark complete .
- 8. Confirm each row shows:
  - Status Complete
  - Owner
  - Review date
- 9. In Review reason , enter:

Approved for CUI-ready UAT using synthetic data and approved gate controls.

- 10. Click Submit .
- 11. Click Approve .
- 12. Copy the displayed Approved checklist ID .

Expected result: The checklist state becomes Approved , and an approved checklist ID is shown.

## UAT-18: Switch To CUI-Ready

Goal: Enable the CUI-ready gate using the approved checklist.

- 1. Stay on the Settings tab.
- 2. Find Data handling mode .
- 3. Enter:

| Field Name         | Value                                                   |
|--------------------|---------------------------------------------------------|
| Mode               | CuiReady                                                |
| Reason             | UAT CUI-ready gate validation after approved checklist. |
| Approval reference | Paste the approved checklist ID from UAT-17             |

- 4. Click Update mode .
- 5. Confirm the status badge changes to CuiReady .
- 6. Confirm the history table shows Previous = NoCui and New = CuiReady .

Expected result: The tenant enters CUI-ready mode only after checklist approval.

## UAT-19: Create CUI-Ready Contract

Goal: Confirm CUI-ready mode allows CUI posture where No-CUI did not.

- 1. Click the Contracts tab.
- 2. Click New contract .
- 3. Enter:

| Field Name      | Value                                         |
|-----------------|-----------------------------------------------|
| Contract number | DEMO-CUI-26-0001                              |
| Title           | Synthetic CUI Handling Training Support Order |
| Agency or prime | Fictional Defense Prime LLC for DoD           |
| Role            | Subcontractor                                 |

| Field Name           | Value                                                                                                                  |
|----------------------|------------------------------------------------------------------------------------------------------------------------|
| Contract type        | Fixed price                                                                                                            |
| Status               | Active                                                                                                                 |
| Awarded              | 2026-07-15                                                                                                             |
| Start                | 2026-08-01                                                                                                             |
| End                  | 2027-07-31                                                                                                             |
| FCI/CUI posture      | CUI                                                                                                                    |
| Place of performance | Maryland secure workspace                                                                                              |
| Description          | Synthetic CUI-ready UAT contract. Uses synthetic CUI-like workflow records only; no real CUI, classified data, or expo |

4. Click `Create contract` .

Expected result: The CUI posture is selectable and the contract is created.

## UAT-20: CUI-Ready Workflow And Negative Checks

Goal: Confirm CUI-ready still requires classification and approval checks.

Positive path:

1. Click `Evidence` .
2. In `Evidence metadata` , create:

| Field Name            | Value                                                                                        |
|-----------------------|----------------------------------------------------------------------------------------------|
| Title                 | Synthetic system boundary narrative                                                          |
| Type                  | Risk assessment                                                                              |
| Owner                 | Security                                                                                     |
| Status                | In review                                                                                    |
| Effective             | 2026-08-01                                                                                   |
| Expires               | 2027-02-28                                                                                   |
| Tags                  | CUI-ready, synthetic, boundary                                                               |
| Controls              | CA.L2-3.12.4                                                                                 |
| Classification        | CUI                                                                                          |
| Classification reason | CUI-ready UAT classification confirmed; synthetic-safe record contains no real customer CUI. |
| Description           | Synthetic boundary narrative for UAT only.                                                   |

3. Click `Create metadata` .

Negative checks:

1. Create another evidence metadata record with `Classification = Unknown` .
2. Confirm it appears in `Classification review queue` .
3. Try to use it in a report package.
4. Expected: downstream use should be blocked until reviewed.
5. Select the unknown evidence record.
6. Change `Classification` to `Prohibited` .

- 7. Enter Classification reason = Synthetic prohibited-content gate test.
- 8. Click Review classification .
- 9. Expected: item remains blocked and should route to escalation/review behavior.

## UAT-21: DemoSandbox Synthetic CUI Check

Goal: Confirm synthetic CUI seed data is isolated to demo tenants.

- 1. Switch or sign into a tenant named Aegis Demo Sandbox .
- 2. In Settings -> Data handling mode ,confirm Mode = DemoSandbox .
- 3. Seed the approved synthetic dataset if your environment exposes the seed action.
- 4. Confirm seeded records display:
  - Synthetic demo data
  - SyntheticCui
  - Dataset version 2026.06.phase1a
- 5. Try to upload a customer file classified as CUI .

Expected result: Approved synthetic seed content is usable in DemoSandbox ; real CUI upload is blocked.

## UAT-22: Final Audit And Isolation Review

Goal: Confirm traceability and tenant isolation.

- 1. Click Settings .
- 2. In Audit log , run these filters one at a time:

| Action   | Entity                                    | Expected Events             |
|----------|-------------------------------------------|-----------------------------|
| Created  | SharedResponsibilityMatrixAcknowledgement | Matrix acknowledgement      |
| Approved | CuiReadyApprovalChecklist                 | Checklist approval          |
| Updated  | Tenant                                    | Data handling mode changes  |
| Rejected | TenantDataHandlingModePolicy              | Blocked No-CUI/CUI attempts |

- 3. Confirm audit rows show date, actor, action, entity, and summary.
- 4. If you have access to Neighbor Tenant Controls LLC , repeat report/dashboard checks there.
- 5. Confirm no records from Aegis tenants appear in the neighbor tenant.

Expected result: Audit history is traceable, and tenant data does not leak across tenants.

## UAT Exit Criteria

UAT passes when:

- A new user can follow the tabs and forms without engineering help.
- NoCui blocks all real CUI workflows.
- CuiReady cannot be enabled without approved checklist and approval reference.
- CuiReady still enforces classification and workflow approval checks.
- DemoSandbox permits only approved synthetic demo CUI content.
- Reports are tenant-scoped and avoid legal, certification, official pass/fail, or government endorsement claims.
- Audit logs capture acknowledgements, checklist lifecycle, mode changes, report generation, and rejected gate attempts.