```
@model AdventureLog.Models.Item
 2
 3
   @{
 4
        ViewBag.Title = "Create Item";
 5
 6
 7
   <h2>@ViewBag.Title</h2>
 8
 9
   @using (Html.BeginForm())
10 {
11
        @Html.AntiForgeryToken()
12
        <div class="form-horizontal">
13
14
            <hr />
            <mark>@</mark>Html.ValidationSummary(true, "", new {    @class = "text-danger"    })
15
16
            @Html.HiddenFor(model => model.Adventure_PK, new { htmlAttributes = new →
17
               { @class = "form-control" } })
18
            <div class="form-group">
19
                @Html.LabelFor(model => model.Name, htmlAttributes: new { @class = >
20
                  "control-label col-md-2" })
21
                <div class="col-md-10">
22
                    @Html.EditorFor(model => model.Name, new { htmlAttributes = new →
                       { @class = "form-control" } })
                    @Html.ValidationMessageFor(model => model.Name, "", new
23
                      { @class = "text-danger" })
24
                </div>
25
            </div>
26
27
            <div class="form-group">
28
                @Html.LabelFor(model => model.ShortDescription, htmlAttributes: new →
                   { @class = "control-label col-md-2" })
29
                <div class="col-md-10">
30
                    @Html.EditorFor(model => model.ShortDescription, new
                      { htmlAttributes = new { @class = "form-control" } })
                    @Html.ValidationMessageFor(model => model.ShortDescription, "", >
31
                       new { @class = "text-danger" })
32
                </div>
33
            </div>
34
            <div class="form-group">
35
                @Html.LabelFor(model => model.Description, htmlAttributes: new
36
                  { @class = "control-label col-md-2" })
37
                <div class="col-md-10">
                    @Html.TextAreaFor(model => model.Description, new
38
                      { htmlAttributes = new { @class = "form-control" } })
39
                    <script>CKEDITOR.replace('Description', { customConfig: '/
                      Scripts/ckeditor_config.js' })</script>
40
                    @Html.ValidationMessageFor(model => model.Description, "", new →
                      { @class = "text-danger" })
                </div>
41
            </div>
42
43
44
            <mark>@</mark>Html.HiddenFor(model => model.MapFileName, new { htmlAttributes = new →
              { @class = "form-control" } })
```

```
... \verb|elog| Adventure Log| Views| Adventure Home| ItemCreate.cshtml|
45
            @Html.HiddenFor(model => model.ParentItem PK)
46
            @Html.HiddenFor(model => model.IsActive)
47
            @Html.HiddenFor(model => model.CreatedDate, new { htmlAttributes = new >
              { @class = "form-control" } })
            @Html.HiddenFor(model => model.LastModifiedDate, new { htmlAttributes = >
48
               new { @class = "form-control" } })
            @Html.HiddenFor(model => model.LastModifiedUser, new { htmlAttributes = >
49
               new { @class = "form-control" } })
50
51
            <div class="form-group">
52
                <div class="col-md-offset-2 col-md-10">
53
                    <input type="submit" value="Create" class="btn btn-primary" />
            </div>
55
56
        </div>
57 }
58
```

P

@Html.ActionLink("Back to Adventure", "Details", new {id =

Model.Adventure_PK }, new { @class = "btn btn-secondary" })

59 <div>

</div>

60

61 62