

Name: Samriddhi Verma

Reg. No:16bce1375

Date: 3rd December,2018



VIT[®]

Vellore Institute of Technology

(Deemed to be University under section 3 of UGC Act, 1956)

Programme	:	B.Tech - CSE	Semester	:	Winter 18 - 19
Course	:	Database Management Systems (Embedded Lab)	Code	:	CSE2004
Faculty	:	Prof. R. Gayathri Prof. M. Premalatha	Slot	:	L3 + L4

Ex. No. 1

SQL Basics

1) Create table:

```
SQL> create table student(regno number(10), sname varchar(10),dob date);
```

Table created.

2) Descibe table:

```
SQL> desc student
```

Name	Null?	Type
REGNO		NUMBER(10)
SNAME		VARCHAR2(10)
DOB		DATE

3) Alter table:

```
SQL> alter table student add cgpa number(3,1);
```

Table altered.

```
SQL> desc student
```

Name	Null?	Type
REGNO		NUMBER(10)
SNAME		VARCHAR2(10)
DOB		DATE

Name: Samriddhi Verma

Reg. No:16bce1375

Date: 3rd December,2018

CGPA NUMBER(3,1)

SQL> alter table student modify regno varchar(10);

Table altered.

SQL> desc student

Name	Null?	Type
REGNO		VARCHAR2(10)
SNAME		VARCHAR2(10)
DOB		DATE
CGPA		NUMBER(3,1)

SQL> alter table student modify regno varchar(8);

Table altered.

SQL> desc student

Name	Null?	Type
REGNO		VARCHAR2(8)
SNAME		VARCHAR2(10)
DOB		DATE
CGPA		NUMBER(3,1)

SQL> alter table student drop column cgpa;

Table altered.

SQL> desc student

Name	Null?	Type
REGNO		VARCHAR2(8)
SNAME		VARCHAR2(10)
DOB		DATE

Name: Samriddhi Verma

Reg. No:16bce1375

Date: 3rd December,2018

4) Inserting values into the table:

```
SQL> insert into student values('16bce137','Sam','16-Sep-1997');
```

1 row created.

```
SQL> select * from student;
```

REGNO	SNAME	DOB
16bce137	Sam	16-SEP-97

```
SQL> insert into student values('17bce101','Sid','15-Feb-1999');
```

1 row created.

```
SQL> select * from student;
```

REGNO	SNAME	DOB
16bce137	Sam	16-SEP-97
17bce101	Sid	15-FEB-99

```
SQL> insert into student values('16bce138','Raj','08-Mar-1997');
```

1 row created.

```
SQL> select * from student;
```

REGNO	SNAME	DOB
16bce137	Sam	16-SEP-97
17bce101	Sid	15-FEB-99
16bce138	Raj	08-MAR-97

Name: Samriddhi Verma

Reg. No:16bce1375

Date: 3rd December,2018

5) Create a table from an existing table:

```
SQL> create table student1 as select * from student;
```

Table created.

```
SQL> desc student1
```

Name	Null?	Type
REGNO		VARCHAR2(8)
SNAME		CHAR(10)
DOB		DATE

6) Truncating a table:

```
SQL> truncate table student1;
```

Table truncated.

```
SQL> desc student1
```

Name	Null?	Type
REGNO		VARCHAR2(8)
SNAME		CHAR(10)
DOB		DATE

```
SQL> select * from student1;
```

no rows selected

7) Dropping a table:

```
SQL> drop table student1;
```

Table dropped.

```
SQL> select * from student1;
```

```
select * from student1
```

*

ERROR at line 1:

ORA-00942: table or view does not exist