PRODUCT DIRECTION / ONBOARDING

Help runners understand their form.

Velo onboarding product brief & developer handoff

A working reference for the user journey, education quiz, movement analysis, and device setup. Built around Velo’s core promise and the Ochy experience you shared.

DRAFT 0.3 · FOR REVIEW WITH FOUNDER + DEVELOPER

01 / PRODUCT TRUTH

Velo gets more personal over time

Velo’s core is a persistent, growing understanding of each runner. It remembers the runner’s movement and training context across assessments, then uses that history to make its analysis and recommendations more specific.

The Velo memory loop

REMEMBER	UNDERSTAND	PRACTISE	UPDATE
Gait assessments; runner-reported injury history and current limits; training and exercise history.	Compare how the runner lands, how their knees move, and how their body moves across repeated assessments.	Use the findings to prioritize corrective and strength exercises that address the runner’s observed needs.	Reassess regularly and keep updating the runner profile as movement and training change.

The promise is not a one-time gait score. It is coaching that becomes more relevant because Velo remembers the runner, sees change over time, and connects each assessment to something useful to practise.

What each release adds

V1 · PERSONAL BASELINE	V2 · LIVE COACHING
Gait analysis; a persistent movement profile; tailored corrective and strength exercises; repeat gait assessments to track change and refine the profile.	In-ear cues shaped by the runner’s accumulated profile and live data from compatible, permissioned devices: heart rate, cadence, distance, speed, power, and pace where available.

Important product distinction

Live in-ear coaching is a V2 expansion, not a V1 onboarding promise. V1 establishes the personal movement baseline and the strength work; V2 can use that accumulated understanding plus live training metrics to coach the runner in the moment.

Keep injury information runner-reported and permissioned. Velo can remember what the runner chooses to share and use it as coaching context; it should not infer a diagnosis from video or claim that a movement pattern guarantees injury.

What to preserve from Ochy

The screenshots show an onboarding journey that teaches while it gathers context. The lesson, quiz, and explanation are part of the product experience, not filler between form fields.

- **Progressive disclosure:** the runner sees one decision or idea at a time, with a clear next action.
- **Education through interaction:** short lessons lead into a quiz question; the answer is followed immediately by a correction and explanation.
- **Personal relevance:** the flow asks about goals, experience, preferences, and schedule before presenting a personalized path.
- **Visual proof:** real runner footage, movement overlays, and exercise demonstrations make the analysis tangible.
- **Forward momentum:** a progress indicator and persistent navigation help the flow feel finite and manageable.
- **End state:** onboarding leads into a concrete next action, then the home experience shows analysis and exercises as distinct parts of the product.

Velo adaptation

Keep the same teaching rhythm and quiz role. Make each lesson show why repeat gait assessments and remembered context matter: Velo compares the runner with their own history, then connects observations to corrective strength work. Live in-ear coaching belongs in V2, after the personal baseline exists. Keep the onboarding at or below Ochy’s number of decisions by combining related questions.

Reference count note	All 48 supplied screenshots are included in the appendix in chronological screen order. The account-entry/sign-up screens are grouped together first; onboarding, post-onboarding app screens, and gait-recording instructions follow as separate labeled stages.

A note on originality

Use Ochy to understand pacing, education, and interaction patterns. Build Velo’s own visual language and screen compositions. Keep claims and scientific explanations specific to Velo’s evidence and product capabilities.

03 / PROPOSED JOURNEY

Velo onboarding flow

Target: match or beat Ochy's number of onboarding decisions while preserving its education-and-quiz rhythm. The first body assessment begins immediately after onboarding; detailed assessment tasks are shown separately below.

STEP	SCREEN / INTENT	WHAT THE RUNNER DOES	DESIGN / LOGIC NOTES
01	**Welcome + account**	Sign up, log in, or continue with Apple.	Keep account access compact; avoid adding an unnecessary role picker.
02	**Why Velo remembers**	See how gait assessments and the runner's own training context build a more personal profile over time.	Explain the V1 promise: analysis plus targeted strength work, with repeat assessments. Save live cues for V2.
03	**Choose your path**	Pick a primary goal: understand form, improve performance, build consistency, or prepare for an event.	Single selection; use it to tune recommendations.
04	**Running profile**	Choose experience and usual weekly running frequency.	Combine profile questions on one screen; avoid pace assumptions.
05	**Training + injury context**	Share a goal, schedule, prior or current injury context, and movement limits where relevant.	Combine into one low-friction profile step; distinguish runner-reported history from analysis. Skip anything not used by V1.
06	**How gait analysis becomes strength work**	See how the assessment identifies patterns and guides corrective strength exercises.	Visual explainer; no device or earphone setup is needed for V1.
07	**Quiz: spot a movement pattern**	Answer a visual question about running form.	Use the Ochy pattern: one prompt, answer, then immediate feedback.
08	**Quiz: why it matters**	Answer a second question that connects a pattern to running efficiency or load.	Follow with a plain-language explanation reviewed by a qualified expert.
09	**Quiz: connect insight to practice**	Answer a third question about how targeted strength work can address a focus area.	Quiz bridges the analysis to V1 corrective exercises; do not sell live cues here.
10	**Ready for your movement profile**	Review what the first gait assessment includes and how long it takes.	Set truthful expectations for running video plus any required functional checks.
11	**Begin gait assessment**	Grant camera permission in context and record the running video.	Onboarding ends at V1 gait capture; complete required relevant checks before the full strength plan.

V1 analysis first; build the personal profile over time

V1 should start with the running gait assessment, then turn its findings into a small, useful corrective strength plan. Repeat gait assessments update the profile so later analysis can compare the runner with their own baseline.

Recommended sequence

1) Record the running video. 2) Explain the movement observations. 3) Complete any short functional checks that directly change exercise choice. 4) Deliver targeted corrective and strength exercises. 5) Reassess gait over time and refine the profile. V2 can add in-ear cues, using that profile together with available live metrics.

Why this order fits the product

- **It starts with the reason runners came:** running-form analysis is the signature entry point and the most direct match for the Ochy reference.
- **It keeps exercises evidence-linked:** functional checks can inform which exercises are appropriate, but should be included only when the coaching method uses them.
- **It delivers value before asking for more effort:** runners see the running capture and preliminary insight before completing additional tasks.
- **It keeps “mandatory” honest:** if a check is required to produce the full corrective plan, say why and show the task count and time. Do not describe it as optional or hide it behind the exercise screen.

Two possible product models

MODEL	SEQUENCE	TRADE-OFF
A · Recommended	Running video → preliminary run findings → required movement checks → integrated plan + exercises	Best continuity with Ochy and Velo’s running-first promise; modest extra effort comes after the runner sees value.
B · Whole-body screen first	Squat/push-up/mobility checks → running video → one combined plan	Can feel like a complete intake, but delays the signature running analysis and risks collecting tasks before their relevance is clear.

Validation needed

A biomechanics or exercise expert should confirm which functional checks materially change Velo’s exercise recommendations. If a task does not change interpretation or selection, remove it from the required baseline. Avoid calling this a clinical assessment or claiming it predicts injury.

Quiz interaction spec

The quiz is a central part of the experience. It should make movement analysis easier to understand and make the runner curious about their own assessment.

MOMENT	REQUIRED BEHAVIOR
Prompt	Show a single runner image/video frame or movement illustration with one clear question.
Answer	Offer 2–3 readable choices, large touch targets, and no forced timer.
Response	Show selected/correct state with restrained motion; give immediate feedback.
Explanation	Use one or two plain-language sentences to explain the concept and its relevance.
Bridge	Connect the concept to what Velo can observe or recommend, without promising a diagnosis or guaranteed outcome.
Progress	Show progress through the short lesson sequence; allow back navigation and preserve answers.

Three quiz beats to adapt from the Ochy reference

BEAT	SAMPLE PROMPT	TEACHING POINT
1 · Notice	“Why does it matter where the foot lands?”	Introduce the relationship between foot placement and the runner’s center of mass; avoid implying one frame proves an injury risk.
2 · Interpret	“What might a restricted leg cycle change?”	Explain that movement restriction may affect propulsion efficiency; frame this as a pattern to explore, not a diagnosis.
3 · Apply	“What should follow a running-form analysis?”	Connect relevant observations to targeted practice, then reinforce useful cues during running with live audio coaching.

Content approval needed

Have a qualified running or biomechanics expert approve each answer and explanation. A movement pattern alone should not be presented as an injury diagnosis or a guaranteed cause of pain.

05 / V2 READINESS

Defer device setup until live coaching

V1 does not need watch or earphone setup to deliver gait analysis and corrective strength work. Keep the previously requested brand selector for V2, when Velo can explain what it reads and which devices it supports.

Proposed V2 single-screen setup

SECTION	OPTIONS (DRAFT)	WHY IT MATTERS
Watch	Garmin · Apple Watch · COROS · Polar · Suunto · Fitbit / Google · Samsung · Other · No watch	Captures the runner's primary running watch. This is not a device connection promise.
Audio	AirPods · Other earphones · No earphones	Helps tailor the live audio coaching setup.
Fallback	Continue without connecting a device	Analysis and exercises should remain usable if device setup is unavailable.

Market evidence + practical choice

Running USA's 2025 Global Runner Survey received 12,700+ responses, with nearly 10% outside the U.S. A published summary reports Garmin watch use most often (58.4%), then Apple Watch (29.3%) and COROS (6.5%) among wearable technologies used while running/walking. This was a multi-select survey, not a global ownership census. For V2, place Garmin and Apple Watch first; include COROS, other major brands, and "No watch." Survey context · Brand results

How to implement the selector

Use a single-select list for the watch used most often on runs; "No watch" is a complete answer. Keep model name optional unless a confirmed integration needs it. For audio, use AirPods / other earphones / none. This is V2 preference capture, not proof of compatibility; offer pairing only for supported devices. Live metrics such as heart rate, cadence, distance, speed, power, and pace vary by device and permission.

Permission timing

- **Camera:** explain the assessment capture before opening the native camera permission prompt.
- **Health / Watch data:** ask when the runner chooses a feature that reads workout or health data; describe the specific data and use.
- **Notifications:** request after explaining what notification would be useful (for example, a ready analysis or chosen training reminder).
- **Declined permission:** provide a clear route to continue where possible and a simple way to enable it later.

06 / DESIGN DIRECTION

Velo should feel precise, alive, and calm

The founder’s visual ambition is a premium, Apple-quality experience with selective liquid-glass moments. Use the movement itself as the signature visual; restraint and legibility should carry the rest.

ELEMENT	PROPOSED DIRECTION	GUARDRAIL
Color	Ink/graphite foundation; warm white type; a focused Velo signal color; a quieter cool highlight for analysis states.	Palette is provisional until logo/brand assets are supplied. Keep status colors distinct and accessible.
Type	One highly legible contemporary sans-serif with deliberate size/weight hierarchy.	Avoid oversized bold text on every screen; keep body copy readable at normal phone distance.
Material	Use translucency for system-adjacent controls, progress layers, or focused overlays.	Avoid making every card a glass panel. Preserve contrast over video.
Imagery	Real runner footage, clean movement overlays, simple exercise demonstrations.	Use licensed/owned footage; avoid generic AI athlete renders and decorative data overlays.
Motion	Small response animations for selection, quiz reveal, and analysis progress.	Motion should explain the state change; respect reduced-motion settings.
Layout	One clear focal point, generous breathing room, persistent progress and a predictable primary action.	Combine related questions; do not make the user scroll through dense onboarding forms.

Implementation detail for all onboarding screens

- Use a consistent progress indicator and back behavior; save responses as the runner moves forward.
- Use shared selection, quiz, primary-button, and education-layout components, while giving each screen a clear visual focal point.
- Support smaller iPhone screens, Dynamic Type where practical, VoiceOver labels, visible focus, and sufficient contrast.
- Keep permission prompts, sign-in, paywall, and post-onboarding app screens clearly separated in the navigation and analytics.

07 / DECISIONS TO LOCK

Open questions for founder + developer

The V1/V2 split and the persistent runner-profile model are now reflected below. The remaining questions focus on assessment inputs, repeat cadence, and data/device behavior.

QUESTION	WHY IT CHANGES THE DESIGN
Which specific functional movement checks are required, and what recommendation does each one affect?	Determines the post-video assessment tasks, time commitment, and whether each task earns its place.
Which watch/audio models and live metrics should V2 support first?	Determines the real device selector and which signals can inform in-ear cues.
Should preliminary running findings appear before required functional checks, or should results wait for one integrated assessment?	Controls when the runner receives value and how the second assessment stage is explained. Recommendation: show preliminary running findings, then complete required checks before the full corrective plan.
How often should V1 prompt runners to repeat the gait assessment?	Defines the reassessment loop and what “progress over time” means in the first release.
Which live metrics are accessible from the intended devices, and under what permissions?	Avoids promising heart rate, cadence, distance, speed, power, or pace when an integration cannot provide them.
Which camera tasks and recording angles are supported for the running video and functional checks?	Needed for accurate capture education, guidance, permission timing, and implementation acceptance criteria.
Should sign-up happen before or after education? Is there a paywall/trial in this journey?	Changes sequence length and account/payment state handling.
What Velo logo, colors, and brand assets should the developer use?	Needed to turn the provisional design direction into a brand-accurate UI system.
How should injury history be reported, updated, and retained in the runner profile?	Injury context should be explicitly shared by the runner and handled with clear consent and controls.


Working status

Founder-confirmed direction: V1 gait analysis, a persistent movement profile, repeat assessments, and tailored corrective strength exercises. V2 adds in-ear coaching informed by remembered context and compatible live metrics. Exact assessment inputs, permissions, and device support remain to confirm.

Welcome, login, and sign-up


All account screens appear together before onboarding. IMG_5094 is the returning-runner login branch; IMG_5095–5097 show the new-account sign-up route.

5093 · Welcome to Ochy




Entry screen: sign up or log in.

5094 · Returning runner login




Existing account sign-in route.

5095 · New account: email




Sign-up form before email entry.

5096 · New account: continue



Email entered; choose Continue or Apple/Google.

5097 · New account: password




Name and password creation.

Ochy onboarding, in order

After account setup: Ochy’s education, quiz, profile questions, permissions, and commitment screens.


5098 · Welcome / start

Begin the running-form analysis journey.




5099 · Choose how to use Ochy

Runner, coach, medical, or retail path.




5100 · Community welcome

Personalized greeting and runner community message.



5101 · Choose your path

Performance, form education, or injury-risk reduction.




5102 · Lab-quality analysis

Introduce the value of video-based running analysis.




5103 · Quiz: lab cost

Unanswered multiple-choice question.




5104 · Quiz: selected answer

Selection state and response animation.




5105 · Quiz: correct feedback

Explain the analysis cost and app alternative.




5106 · Anytime, anywhere

Show treadmill, track, and road use.




5107 · Personalized analysis

Explain how the running form scan is tailored.




5108 · Runner identity

Gender identity choices.




5109 · Running level

Beginner through elite self-assessment.




5110 · Meet Perrine

Introduce the expert and launch the quiz.




5111 · Video countdown

Prepare the runner to watch a gait example.




5112 · Quiz: foot landing

Ask why the landing position is flawed.




5113 · Quiz: foot landing feedback

Reveal the center-of-mass answer and explanation.




5114 · Overstriding lesson

Explain landing in front of the center of mass.




5115 · Quiz: back-leg position

Unanswered multiple-choice question.




5116 · Quiz: chosen answer

Selected answer state.




5117 · Quiz: back-leg feedback

Explain the low heel-kick pattern.




5118 · Low heel kick lesson

Movement diagram and propulsion explanation.




5119 · Full-body analysis promise

Show the under-60-second analysis concept.



5120 · Analysis visualization

Movement overlay and body points.




5121 · Corrective exercise plan

Explain tailored exercise recommendations.




5122 · Schedule preferences

Choose analysis or training availability.




5123 · Notification rationale

Explain why the app wants to send notifications.




5124 · System notification prompt

Native iOS permission request.




5125 · Commitment screen

Ask the runner to commit to improving form.



5126 · Commitment confirmation

Repeated commitment prompt and loading transition.



Offer and app surfaces

These screens follow onboarding: loading, offer, first-analysis entry, analysis, exercises, and progress tracking.


5127 · Loading / movement cue

Ochy loading state with a form cue.




5128 · Welcome offer

Running-gait-analysis subscription options.




5129 · Free training week

Promotional start screen and countdown.




5130 · Home / analysis entry

Start first analysis from the app home.




5131 · Personalized analysis page

Analysis summary and gait findings.



5132 · Tailored exercises page

Exercise recommendation detail.



5133 · Stats / follow your journey

Encourage repeat analysis and progress tracking.




Analysis selection and recording guide

The final references show how Ochy selects an analysis and guides the runner through recording.


5134 · Choose analysis type

Select gait analysis and analysis view.




5135 · Choose running analysis

Select running as the analysis type.




5136 · Recording guide: setup

Instructions for a gait-like video.




5137 · Recording guide: frame

Hold the camera so the runner is visible.




5138 · Recording guide: camera angle

Landscape recording angle guidance.



5139 · Recording guide: duration

Record for the specified short duration.



5140 · Gait capture in progress

Live video capture screen.

