

Light the activity, soften the edges

Lighting plan 1:100 at A3, printed at 100% | Symbols show proposed positions above the furnished plan; they are not coverage contours



Amber: lights / amber square: pillar / green square: controls



0 5 m

K / KITCHEN TASK

6 adjustable ceiling spots
2700 K; beam/output study needed

A / SOFT AMBIENT

4 concealed linear runs
2700 K; accessible ledges/drivers

H / PANTRY / WC APPROACH

3 concealed wall runs toward pantry / WC
2700 K; separate dimmable ambient group

D / DINING FEATURE

Existing six-arm chandelier
2700 K; dimmable lamps

L / LOUNGE READING

2 shaded lamps
2700 K; local controls retained

G / GARDEN-ROOM READING

1 wall reading light on solid pier
2700 K; no fixing to roof glass

E / COURTYARD PILLARS + THRESHOLDS

4 bronze pillars + 2 low threshold lights
0.75 m pillars; 2200-2700 K; shielded downward

W / COURTYARD AMBIENT WALL LIGHTS

7 broad downward lights; numbers match markup
2.00 m mounting proposal; separate dimmer

T / PANTRY / WC LOCAL TASK

Pantry shelf light + WC mirror light
Local switches; independent of shared scenes

P / GARDEN-ROOM TABLE LAMP

1 rechargeable, manually operated
Indoor only; courtyard tables stay clear

TWO OUTDOOR LIGHTING LAYERS

W adds broad ambient light around the retained E pillars / thresholds.
Aim across paving; check overlap and bedroom-window spill on site.

Three settings, with ordinary wall controls

Starting dimmer values for commissioning, not calculated light output | Eight scene groups; pantry / WC task and indoor portable lamp stay local

GROUP	EVERYDAY	ENTERTAINING	QUIET EVENING	CONTROL
K Kitchen task	100%	15%	0%	Scene + override
A Soft ambient	50%	25%	10%	Scene + override
H Pantry / WC approach	50%	35%	20%	Scene + override
D Dining feature	60%	40%	0%	Scene + override
L Lounge reading	30%	40%	35%	Scene + local
G Garden-room reading	50%	30%	20%	Scene + local
E Courtyard pillars + thresholds	0%	30%	15%	Scene + override
W Courtyard ambient wall lights	0%	35%	10%	Scene + override
T Pantry / WC local task	On demand	On demand	On demand	Local switch
P Garden-room table lamp	Local / optional	Local / optional	Local / optional	Manual

WHERE THE BUTTONS GO

S1: enter the shared room from the entrance hall.
S2: enter from the family-bedroom hall.
S3: beside the dining slider, inside on the solid pier.
Each recalls the three scenes, dims and turns the shared lights off.
S3 also switches / dims E pillars and W wall lights independently.

HOW IT SHOULD BEHAVE

Everyday starts with outside lights off; override when needed.
Outside scene levels apply after dark while the court is in use.
Propose a 60-minute outside auto-off, extendable at S3.
Pantry shelf / WC mirror lights have independent local switches.
Keep local reading controls and dedicated labelled lamp outlets.

Groups describe the intended controls, not final wiring circuits. Match dimmers, drivers and lamps; keep general power sockets separate.

An evening view into the courtyard

Entertaining setting / Eye height 1.60 m near dining | Illustrative light and colour; not a photometric simulation



THE INTENDED BALANCE

Dimmed chandelier and lamps; kitchen task light stays in reserve.
Seven perimeter wall lights add broad ambient light to the four pillars.
Separate E / W dimmers balance route light and the wider courtyard.

WHAT THIS VIEW CANNOT VERIFY

Brightness, glare, spill, shadows and glass reflections need testing.
Mounting details, electrical design and outdoor ratings remain open.
Outdoor intent follows the DarkSky / IES lighting principles.