

EV Charging Network

Executive Performance Report

REPORT CONTENTS

-  Business Overview
-  Station Utilization
-  Customer Behaviour
-  Financial Performance
-  Key Business Recommendations

PREPARED FOR

Strategy & Analytics Review

PREPARED BY

Samyak Jain

REPORT OVERVIEW

What this report covers



Business & Usage Overview

High-level view of network-wide demand, active sessions, and baseline operational KPIs.



Station Utilization & Operational Efficiency

Granular breakdown of plug efficiency, district load, and high/low performing stations.



Customer & Demand Behaviour

Analysis of income tiers, EV models driven, and high-potential demographic segments.



Financial Performance & Expansion Strategy

Evaluation of CAPEX, expected payback periods, and ROI for expansion prioritization.



Key Business Recommendations

Strategic action items and expected business impacts derived from the analysis.

SECTION 01

BUSINESS & USAGE OVERVIEW

Network-wide demand, KPIs, and usage patterns

1,14,000

Total charging sessions

2859771.70

Total energy consumed

₹ 4,96,93,947.05

Total revenue

₹ 435.91

Average revenue

8000

Active customers

25.09

Average kWh

Months

Aug

Sep

Oct

Nov



SECTION 01

BUSINESS & USAGE OVERVIEW

Network-wide demand, KPIs, and usage patterns



Key Insights

- ✓ Peak charging demand occurs between 08:00 and 16:00.
- ✓ October recorded the highest energy consumption (~965,757kWh)
- ✓ The network processed 114K charging sessions, generating ₹4.97 Cr in revenue.
- ✓ Current capacity (390 plugs) falls short of the projected requirement (1067 plugs), resulting in a capacity gap of 677 plugs.
- ✓ Jayanagar, Rajajinagar, HSR Layout, Indiranagar and Koramangal have highest raw capacity gaps and require operational attention.



Key Metrics Evaluated

- ✓ **Network Demand**
- ✓ **Customer Activity**
- ✓ **Energy Consumption**
- ✓ **Revenue Performance**
- ✓ **Peak Hour Charging Behaviour**
- ✓ **Infrastructure Readiness**

SECTION 02

STATION UTILIZATION & OPERATIONAL EFFICIENCY

How efficiently the charging network is being used



1753.85
Number of sessions
per station




292.31
Sessions per plug



43996.49
Average kWh per
station


Plugs Charging sessions




Station ID



Available plugs Projected plugs



Total energy consumed Total_plugs



STATION UTILIZATION & OPERATIONAL EFFICIENCY

How efficiently the charging network is being used



KEY INSIGHTS

- ✓ Jayanagar, Rajajinagar, Indiranagar, HSR Layout and Koramangala consistently record the highest charging demand and should be prioritized for capacity expansion.
- ✓ Anekal, Byatarayanpura and Dasarahalli show comparatively lower utilization, indicating opportunities to improve station usage before further infrastructure investment.
- ✓ Districts with higher plug availability also experience higher charging activity.
- ✓ Higher plug availability is associated with higher energy consumption across districts.
- ✓ Future capacity expansion should focus on high - demand districts, while operational efforts should improve utilization in lower demand locations.



Key Metrics Evaluated

- ✓ Session per Station
- ✓ Average Utilization per Station
- ✓ Plugs Count Vs Actual Usage
- ✓ Average kwh per Station
- ✓ District wise Station Density
- ✓ Infrastructure Readiness

SECTION 03

CUSTOMER AND DEMAND BEHAVIOR

Who drives usage and revenue across market



8000
Unique customers




14.25
Sessions per customer



357.47
Average kWh per customer

₹ 6,211.74
Revenue per customer



CUSTOMER AND DEMAND BEHAVIOR

Who drives usage and revenue across market



KEY INSIGHTS

- ✓ Mid-Range customers contribute the highest energy consumption and revenue, making them the most valuable customer segment.
- ✓ Although Low-Mid customers form the largest customer group but Mid-Range customers generate higher revenue and high charging usage.
- ✓ Vehicles with larger battery capacities generally record high energy consumption per charging session.
- ✓ High-income customers represent the smallest customer segment, presenting an opportunity to increase adoption within this group.



Key Metrics Evaluated

- ✓ Unique Customers
- ✓ Session per Customer
- ✓ Average kwh per Customer
- ✓ Revenue per Customer
- ✓ Total Charging Usage

FINANCIAL PERFORMANCE & EXPANSION STRATEGY (ROI FOCUS)

Investment efficiency and expansion prioritization

142.06

Total CAPEX per project

₹ 4,628.64

Annual revenue

₹ 3,238.53

Annual EBITDA

4.61 Years

Payback period without subsidy

41.43

5 year ROI (%)

213

Highest ROI (%)

41.43

Average ROI (%)

4.34 Years

Payback period with subsidy

- district_name
- Anekal

Banashankari

Bommanahalli



Byatarayanapu...

Dasarahalli

Electronic City

Hebbal

HSR Layout



District

Priority Tier



Priority tier classification

Priority_Tier

High




Low

Medium



FINANCIAL PERFORMANCE & EXPANSION STRATEGY (ROI FOCUS)

Investment efficiency and expansion prioritization



FINANCIAL PERFORMANCE & EXPANSION STRATEGY (ROI FOCUS)

Investment efficiency and expansion prioritization

KEY INSIGHTS

- ✓ **BLR-PRJ055(Marathahalli) is projected to generate highest 5-years ROI (213%) among all proposed charging projects.**
- ✓ **Among all districts, Bommanahalli is expected to deliver the highest 5-year ROI (144.73%).**
- ✓ **AC Level-2(7.4 KW) chargers offer the quickest investment recovery (2.38 years), while DC Ultra-Fast chargers require the longest payback(10.39 years).**
- ✓ **Higher CAPEX projects require stronger EBITDA to achieve attractive returns.**
- ✓ **Jayanagar, HSR Layout, Banashankari, Marathahalli and Bommanahalli should be prioritized, as they offer the strongest combination of projected ev demand and 5-years ROI.**

Key Metrics Evaluated

- ✓ **Total CAPEX per Project**
- ✓ **Annual Revenue and EBITDA**
- ✓ **Payback period (with and without subsidy)**
- ✓ **5 years ROI percentage**
- ✓ **Projected Evs and Infrastructure Gap**

SECTION 05

KEY BUSINESS RECOMMENDATIONS

Strategic actions arising from the analysis



Expand Infrastructure in high demand districts

Prioritize capacity expansion where energy consumption, demand and projected EV growth are highest.



Bridge demand - Infrastructure Gaps

Increase plug availability where future EV demand is expected to exceed existing capacity.



Optimize Station Utilization

Lift underutilized stations through better visibility, operational tuning, and demand-based planning.



Focus on high-value customer segments

Develop targeted offers and loyalty programs for the segment driving the most usage and revenue.



Prioritize ROI-Based expansion Planning

Invest in locations and charger models offering the best balance of ROI, payback and future demand.

THANK YOU

EV Charging Network
Executive Performance Report

Prepared By:

Samyak Jain