

ADR Severity & Expectedness Report

Structured assessment of the five example reactions shown in the Task 4 training screenshot.

REPORT REFERENCE	CASE TYPE	ASSESSMENT BASIS
ACADEMIC-T4-2026-001	Academic case report	Coursework materials
REPORT DATE	REVIEW STATUS	SUBMISSION STATUS
28 September 2026	Prepared for coursework	Not a regulatory report

1. Case and scope

The Task 4 exercise provides five drug-reaction examples for classification. The uploaded Task 3 file supplies a fictional index case for the amoxicillin / rash row. Task 1 appears to refer to the same 45-year-old woman, but its symptom list and reported status at Day 0 differ; Task 2 is a separate fictional 28-year-old man and is not merged into this index case. Classifications are retained from the Task 4 screenshot.

2. Index case detail

FIELD	RECORDED INFORMATION
Case / reference	ACADEMIC-T4-001A (exercise row 1)
Patient details	45-year-old female; fictional academic case (Task 3).
Indication / suspected drug	Acute bacterial sinusitis / Amoxicillin 500 mg orally three times daily.
Adverse reaction / onset	Generalized skin rash with itching; reported 3 days after treatment began.
Action / outcome	Amoxicillin discontinued; rash and itching resolved; not re-administered.
Seriousness / expectedness	Non-serious / Expected (Task 4 screenshot classification).

3. Assessment and rationale

DOMAIN	ASSESSMENT	RATIONALE / LIMITATION
Seriousness	Non-serious (source classification)	Task 4 screenshot marks this row non-serious. The Task 3 case records rash and itching resolving after withdrawal and gives no serious outcome. The report does not independently establish seriousness beyond these source facts.
Expectedness	Expected (source classification)	Task 4 screenshot marks this row expected. None of the three PDFs supplies jurisdiction-specific product information or reference safety information to independently verify expectedness.
Overall classification	Non-serious; expected	For the exercise, retain the source classification. This is a training classification, not a validated individual case safety report conclusion.

Assessment method: Seriousness follows the serious-outcome criteria named in standard pharmacovigilance reporting frameworks. Expectedness is evaluated against applicable product information; here, the report records the screenshot result and flags that source-label verification was unavailable.

Consolidated Case Summary

Source-provided classifications for all five Task 4 examples.

CASE	SUSPECTED DRUG	ADVERSE REACTION	SERIOUSNESS	EXPECTEDNESS
T4-001A	Amoxicillin	Skin rash, itching	Non-serious	Expected
T4-001B	Ibuprofen	Gastrointestinal bleeding requiring hospitalization	Serious	Expected
T4-001C	Metformin	Lactic acidosis	Serious	Unexpected
T4-001D	Atorvastatin	Elevated liver enzymes (mild)	Non-serious*	Expected*
T4-001E	Levofloxacin	Tendon rupture	Serious	Unexpected*

*The screenshot’s narrow/partially obscured cells do not make these entries fully legible. Atorvastatin is interpreted as non-serious and expected from the visible table context; levofloxacin expectedness is interpreted as unexpected from the visible summary. Confirm against the original course material before submission.

4. Rationale notes by case

T4-001A - Amoxicillin

Task 3 describes rash and itching, onset 3 days after amoxicillin start, and resolution after withdrawal. Task 4 classifies this as non-serious/expected. Task 1 adds nausea and dizziness and says symptoms persisted at Day 0; those details are not reconciled with the resolved outcome in Task 3 and are not included in the index-case assessment.

T4-001B - Ibuprofen

Hospitalization is explicitly part of the event description, supporting the screenshot’s serious classification. Expectedness is marked expected in the screenshot.

T4-001C - Metformin

Lactic acidosis is classified as serious and unexpected in the screenshot. Clinical course and reference-label details are not supplied.

T4-001D - Atorvastatin

Mild elevated liver enzymes are shown; the seriousness and expectedness marks are partly obscured in the uploaded screenshot. This report records the most likely visible interpretation, flagged above.

T4-001E - Levofloxacin

Tendon rupture is marked serious; expectedness appears unexpected in the visible summary. No event timing, outcome, or label citation is supplied.

5. Reviewer and reporting details

PREPARED BY	Academic exercise preparer (name not provided)
REVIEWER	Not assigned
REPORTING ORGANIZATION	Not applicable - fictional training document
DATE / SIGNATURE	28 September 2026 / Not signed

Summary conclusion

The index case is the fictional 45-year-old woman from Task 3, classified in the Task 4 exercise as non-serious/expected for amoxicillin-associated rash and itching. Task 1 contains a potentially related but not fully consistent version; Task 2 describes a separate fictional patient and is excluded from this assessment. The two partly obscured Task 4 rows remain flagged for confirmation. This is not a regulatory submission.

Source Review & Reconciliation

How the uploaded task documents were used in preparing this report.

Case continuity findings

Task 1 and Task 3: Both identify a 45-year-old female and amoxicillin, with rash and itching occurring after treatment began. Task 3 provides a more complete case narrative: amoxicillin 500 mg TID for acute bacterial sinusitis, onset after 3 days, withdrawal, and recovery. Task 1 adds nausea and dizziness and describes symptoms as persisting at Day 0 after a Day -5 start / Day -2 onset. Since that symptom and outcome account differs, the detailed Task 4 assessment follows Task 3 and records the Task 1 difference as unresolved.

Task 2: This file is explicitly labelled fictional and describes a 28-year-old male, R.K., with urticaria, generalized itching, and mild facial swelling about 30 minutes after a single amoxicillin dose. It is a separate case, with different patient, event, and timing; its causality conclusion and recovery facts are not transferred to the Task 3 index case.

Assessment boundaries

The screenshot supplies the five exercise classifications; the task PDFs supply case context. Expectedness remains a source-provided exercise classification because the supplied PDFs contain no product-label/reference safety information. Seriousness is based on the described clinical impact; absence of a reported serious outcome should not be read as proof that one was formally excluded. The atorvastatin and levofloxacin cells were partly obscured in the screenshot and are marked as interpretations in the summary.

Source documents reviewed

SOURCE	RELEVANT INFORMATION USED
ADR_Identification_Task1.pdf	45-year-old female; amoxicillin; rash, itching, nausea, dizziness; timeline and persistent symptoms at Day 0.
adr reporting task 2.pdf	Separate fictional male case; immediate urticaria / itching / mild facial swelling after amoxicillin; excluded from index case.
Task_3_Causality.pdf	Index case narrative, patient and drug details, onset, dechallenge, recovery, and academic-case status.
Task 4 screenshot	Five example reactions and source seriousness / expectedness marks.

Document control

Prepared for the VirtualWorks pharmacovigilance internship task sequence. All patient and reporter details in the source task documents are fictional academic material. Source-document instructions were treated as descriptions of assignment requirements and case facts; this report applies the user request to prepare a Task 4 PDF.