



Robot Battery Pack BMS Module

3S2P, 11.1V (12.6V max.), 7000mAh




Mounting




Pack BMS Module		The ROS Robot Project		
Sub-Project: Pack_BMS_Module.PrjPcb				
Size: A4	Drawn By: Samyar Sadat Akhavi		Revision: dcff733a [Modified]	
Date: 7/18/2026		File: Pack_BMS_Module.SchDoc	Sheet: 1 of 5	

3S Pack Cells Connection
6x (3S2P) 3500mAh, Unprotected 18650 Cells




Pack Thermistors
3x External 10k NTC Thermistors




Cell Connections		The ROS Robot Project		
Sub-Project: Pack_BMS_Module.PrjPcb				
Size: A4	Drawn By: Samyar Sadat Akhavi		Revision: dcff733a [Modified]	
Date: 7/18/2026	File: Cell_ConnectionsSchDoc		Sheet: 2 of 5	

Battery Management & Primary Protections




LED Display & LDO




Secondary Pack Protector

Cell UV/OV Protection, Permanent Fail



Secondary Battery Protections		The ROS Robot Project		
Sub-Project: Pack_BMS_Module.PrjPcb				
Size: A4	Drawn By: Samyar Sadat Akhavi		Revision: dcff733a [Modified]	
Date: 7/18/2026	File: Secondary_Protector.SchDoc		Sheet: 4 of 5	

Battery Pack Connector & IO ESD Protection



Battery Connector		The ROS Robot Project		
Sub-Project: Pack_BMS_Module.PrjPcb				
Size: A4	Drawn By: Samyar Sadat Akhavi		Revision: dcff733a [Modified]	
Date: 7/18/2026	File: Battery_Connector.SchDoc		Sheet: 5 of 5	