

Design Rules Verification Report

Filename : E:\Projects\ROS Robot\ROS-Robot-Hardware\electronics\pcb_files\Pack_B

Warnings 0
Rule Violations 500

Warnings	
Total	0

Rule Violations	
Short-Circuit Constraint (Allowed=No) (All),(All)	0
Un-Routed Net Constraint (All))	173
Modified Polygon (Allow modified: No), (Allow shelved: No)	0
Width Constraint (Min=0.2mm) (Max=1mm) (Preferred=0.3mm) (All)	0
Width Constraint (Min=0.2mm) (Max=3mm) (Preferred=0.6mm) (InNetClass('POWER') or InNet('GND'))	0
Routing Topology Rule(Topology=Shortest) (All)	0
Minimum Annular Ring (Minimum=0.254mm) (All)	0
Minimum Annular Ring (Minimum=0.15mm) (IsVia)	0
Hole Size Constraint (Min=0.3mm) (Max=6mm) (All)	0
Hole To Hole Clearance (Gap=0.3mm) (All),(All)	0
Hole To Hole Clearance (Gap=0.2mm) (IsVia),(IsVia)	0
Hole To Hole Clearance (Gap=0.45mm) (IsPad),(IsPad)	0
Minimum Solder Mask Sliver (Gap=0.1mm) (All),(All)	0
Silk To Solder Mask (Clearance=0.1mm) (IsPad),(All)	0
Silk to Silk (Clearance=0.1mm) (All),(All)	0
Net Antennae (Tolerance=0mm) (All)	0
Board Clearance Constraint (Gap=0mm) (All)	327
Height Constraint (Min=0mm) (Max=25.4mm) (Preferred=12.7mm) (All)	0
Total	500

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net NetC10_1 Between Pad C10-1(195.44mm,14.732mm) on Top Layer And Pad D6-1(199.675mm,14.605mm) on Top
Un-Routed Net Constraint: Net NetC10_1 Between Pad U1-18(61.628mm,71.095mm) on Top Layer And Pad C10-1(195.44mm,14.732mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C10-2(196.99mm,14.732mm) on Top Layer And Pad C2-2(200.419mm,21.971mm) on Top Layer
Un-Routed Net Constraint: Net TS1 Between Pad C1-1(184.01mm,36.703mm) on Top Layer And Pad J1-1(184.15mm,46.355mm) on Top Layer
Un-Routed Net Constraint: Net NetC11_1 Between Pad R20-2(184.038mm,14.859mm) on Top Layer And Pad C11-1(187.312mm,14.732mm) on Top
Un-Routed Net Constraint: Net NetC11_2 Between Pad C11-2(188.862mm,14.732mm) on Top Layer And Pad R17-2(192.039mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC11_2 Between Pad U1-19(61.628mm,71.495mm) on Top Layer And Pad C11-2(188.862mm,14.732mm) on Top
Un-Routed Net Constraint: Net GND Between Pad J1-2(184.15mm,47.355mm) on Top Layer And Pad C1-2(185.56mm,36.703mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad J2-2(180.84mm,24.265mm) on Top Layer And Pad C1-2(185.56mm,36.703mm) on Top Layer
Un-Routed Net Constraint: Net NetC12_1 Between Pad C12-1(115.316mm,21.336mm) on Top Layer And Pad R19-1(167.905mm,25.654mm) on Top
Un-Routed Net Constraint: Net NetC12_1 Between Pad U1-14(60.236mm,70.104mm) on Top Layer And Pad C12-1(115.316mm,21.336mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C24-2(116.091mm,26.924mm) on Top Layer And Pad C12-2(116.866mm,21.336mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C12-2(116.866mm,21.336mm) on Top Layer And Pad C3-2(133.744mm,21.971mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C4-2(103.645mm,21.971mm) on Top Layer And Pad C12-2(116.866mm,21.336mm) on Top Layer
Un-Routed Net Constraint: Net NetC13_1 Between Pad R22-2(175.91mm,14.859mm) on Top Layer And Pad C13-1(179.311mm,14.732mm) on Top
Un-Routed Net Constraint: Net NetC11_1 Between Pad IC4-1(119.285mm,11.237mm) on Top Layer And Pad C13-2(180.861mm,14.732mm) on Top
Un-Routed Net Constraint: Net NetC11_1 Between Pad C13-2(180.861mm,14.732mm) on Top Layer And Pad R20-2(184.038mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC14_1 Between Pad R24-2(157.114mm,14.859mm) on Top Layer And Pad C14-1(160.515mm,14.732mm) on Top
Un-Routed Net Constraint: Net NetC13_1 Between Pad IC5-1(108.093mm,3.871mm) on Top Layer And Pad C14-2(162.065mm,14.732mm) on Top
Un-Routed Net Constraint: Net NetC13_1 Between Pad C14-2(162.065mm,14.732mm) on Top Layer And Pad R22-2(175.91mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC15_1 Between Pad C21-1(119.875mm,14.732mm) on Top Layer And Pad C15-1(129.527mm,14.732mm) on Top
Un-Routed Net Constraint: Net NetC15_2 Between Pad R25-2(112.41mm,14.859mm) on Top Layer And Pad C15-2(131.077mm,14.732mm) on Top
Un-Routed Net Constraint: Net NetC16_1 Between Pad U1-31(58.636mm,74.087mm) on Top Layer And Pad C16-1(133.845mm,14.732mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C16-2(135.395mm,14.732mm) on Top Layer And Pad C17-2(139.586mm,14.732mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C3-2(133.744mm,21.971mm) on Top Layer And Pad C16-2(135.395mm,14.732mm) on Top Layer
Un-Routed Net Constraint: Net NetC17_1 Between Pad U1-30(59.036mm,74.087mm) on Top Layer And Pad C17-1(138.036mm,14.732mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C17-2(139.586mm,14.732mm) on Top Layer And Pad NT1-1(141.478mm,17.526mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C17-2(139.586mm,14.732mm) on Top Layer And Pad NT2-1(145.034mm,14.49mm) on Top Layer
Un-Routed Net Constraint: Net +3V3_LED Between Pad C18-1(121.272mm,20.701mm) on Top Layer And Pad IC7-5(126.726mm,14.539mm) on Top
Un-Routed Net Constraint: Net PACK- Between Pad C21-2(121.425mm,14.732mm) on Top Layer And Pad C18-2(122.822mm,20.701mm) on Top
Un-Routed Net Constraint: Net PACK- Between Pad C18-2(122.822mm,20.701mm) on Top Layer And Pad C6-1(125.59mm,20.828mm) on Top Layer
Un-Routed Net Constraint: Net PACK- Between Pad D4-1(111.791mm,21.336mm) on Top Layer And Pad C18-2(122.822mm,20.701mm) on Top
Un-Routed Net Constraint: Net PPW_P Between Pad C19-1(106.54mm,21.59mm) on Top Layer And Pad IC7-1(124.226mm,14.539mm) on Top Layer
Un-Routed Net Constraint: Net PPW_P Between Pad RV1-1(81.035mm,73.742mm) on Top Layer [Unplated] And Pad C19-1(106.54mm,21.59mm) on
Un-Routed Net Constraint: Net PACK- Between Pad C19-2(108.09mm,21.59mm) on Top Layer And Pad D4-1(111.791mm,21.336mm) on Top Layer
Un-Routed Net Constraint: Net NetC15_2 Between Pad C20-1(107.556mm,14.732mm) on Top Layer And Pad R25-2(112.41mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC15_2 Between Pad U1-24(61.628mm,73.496mm) on Top Layer And Pad C20-1(107.556mm,14.732mm) on Top
Un-Routed Net Constraint: Net PPW_N Between Pad IC3-2(75.95mm,74.234mm) on Top Layer And Pad C20-2(109.106mm,14.732mm) on Top Layer
Un-Routed Net Constraint: Net PPW_N Between Pad R14-1(106.03mm,2.54mm) on Top Layer And Pad C20-2(109.106mm,14.732mm) on Top Layer
Un-Routed Net Constraint: Net PPW_N Between Pad C20-2(109.106mm,14.732mm) on Top Layer And Pad R25-1(111.11mm,14.859mm) on Top
Un-Routed Net Constraint: Net TS2 Between Pad J2-1(179.84mm,24.265mm) on Top Layer And Pad C2-1(198.869mm,21.971mm) on Top Layer
Un-Routed Net Constraint: Net NetC15_1 Between Pad R26-2(103.393mm,2.54mm) on Top Layer And Pad C21-1(119.875mm,14.732mm) on Top
Un-Routed Net Constraint: Net PACK- Between Pad C21-2(121.425mm,14.732mm) on Top Layer And Pad IC7-2(124.226mm,13.589mm) on Top
Un-Routed Net Constraint: Net GND Between Pad J2-2(180.84mm,24.265mm) on Top Layer And Pad C2-2(200.419mm,21.971mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C3-2(133.744mm,21.971mm) on Top Layer And Pad C22-1(139.56mm,26.924mm) on Top Layer
Un-Routed Net Constraint: Net NetC22_2 Between Pad R28-2(136.032mm,27.051mm) on Top Layer And Pad C22-2(141.11mm,26.924mm) on Top
Un-Routed Net Constraint: Net NetC23_1 Between Pad R31-2(119.395mm,27.051mm) on Top Layer And Pad C23-1(122.923mm,26.924mm) on Top
Un-Routed Net Constraint: Net NetC23_2 Between Pad C23-2(124.473mm,26.924mm) on Top Layer And Pad R29-2(131.841mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetC23_2 Between Pad U2-3(109.982mm,32.774mm) on Top Layer And Pad C23-2(124.473mm,26.924mm) on Top
Un-Routed Net Constraint: Net NetC24_1 Between Pad C24-1(114.541mm,26.924mm) on Top Layer And Pad R30-2(127.777mm,27.051mm) on Top
Un-Routed Net Constraint: Net GND Between Pad U2-6(111.882mm,32.774mm) on Top Layer And Pad C24-2(116.091mm,26.924mm) on Top Layer
Un-Routed Net Constraint: Net NetC25_1 Between Pad R32-2(106.822mm,27.051mm) on Top Layer And Pad C25-1(110.35mm,26.924mm) on Top
Un-Routed Net Constraint: Net NetC25_1 Between Pad C25-1(110.35mm,26.924mm) on Top Layer And Pad U2-5(111.882mm,32.274mm) on Top
Un-Routed Net Constraint: Net NetC23_1 Between Pad C25-2(111.9mm,26.924mm) on Top Layer And Pad R31-2(119.395mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetC23_1 Between Pad U2-4(109.982mm,32.274mm) on Top Layer And Pad C25-2(111.9mm,26.924mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C26-1(102.095mm,26.924mm) on Top Layer And Pad C4-2(103.645mm,21.971mm) on Top Layer

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net NetC25_1 Between Pad C26-2(103.645mm,26.924mm) on Top Layer And Pad R32-2(106.822mm,27.051mm) on Top
Un-Routed Net Constraint: Net TS3 Between Pad C3-1(132.194mm,21.971mm) on Top Layer And Pad J4-1(156.726mm,18.677mm) on Top Layer
Un-Routed Net Constraint: Net TS3 Between Pad U1-28(59.836mm,74.087mm) on Top Layer And Pad C3-1(132.194mm,21.971mm) on Top Layer
Un-Routed Net Constraint: Net TS4 Between Pad C4-1(102.095mm,21.971mm) on Top Layer And Pad J6-1(118.745mm,54.864mm) on Top Layer
Un-Routed Net Constraint: Net NetC5_1 Between Pad C5-1(122.923mm,2.413mm) on Top Layer And Pad C6-2(127.14mm,20.828mm) on Top Layer
Un-Routed Net Constraint: Net PACK+ Between Pad J7-10(86.849mm,8.4mm) on Multi-Layer And Pad C5-2(124.473mm,2.413mm) on Top Layer
Un-Routed Net Constraint: Net PACK+ Between Pad C5-2(124.473mm,2.413mm) on Top Layer And Pad R10-2(147.208mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetC7_1 Between Pad C8-2(167.272mm,2.413mm) on Top Layer And Pad C7-1(218.554mm,14.732mm) on Top Layer
Un-Routed Net Constraint: Net NetC7_2 Between Pad R5-2(165.611mm,6.858mm) on Top Layer And Pad C7-2(220.104mm,14.732mm) on Top Layer
Un-Routed Net Constraint: Net PACK+ Between Pad C8-1(165.722mm,2.413mm) on Top Layer And Pad IC2-2(213.999mm,12.766mm) on Top Layer
Un-Routed Net Constraint: Net PACK+ Between Pad R8-2(151.145mm,2.54mm) on Top Layer And Pad C8-1(165.722mm,2.413mm) on Top Layer
Un-Routed Net Constraint: Net NetC9_1 Between Pad R14-2(107.33mm,2.54mm) on Top Layer And Pad C9-1(128.905mm,6.604mm) on Top Layer
Un-Routed Net Constraint: Net PPW_N Between Pad R25-1(111.11mm,14.859mm) on Top Layer And Pad C9-2(130.455mm,6.604mm) on Top Layer
Un-Routed Net Constraint: Net PACK- Between Pad D3-1(110.267mm,9.779mm) on Top Layer And Pad D1-1(115.855mm,2.413mm) on Top Layer
Un-Routed Net Constraint: Net PACK- Between Pad R26-1(102.093mm,2.54mm) on Top Layer And Pad D1-1(115.855mm,2.413mm) on Top Layer
Un-Routed Net Constraint: Net PACK- Between Pad D1-1(115.855mm,2.413mm) on Top Layer And Pad R9-1(142.098mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net PRES_PR Between Pad J7-4(71.849mm,8.4mm) on Multi-Layer And Pad D1-2(116.555mm,2.413mm) on Top Layer
Un-Routed Net Constraint: Net PRES_PR Between Pad D1-2(116.555mm,2.413mm) on Top Layer And Pad R1-2(138.344mm,5.461mm) on Top
Un-Routed Net Constraint: Net PACK- Between Pad D4-1(111.791mm,21.336mm) on Top Layer And Pad D2-1(112.141mm,52.376mm) on Top Layer
Un-Routed Net Constraint: Net PACK- Between Pad R27-2(72.39mm,66.802mm) on Top Layer And Pad D2-1(112.141mm,52.376mm) on Top Layer
Un-Routed Net Constraint: Net PACK+ Between Pad Q2-1(82.145mm,60.064mm) on Top Layer [Unplated] And Pad D2-2(112.141mm,46.176mm) on
Un-Routed Net Constraint: Net PACK- Between Pad D3-1(110.267mm,9.779mm) on Top Layer And Pad D4-1(111.791mm,21.336mm) on Top Layer
Un-Routed Net Constraint: Net ALERT_PR Between Pad J7-7(79.349mm,8.4mm) on Multi-Layer And Pad D3-2(110.967mm,9.779mm) on Top Layer
Un-Routed Net Constraint: Net ALERT_PR Between Pad D3-2(110.967mm,9.779mm) on Top Layer And Pad R2-2(131.46mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net SMBD_PR Between Pad J7-6(76.849mm,8.4mm) on Multi-Layer And Pad D4-2(112.491mm,21.336mm) on Top Layer
Un-Routed Net Constraint: Net SMBD_PR Between Pad D4-2(112.491mm,21.336mm) on Top Layer And Pad R3-2(127.777mm,2.54mm) on Top
Un-Routed Net Constraint: Net PACK- Between Pad J7-3(69.349mm,8.4mm) on Multi-Layer And Pad D5-1(101.885mm,2.413mm) on Top Layer
Un-Routed Net Constraint: Net SMBC_PR Between Pad J7-5(74.349mm,8.4mm) on Multi-Layer And Pad D5-2(102.585mm,2.413mm) on Top Layer
Un-Routed Net Constraint: Net SMBC_PR Between Pad D5-2(102.585mm,2.413mm) on Top Layer And Pad R4-2(119.776mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetD6_2 Between Pad R17-1(190.739mm,14.859mm) on Top Layer And Pad D6-2(201.899mm,14.605mm) on Top
Un-Routed Net Constraint: Net +3V3_LED Between Pad D8-1(168.707mm,14.808mm) on Top Layer And Pad D7-1(172.136mm,14.808mm) on Top
Un-Routed Net Constraint: Net LED_C Between Pad U1-8(57.645mm,70.695mm) on Top Layer And Pad D7-2(172.136mm,11.786mm) on Top Layer
Un-Routed Net Constraint: Net +3V3_LED Between Pad D9-1(165.151mm,14.808mm) on Top Layer And Pad D8-1(168.707mm,14.808mm) on Top
Un-Routed Net Constraint: Net LED_B Between Pad U1-4(57.645mm,72.296mm) on Top Layer And Pad D8-2(168.707mm,11.786mm) on Top Layer
Un-Routed Net Constraint: Net +3V3_LED Between Pad IC7-5(126.726mm,14.539mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net LED_A Between Pad U1-3(57.645mm,72.696mm) on Top Layer And Pad D9-2(165.151mm,11.786mm) on Top Layer
Un-Routed Net Constraint: Net NetC1_1 Between Pad R12-2(139.461mm,2.54mm) on Top Layer And Pad IC1-1(204.613mm,14.666mm) on Top
Un-Routed Net Constraint: Net NetC1_2 Between Pad R19-2(169.205mm,25.654mm) on Top Layer And Pad IC1-2(204.613mm,12.766mm) on Top
Un-Routed Net Constraint: Net NetC1_3 Between Pad R5-1(162.811mm,6.858mm) on Top Layer And Pad IC1-3(206.613mm,13.716mm) on Top
Un-Routed Net Constraint: Net NetC2_1 Between Pad R9-2(143.398mm,2.54mm) on Top Layer And Pad IC2-1(213.999mm,14.666mm) on Top Layer
Un-Routed Net Constraint: Net NetC2_3 Between Pad R8-1(149.845mm,2.54mm) on Top Layer And Pad IC2-3(215.769mm,13.716mm) on Top Layer
Un-Routed Net Constraint: Net NetC9_1 Between Pad IC3-1(75.95mm,76.134mm) on Top Layer And Pad J8-1(103.798mm,9.652mm) on Top Layer
Un-Routed Net Constraint: Net PPW_N Between Pad R27-1(72.39mm,73.152mm) on Top Layer And Pad IC3-2(75.95mm,74.234mm) on Top Layer
Un-Routed Net Constraint: Net NetC3_3 Between Pad IC3-3(77.72mm,75.184mm) on Top Layer And Pad RV1-2(83.185mm,72.517mm) on Top Layer
Un-Routed Net Constraint: Net NetC11_1 Between Pad U1-21(61.628mm,72.296mm) on Top Layer And Pad IC4-1(119.285mm,11.237mm) on Top
Un-Routed Net Constraint: Net NetC4_2 Between Pad IC4-2(119.285mm,9.337mm) on Top Layer And Pad R20-1(182.738mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC4_2 Between Pad R31-1(118.095mm,27.051mm) on Top Layer And Pad IC4-2(119.285mm,9.337mm) on Top
Un-Routed Net Constraint: Net NetC4_3 Between Pad IC4-3(121.285mm,10.287mm) on Top Layer And Pad R18-1(122.933mm,39.116mm) on Top
Un-Routed Net Constraint: Net NetC13_1 Between Pad U1-22(61.628mm,72.696mm) on Top Layer And Pad IC5-1(108.093mm,3.871mm) on Top
Un-Routed Net Constraint: Net NetC5_2 Between Pad R32-1(105.522mm,27.051mm) on Top Layer And Pad IC5-2(108.093mm,1.971mm) on Top
Un-Routed Net Constraint: Net NetC5_3 Between Pad IC5-3(110.093mm,2.921mm) on Top Layer And Pad R21-1(123.695mm,35.306mm) on Top
Un-Routed Net Constraint: Net NetC14_1 Between Pad IC6-1(114.84mm,11.872mm) on Top Layer And Pad R24-2(157.114mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC14_1 Between Pad U1-23(61.628mm,73.096mm) on Top Layer And Pad IC6-1(114.84mm,11.872mm) on Top
Un-Routed Net Constraint: Net NetC6_2 Between Pad J3-4(55.686mm,89.992mm) on Top Layer And Pad IC6-2(114.84mm,9.972mm) on Top Layer
Un-Routed Net Constraint: Net NetC6_2 Between Pad IC6-2(114.84mm,9.972mm) on Top Layer And Pad NT1-2(142.978mm,17.526mm) on Top
Un-Routed Net Constraint: Net NetC6_3 Between Pad IC6-3(116.84mm,10.922mm) on Top Layer And Pad R23-1(122.806mm,43.942mm) on Top

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net TS1 Between Pad U1-26(60.636mm,74.087mm) on Top Layer And Pad J1-1(184.15mm,46.355mm) on Top Layer
Un-Routed Net Constraint: Net TS2 Between Pad U1-27(60.236mm,74.087mm) on Top Layer And Pad J2-1(179.84mm,24.265mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad J4-2(157.726mm,18.677mm) on Top Layer And Pad J2-2(180.84mm,24.265mm) on Top Layer
Un-Routed Net Constraint: Net NetD6_2 Between Pad J3-1(63.186mm,89.992mm) on Top Layer And Pad R18-2(125.733mm,39.116mm) on Top
Un-Routed Net Constraint: Net NetC4_2 Between Pad J3-2(60.686mm,89.992mm) on Top Layer And Pad R31-1(118.095mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetC5_2 Between Pad J3-3(58.186mm,89.992mm) on Top Layer And Pad R32-1(105.522mm,27.051mm) on Top
Un-Routed Net Constraint: Net GND Between Pad S1-2(152.967mm,14.061mm) on Top Layer [Unplated] And Pad J4-2(157.726mm,18.677mm) on
Un-Routed Net Constraint: Net PPW_N Between Pad R27-1(72.39mm,73.152mm) on Top Layer And Pad J5-1(73.533mm,82.042mm) on Multi-Layer
Un-Routed Net Constraint: Net PPW_P Between Pad J5-2(80.733mm,82.042mm) on Multi-Layer And Pad RV1-1(81.035mm,73.742mm) on Top Layer
Un-Routed Net Constraint: Net TS4 Between Pad U1-29(59.436mm,74.087mm) on Top Layer And Pad J6-1(118.745mm,54.864mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad U2-6(111.882mm,32.774mm) on Top Layer And Pad J6-2(119.745mm,54.864mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Via (60.736mm,72.095mm) from Top Layer to Bottom Layer And Pad J6-2(119.745mm,54.864mm) on
Un-Routed Net Constraint: Net PACK- Between Pad J7-1(61.849mm,8.4mm) on Multi-Layer And Pad J7-2(66.849mm,8.4mm) on Multi-Layer
Un-Routed Net Constraint: Net PACK+ Between Pad J7-9(84.349mm,8.4mm) on Multi-Layer And Pad J7-10(86.849mm,8.4mm) on Multi-Layer
Un-Routed Net Constraint: Net PACK- Between Pad J7-2(66.849mm,8.4mm) on Multi-Layer And Pad J7-3(69.349mm,8.4mm) on Multi-Layer
Un-Routed Net Constraint: Net PACK+ Between Pad J7-8(81.849mm,8.4mm) on Multi-Layer And Pad J7-9(84.349mm,8.4mm) on Multi-Layer
Un-Routed Net Constraint: Net PACK+ Between Pad J7-8(81.849mm,8.4mm) on Multi-Layer And Pad Q2-1(82.145mm,60.064mm) on Top Layer
Un-Routed Net Constraint: Net NetC9_1 Between Pad J8-1(103.798mm,9.652mm) on Top Layer And Pad R14-2(107.33mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetJ8_2 Between Pad J8-2(104.736mm,9.652mm) on Top Layer And Pad R15-2(115.357mm,5.969mm) on Top Layer
Un-Routed Net Constraint: Net NetC6_2 Between Pad NT1-2(142.978mm,17.526mm) on Top Layer And Pad NT2-2(145.034mm,15.99mm) on Top
Un-Routed Net Constraint: Net GND Between Pad NT2-1(145.034mm,14.49mm) on Top Layer And Pad S1-2(152.967mm,14.061mm) on Top Layer
Un-Routed Net Constraint: Net NetC6_2 Between Pad NT2-2(145.034mm,15.99mm) on Top Layer And Pad R24-1(155.814mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC7_2 Between Pad Q1-1(80.757mm,68.333mm) on Top Layer [Unplated] And Pad RV1-3(81.035mm,71.292mm)
Un-Routed Net Constraint: Net NetC7_2 Between Pad Q1-1(82.057mm,68.333mm) on Top Layer [Unplated] And Pad R6-2(119.522mm,2.54mm) on
Un-Routed Net Constraint: Net NetC1_2 Between Pad Q1-2(80.107mm,65.278mm) on Top Layer And Pad Q2-2(80.195mm,63.119mm) on Top Layer
Un-Routed Net Constraint: Net NetQ1_3 Between Pad Q1-3(82.432mm,66.383mm) on Top Layer [Unplated] And Pad R11-2(111.394mm,2.54mm) on
Un-Routed Net Constraint: Net NetC1_2 Between Pad Q2-2(82.145mm,63.119mm) on Top Layer And Pad R7-2(123.459mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetC2_3 Between Pad Q2-3(79.82mm,62.014mm) on Top Layer [Unplated] And Pad R13-2(115.458mm,2.54mm) on
Un-Routed Net Constraint: Net NetR10_1 Between Pad U1-15(60.636mm,70.104mm) on Top Layer And Pad R10-1(145.908mm,2.54mm) on Top
Un-Routed Net Constraint: Net PACK+ Between Pad R10-2(147.208mm,2.54mm) on Top Layer And Pad R8-2(151.145mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetR1_1 Between Pad U1-7(57.645mm,71.095mm) on Top Layer And Pad R1-1(137.044mm,5.461mm) on Top Layer
Un-Routed Net Constraint: Net NetR11_1 Between Pad U1-17(61.628mm,70.695mm) on Top Layer And Pad R11-1(110.094mm,2.54mm) on Top
Un-Routed Net Constraint: Net NetQ1_3 Between Pad R11-2(111.394mm,2.54mm) on Top Layer And Pad R6-1(118.222mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetR12_1 Between Pad U1-13(59.836mm,70.104mm) on Top Layer And Pad R12-1(138.161mm,2.54mm) on Top
Un-Routed Net Constraint: Net NetC1_1 Between Pad R7-1(122.159mm,2.54mm) on Top Layer And Pad R12-2(139.461mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetR13_1 Between Pad U1-16(61.036mm,70.104mm) on Top Layer And Pad R13-1(114.158mm,2.54mm) on Top
Un-Routed Net Constraint: Net NetC2_3 Between Pad R13-2(115.458mm,2.54mm) on Top Layer And Pad R8-1(149.845mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetR15_1 Between Pad U2-8(111.882mm,33.774mm) on Top Layer And Pad R15-1(114.057mm,5.969mm) on Top
Un-Routed Net Constraint: Net NetJ8_2 Between Pad R15-2(115.357mm,5.969mm) on Top Layer And Pad R16-1(118.095mm,5.969mm) on Top
Un-Routed Net Constraint: Net NetR16_2 Between Pad U1-12(59.436mm,70.104mm) on Top Layer And Pad R16-2(119.395mm,5.969mm) on Top
Un-Routed Net Constraint: Net NetD6_2 Between Pad R28-1(134.732mm,27.051mm) on Top Layer And Pad R17-1(190.739mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetD6_2 Between Pad R18-2(125.733mm,39.116mm) on Top Layer And Pad R29-1(130.541mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetC1_2 Between Pad R7-2(123.459mm,2.54mm) on Top Layer And Pad R19-2(169.205mm,25.654mm) on Top
Un-Routed Net Constraint: Net NetR2_1 Between Pad U1-5(57.645mm,71.895mm) on Top Layer And Pad R2-1(130.16mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetC4_2 Between Pad R31-1(118.095mm,27.051mm) on Top Layer And Pad R21-2(126.495mm,35.306mm) on Top
Un-Routed Net Constraint: Net NetC5_2 Between Pad R23-2(125.606mm,43.942mm) on Top Layer And Pad R22-1(174.61mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC5_2 Between Pad R32-1(105.522mm,27.051mm) on Top Layer And Pad R23-2(125.606mm,43.942mm) on Top
Un-Routed Net Constraint: Net NetC15_1 Between Pad U1-25(61.036mm,74.087mm) on Top Layer And Pad R26-2(103.393mm,2.54mm) on Top
Un-Routed Net Constraint: Net NetD6_2 Between Pad R29-1(130.541mm,27.051mm) on Top Layer And Pad R28-1(134.732mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetC22_2 Between Pad U2-1(109.982mm,33.774mm) on Top Layer And Pad R28-2(136.032mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetR30_1 Between Pad U2-7(111.882mm,33.274mm) on Top Layer And Pad R30-1(126.477mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetR3_1 Between Pad U1-1(57.645mm,73.496mm) on Top Layer And Pad R3-1(126.477mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetR4_1 Between Pad U1-2(57.645mm,73.096mm) on Top Layer And Pad R4-1(118.476mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetC7_2 Between Pad R6-2(119.522mm,2.54mm) on Top Layer And Pad R5-2(165.611mm,6.858mm) on Top Layer
Un-Routed Net Constraint: Net NetS1_1 Between Pad S1-1(150.817mm,9.561mm) on Top Layer [Unplated] And Pad S1-1(150.817mm,14.061mm) on
Un-Routed Net Constraint: Net NetS1_1 Between Pad U1-32(58.236mm,74.087mm) on Top Layer And Pad S1-1(150.817mm,14.061mm) on Top

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net GND Between Pad S1-2(152.967mm,9.561mm) on Top Layer [Unplated] And Pad S1-2(152.967mm,14.061mm) on
Un-Routed Net Constraint: Net GND Between Pad U1-11(59.036mm,70.104mm) on Top Layer And Via (59.636mm,70.995mm) from Top Layer to
Un-Routed Net Constraint: Net NetC11_2 Between Pad U1-19(61.628mm,71.495mm) on Top Layer And Pad U1-20(61.628mm,71.895mm) on Top
Un-Routed Net Constraint: Net NetC23_2 Between Pad U2-3(109.982mm,32.774mm) on Top Layer And Pad U2-2(109.982mm,33.274mm) on Top
Un-Routed Net Constraint: Net GND Between Pad U2-9(110.932mm,33.024mm) on Top Layer And Pad U2-6(111.882mm,32.774mm) on Top Layer

Board Clearance Constraint (Gap=0mm) (All)

[illegible]

Board Clearance Constraint (Gap=0mm) (All)

[illegible]

Board Clearance Constraint (Gap=0mm) (All)

[illegible]

Board Clearance Constraint (Gap=0mm) (All)

Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R3-1(126.477mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R31-1(118.095mm,27.051mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R31-2(119.395mm,27.051mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R3-2(127.777mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R32-1(105.522mm,27.051mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R32-2(106.822mm,27.051mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R4-1(118.476mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R4-2(119.776mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R5-1(162.811mm,6.858mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R5-2(165.611mm,6.858mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R6-1(118.222mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R6-2(119.522mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R7-1(122.159mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R7-2(123.459mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R8-1(149.845mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R8-2(151.145mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R9-1(142.098mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R9-2(143.398mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad S1-1(150.817mm,14.061mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad S1-1(150.817mm,9.561mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad S1-2(152.967mm,14.061mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad S1-2(152.967mm,9.561mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-1(109.982mm,33.774mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-2(109.982mm,33.274mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-3(109.982mm,32.774mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-4(109.982mm,32.274mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-5(111.882mm,32.274mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-6(111.882mm,32.774mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-7(111.882mm,33.274mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-8(111.882mm,33.774mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-9(110.932mm,33.024mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-V(110.932mm,32.624mm) on Multi-Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-V(110.932mm,33.424mm) on Multi-Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "C10" (194.945mm,16.129mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "C18" (120.777mm,22.098mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "C22" (139.052mm,28.334mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "C5" (122.428mm,3.81mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "D1" (115.519mm,3.81mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "D4" (111.455mm,22.733mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "D7" (171.247mm,16.154mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "Hole3" (135.052mm,37.541mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "IC4" (118.77mm,12.725mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "R13" (113.64mm,4.013mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "R14" (105.512mm,4.013mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "R16" (118.313mm,7.264mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "R22" (174.828mm,16.154mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "R25" (111.328mm,16.154mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "R32" (105.74mm,28.346mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "S1" (149.441mm,16.167mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (101.502mm,21.382mm)(101.502mm,22.56mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (101.502mm,26.335mm)(101.502mm,27.513mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (101.502mm,26.335mm)(102.102mm,26.335mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (101.502mm,27.513mm)(102.102mm,27.513mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (102.87mm,26.524mm)(102.87mm,27.324mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (103.035mm,1.788mm)(103.035mm,2.188mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (104.013mm,1.84mm)(104.013mm,2.032mm) on Top

Board Clearance Constraint (Gap=0mm) (All)

Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (104.238mm,26.335mm)(104.238mm,27.513mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (106.963mm,15.321mm)(107.563mm,15.321mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (107.95mm,3.048mm)(107.95mm,3.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (108.331mm,14.332mm)(108.331mm,15.132mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (109.474mm,1.84mm)(109.474mm,2.032mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (109.793mm,3.646mm)(109.793mm,4.371mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (109.817mm,10.279mm)(109.817mm,10.404mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (111.417mm,10.004mm)(111.542mm,10.004mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (111.832mm,34.174mm)(112.007mm,34.174mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (111.893mm,27.513mm)(112.493mm,27.513mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (112.014mm,3.048mm)(112.014mm,3.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (112.641mm,44.576mm)(115.441mm,44.576mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (112.941mm,20.711mm)(112.941mm,21.111mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (112.941mm,21.111mm)(113.066mm,21.111mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (113.066mm,20.711mm)(113.066mm,21.111mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (113.538mm,1.84mm)(113.538mm,2.032mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (113.538mm,1.84mm)(116.078mm,1.84mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (113.538mm,3.048mm)(113.538mm,3.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (113.948mm,26.335mm)(113.948mm,27.513mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (114.723mm,21.925mm)(115.323mm,21.925mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (114.808mm,1.84mm)(114.808mm,3.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (115.405mm,2.913mm)(115.405mm,3.038mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (115.64mm,9.472mm)(116.54mm,9.472mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (115.977mm,5.269mm)(115.977mm,5.461mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (116.859mm,20.747mm)(117.459mm,20.747mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (117.005mm,1.788mm)(117.13mm,1.788mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (117.13mm,1.788mm)(117.13mm,2.188mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (117.475mm,5.269mm)(117.475mm,5.461mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (117.475mm,6.477mm)(117.475mm,6.669mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (117.602mm,1.84mm)(117.602mm,2.032mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (117.602mm,3.048mm)(117.602mm,3.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (120.396mm,3.048mm)(120.396mm,3.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (120.515mm,54.451mm)(121.277mm,54.451mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (120.65mm,14.332mm)(120.65mm,15.132mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (120.679mm,20.112mm)(121.279mm,20.112mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (121.539mm,1.84mm)(121.539mm,2.032mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (121.906mm,42.842mm)(121.906mm,43.142mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (121.906mm,42.842mm)(126.506mm,42.842mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (122.33mm,1.824mm)(122.33mm,3.002mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (123.415mm,20.112mm)(123.415mm,21.29mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (123.626mm,15.089mm)(124.826mm,15.089mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (124.466mm,1.824mm)(125.066mm,1.824mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (125.176mm,15.039mm)(125.776mm,15.039mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (125.857mm,26.351mm)(125.857mm,26.543mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (125.857mm,27.559mm)(125.857mm,27.751mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (125.857mm,27.751mm)(128.397mm,27.751mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (126.506mm,42.842mm)(126.506mm,43.142mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (126.633mm,39.916mm)(126.633mm,40.216mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (127.127mm,1.84mm)(127.127mm,3.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (127.733mm,20.239mm)(127.733mm,21.417mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (128.312mm,6.015mm)(128.912mm,6.015mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (128.397mm,3.048mm)(128.397mm,3.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (128.934mm,14.143mm)(129.534mm,14.143mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (129.921mm,26.351mm)(132.461mm,26.351mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (130.448mm,6.015mm)(131.048mm,6.015mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (130.81mm,1.84mm)(130.81mm,3.24mm) on Top

Board Clearance Constraint (Gap=0mm) (All)

Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (131.67mm,14.143mm)(131.67mm,15.321mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (133.737mm,21.382mm)(134.337mm,21.382mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (134.62mm,14.332mm)(134.62mm,15.132mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (135.382mm,26.351mm)(135.382mm,27.751mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (136.424mm,4.761mm)(136.424mm,4.953mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (136.424mm,4.761mm)(138.964mm,4.761mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (137.443mm,14.143mm)(137.443mm,15.321mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (137.541mm,3.048mm)(137.541mm,3.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (138.964mm,5.969mm)(138.964mm,6.161mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (140.179mm,14.143mm)(140.179mm,15.321mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (141.028mm,16.626mm)(141.028mm,18.426mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (141.478mm,1.84mm)(141.478mm,2.032mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (141.478mm,1.84mm)(144.018mm,1.84mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (144.018mm,1.84mm)(144.018mm,2.032mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (144.018mm,3.048mm)(144.018mm,3.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (144.134mm,14.04mm)(145.934mm,14.04mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (150.495mm,1.84mm)(150.495mm,3.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (159.258mm,18.263mm)(159.258mm,19.947mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (161.29mm,14.332mm)(161.29mm,15.132mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (161.911mm,5.758mm)(166.511mm,5.758mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (164.6mm,13.685mm)(165.1mm,13.185mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (165.129mm,1.824mm)(165.129mm,3.002mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (165.129mm,1.824mm)(165.729mm,1.824mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (167.265mm,3.002mm)(167.865mm,3.002mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (167.285mm,26.162mm)(167.285mm,26.354mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (168.206mm,13.085mm)(169.106mm,13.085mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (168.656mm,13.685mm)(168.656mm,13.935mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (171.585mm,13.685mm)(172.585mm,13.685mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (173.177mm,12.979mm)(173.177mm,13.579mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (173.99mm,15.559mm)(176.53mm,15.559mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (175.26mm,14.159mm)(175.26mm,15.559mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (176.53mm,14.159mm)(176.53mm,14.351mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (179.578mm,27.44mm)(181.102mm,27.44mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (182.118mm,14.159mm)(182.118mm,14.351mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (182.88mm,48.887mm)(184.563mm,48.887mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (183.417mm,36.114mm)(183.417mm,37.292mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (184.563mm,44.823mm)(184.563mm,45.585mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (188.855mm,14.143mm)(189.455mm,14.143mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (190.119mm,14.159mm)(190.119mm,14.351mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (192.659mm,14.159mm)(192.659mm,14.351mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (192.659mm,15.367mm)(192.659mm,15.559mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (196.215mm,14.332mm)(196.215mm,15.132mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (198.276mm,21.382mm)(198.876mm,21.382mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (198.276mm,22.56mm)(198.876mm,22.56mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (199.136mm,14.859mm)(199.136mm,15.278mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (200.387mm,14.605mm)(201.087mm,15.105mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (217.961mm,14.143mm)(217.961mm,15.321mm) on Top