



Robot Battery Pack BMS Module

3S2P, 11.1V (12.6V max.), 7000mAh



Mounting




Pack BMS Module		The ROS Robot Project		
Sub-Project: Pack_BMS_Module.PrjPcb				
Size: A4	Drawn By: Samyar Sadat Akhavi		Revision: 4f2fac49 [No modification]	
Date: 7/14/2026	File: Pack_BMS_Module.SchDoc		Sheet: 1 of 5	


3S Pack Cells Connection

6x (3S2P) 3500mAh, Unprotected 18650 Cells

3S pack balance connector.




Top-of-pack and bottom-of-pack power connector.




Pack Thermistors

3x External 10k NTC Thermistors




Cell Connections		The ROS Robot Project		
Sub-Project: Pack_BMS_Module.PrjPcb				
Size: A4	Drawn By: Samyar Sadat Akhavi		Revision: 4f2fac49 [No modification]	
Date: 7/14/2026	File: Cell_Connections.SchDoc		Sheet: 2 of 5	

Battery Management & Primary Protections




LED Display & LDO



Battery Management		The ROS Robot Project		
Sub-Project: Pack_BMS_Module.PrjPcb				
Size: A3	Drawn By: Samyar Sadat Akhavi		Revision: 412fac49 [No modification]	
Date: 7/14/2026	File: Battery_Management.SchDoc		Sheet: 3	of 5



Secondary Pack Protector

Cell UV/OV Protection, Permanent Fail



Secondary Battery Protections		The ROS Robot Project		
Sub-Project: Pack_BMS_Module.PrjPcb				
Size: A4	Drawn By: Samyar Sadat Akhavi		Revision: 4f2fac49 [No modification]	
Date: 7/14/2026	File: Secondary_Protector.SchDoc		Sheet: 4 of 5	

Battery Pack Connector & IO ESD Protection



Battery Connector		The ROS Robot Project		
Sub-Project: Pack_BMS_Module.PrjPcb				
Size: A4	Drawn By: Samyar Sadat Akhavi		Revision: 4f2fac49 [No modification]	
Date: 7/14/2026	File: Battery_Connector.SchDoc		Sheet: 5 of 5	

