

Design Rules Verification Report

Filename : E:\Projects\ROS Robot\ROS-Robot-Hardware\electronics\pcb_files\Camera

Warnings 0
Rule Violations 364

Warnings	
Total	0

Rule Violations	
Clearance Constraint (Gap=0.2mm) (IsStitchingVia and InNet('GND')),((IsVia and (Not IsStitchingVia)) Or IsPad)	0
Clearance Constraint (Gap=0.2mm) (All),(All)	0
Short-Circuit Constraint (Allowed=No) (All),(All)	0
Un-Routed Net Constraint (All)	60
Modified Polygon (Allow modified: No), (Allow shelved: No)	0
Width Constraint (Min=0.2mm) (Max=3mm) (Preferred=0.6mm) (InNetClass('POWER') or InNet('GND'))	0
Width Constraint (Min=0.2mm) (Max=1mm) (Preferred=0.3mm) (All)	0
Routing Topology Rule(Topology=Shortest) (All)	0
Minimum Annular Ring (Minimum=0.15mm) (IsVia)	0
Minimum Annular Ring (Minimum=0.254mm) (All)	0
Hole Size Constraint (Min=0.3mm) (Max=6mm) (All)	0
Hole To Hole Clearance (Gap=0.3mm) (All),(All)	0
Hole To Hole Clearance (Gap=0.2mm) (IsVia),(IsVia)	0
Hole To Hole Clearance (Gap=0.45mm) (IsPad),(IsPad)	0
Minimum Solder Mask Sliver (Gap=0.1mm) (All),(All)	0
Silk To Solder Mask (Clearance=0.1mm) (IsPad),(All)	0
Silk to Silk (Clearance=0.1mm) (All),(All)	0
Net Antennae (Tolerance=0mm) (All)	0
Board Clearance Constraint (Gap=0mm) (All)	304
Height Constraint (Min=0mm) (Max=25.4mm) (Preferred=12.7mm) (All)	0
Total	364

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net CC_LED1 Between Pad C1_WHT_LED1-1(243.713mm,133.464mm) on Top Layer And Pad
Un-Routed Net Constraint: Net CC_LED1 Between Pad J1-3(204.716mm,37.465mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC1_WHT_LED1_2 Between Pad C1_WHT_LED1-2(243.713mm,135.014mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC1_WHT_LED1_2 Between Pad D2_WHT_LED1-1(234.061mm,134.439mm) on Top Layer And Pad
Un-Routed Net Constraint: Net CC_LED2 Between Pad C1_WHT_LED2-1(246.38mm,141.719mm) on Top Layer And Pad
Un-Routed Net Constraint: Net CC_LED2 Between Pad J1-2(204.716mm,36.465mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC1_WHT_LED2_2 Between Pad C1_WHT_LED2-2(246.38mm,143.269mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC1_WHT_LED2_2 Between Pad D2_WHT_LED2-1(236.22mm,142.694mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC1_WHT_LED1_2 Between Pad C2_WHT_LED1-1(222.504mm,133.464mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC2_WHT_LED1_2 Between Pad C2_WHT_LED1-2(222.504mm,135.014mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC2_WHT_LED1_2 Between Pad D3_WHT_LED1-1(212.852mm,134.439mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC1_WHT_LED2_2 Between Pad C2_WHT_LED2-1(224.155mm,141.719mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC2_WHT_LED2_2 Between Pad C2_WHT_LED2-2(224.155mm,143.269mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC2_WHT_LED2_2 Between Pad D3_WHT_LED2-1(214.122mm,142.694mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC2_WHT_LED1_2 Between Pad C3_WHT_LED1-1(201.168mm,133.464mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C3_WHT_LED1-2(201.168mm,135.014mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C4_RGB_LED8-2(192.151mm,126.759mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C3_WHT_LED1-2(201.168mm,135.014mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC2_WHT_LED2_2 Between Pad C3_WHT_LED2-1(202.057mm,141.719mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V Between Pad C4_RGB_LED1-1(191.77mm,45.199mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V Between Pad C4_RGB_LED1-1(191.77mm,45.199mm) on Top Layer And Pad J1-5(204.716mm,39.465mm) on
Un-Routed Net Constraint: Net +5V Between Pad LED1_RGB_LED1-1(181.026mm,41.488mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad C4_RGB_LED1-2(191.77mm,46.749mm) on Top Layer And Pad J1-1(204.716mm,35.465mm) on
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED1-3(184.226mm,45.888mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad C4_RGB_LED2-1(192.151mm,56.629mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED2-3(184.226mm,57.318mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad C4_RGB_LED3-1(192.151mm,68.059mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED3-3(184.226mm,68.748mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad C4_RGB_LED5-1(192.151mm,90.919mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED4-3(184.226mm,80.178mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad C4_RGB_LED5-1(192.151mm,90.919mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED5-3(184.226mm,91.608mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad C4_RGB_LED6-1(192.151mm,102.349mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED6-3(184.226mm,103.038mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad C4_RGB_LED7-1(192.151mm,113.779mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED7-3(184.226mm,114.468mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED8-3(184.226mm,125.898mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad D3_WHT_LED1-2(212.852mm,132.199mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NEO_DIN1 Between Pad LED1_RGB_LED1-4(181.026mm,45.888mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad LED1_RGB_LED1-1(181.026mm,41.488mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NEO_DIN2 Between Pad LED1_RGB_LED2-4(181.026mm,57.318mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED1-3(184.226mm,45.888mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad LED1_RGB_LED2-1(181.026mm,52.918mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NEO_DIN3 Between Pad LED1_RGB_LED3-4(181.026mm,68.748mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED2-3(184.226mm,57.318mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad LED1_RGB_LED3-1(181.026mm,64.348mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NEO_DIN4 Between Pad LED1_RGB_LED4-4(181.026mm,80.178mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED3-3(184.226mm,68.748mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad LED1_RGB_LED4-1(181.026mm,75.778mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NEO_DIN5 Between Pad LED1_RGB_LED5-4(181.026mm,91.608mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED4-3(184.226mm,80.178mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad LED1_RGB_LED5-1(181.026mm,87.208mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NEO_DIN6 Between Pad LED1_RGB_LED6-4(181.026mm,103.038mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED5-3(184.226mm,91.608mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad LED1_RGB_LED6-1(181.026mm,98.638mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NEO_DIN7 Between Pad LED1_RGB_LED7-4(181.026mm,114.468mm) on Top Layer [Unplated] And Pad

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED6-3(184.226mm,103.038mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad LED1_RGB_LED7-1(181.026mm,110.068mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NEO_DIN8 Between Pad LED1_RGB_LED8-4(181.026mm,125.898mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad LED1_RGB_LED7-3(184.226mm,114.468mm) on Top Layer [Unplated] And Pad

Board Clearance Constraint (Gap=0mm) (All)

[illegible]

Board Clearance Constraint (Gap=0mm) (All)

[illegible]

Board Clearance Constraint (Gap=0mm) (All)

[illegible]

[illegible]

Tuesday 24 Feb 2026 1:06:52 AM

Board Clearance Constraint (Gap=0mm) (All)

[illegible]

Board Clearance Constraint (Gap=0mm) (All)

Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (243.124mm,135.007mm)(243.124mm,135.607mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (243.124mm,135.607mm)(244.302mm,135.607mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (243.313mm,134.239mm)(244.113mm,134.239mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (244.302mm,132.871mm)(244.302mm,133.471mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (244.302mm,135.007mm)(244.302mm,135.607mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (245.791mm,141.126mm)(245.791mm,141.726mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (245.791mm,141.126mm)(246.969mm,141.126mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (245.791mm,143.262mm)(245.791mm,143.862mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (245.791mm,143.862mm)(246.969mm,143.862mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (245.98mm,142.494mm)(246.78mm,142.494mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (246.969mm,141.126mm)(246.969mm,141.726mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (246.969mm,143.262mm)(246.969mm,143.862mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (253.997mm,131.84mm)(253.997mm,135.377mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (253.997mm,131.84mm)(254.097mm,131.84mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (253.997mm,135.377mm)(254.197mm,135.377mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (256.582mm,135.374mm)(256.782mm,135.374mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (256.682mm,131.836mm)(256.782mm,131.836mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (256.782mm,131.836mm)(256.782mm,135.374mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (257.045mm,140.095mm)(257.045mm,143.632mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (257.045mm,140.095mm)(257.145mm,140.095mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (257.045mm,143.632mm)(257.245mm,143.632mm) on
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (259.63mm,143.629mm)(259.83mm,143.629mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (259.73mm,140.091mm)(259.83mm,140.091mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (259.83mm,140.091mm)(259.83mm,143.629mm) on Top