

Design Rules Verification Report

Filename : E:\Projects\ROS Robot\ROS-Robot-Hardware\electronics\pcb_files\Pack_B

Warnings 0
Rule Violations 500

Warnings	
Total	0

Rule Violations	
Short-Circuit Constraint (Allowed=No) (All),(All)	0
Un-Routed Net Constraint (All)	174
Modified Polygon (Allow modified: No), (Allow shelved: No)	0
Width Constraint (Min=0.2mm) (Max=1mm) (Preferred=0.3mm) (All)	0
Width Constraint (Min=0.2mm) (Max=3mm) (Preferred=0.6mm) (InNetClass('POWER') or InNet('GND'))	0
Routing Topology Rule(Topology=Shortest) (All)	0
Minimum Annular Ring (Minimum=0.254mm) (All)	0
Minimum Annular Ring (Minimum=0.15mm) (IsVia)	0
Hole Size Constraint (Min=0.3mm) (Max=6mm) (All)	0
Hole To Hole Clearance (Gap=0.3mm) (All),(All)	0
Hole To Hole Clearance (Gap=0.2mm) (IsVia),(IsVia)	0
Hole To Hole Clearance (Gap=0.45mm) (IsPad),(IsPad)	0
Minimum Solder Mask Sliver (Gap=0.1mm) (All),(All)	0
Silk To Solder Mask (Clearance=0.1mm) (IsPad),(All)	0
Silk to Silk (Clearance=0.1mm) (All),(All)	0
Net Antennae (Tolerance=0mm) (All)	0
Board Clearance Constraint (Gap=0mm) (All)	326
Height Constraint (Min=0mm) (Max=25.4mm) (Preferred=12.7mm) (All)	0
Total	500

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net GND Between Pad C10-1(195.54mm,14.732mm) on Top Layer And Pad C2-1(198.969mm,21.971mm) on Top Layer
Un-Routed Net Constraint: Net NetC10_2 Between Pad C10-2(196.89mm,14.732mm) on Top Layer And Pad D6-1(199.675mm,14.605mm) on Top
Un-Routed Net Constraint: Net NetC10_2 Between Pad U1-18(61.628mm,71.095mm) on Top Layer And Pad C10-2(196.89mm,14.732mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C1-1(184.11mm,36.703mm) on Top Layer And Pad J1-2(184.15mm,47.355mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad J2-2(180.84mm,24.265mm) on Top Layer And Pad C1-1(184.11mm,36.703mm) on Top Layer
Un-Routed Net Constraint: Net NetC11_1 Between Pad R20-2(184.038mm,14.859mm) on Top Layer And Pad C11-1(187.412mm,14.732mm) on Top
Un-Routed Net Constraint: Net NetC11_2 Between Pad C11-2(188.762mm,14.732mm) on Top Layer And Pad R17-2(192.039mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC11_2 Between Pad U1-19(61.628mm,71.495mm) on Top Layer And Pad C11-2(188.762mm,14.732mm) on Top
Un-Routed Net Constraint: Net TS1 Between Pad J1-1(184.15mm,46.355mm) on Top Layer And Pad C1-2(185.46mm,36.703mm) on Top Layer
Un-Routed Net Constraint: Net NetC12_1 Between Pad C12-1(115.416mm,21.336mm) on Top Layer And Pad R19-2(169.205mm,25.654mm) on Top
Un-Routed Net Constraint: Net NetC12_1 Between Pad U1-14(60.236mm,70.104mm) on Top Layer And Pad C12-1(115.416mm,21.336mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C12-2(116.766mm,21.336mm) on Top Layer And Pad C18-1(121.372mm,20.701mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C19-1(106.64mm,21.59mm) on Top Layer And Pad C12-2(116.766mm,21.336mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C24-1(114.641mm,26.924mm) on Top Layer And Pad C12-2(116.766mm,21.336mm) on Top Layer
Un-Routed Net Constraint: Net NetC13_1 Between Pad R22-2(175.91mm,14.859mm) on Top Layer And Pad C13-1(179.411mm,14.732mm) on Top
Un-Routed Net Constraint: Net NetC11_1 Between Pad IC4-1(119.285mm,11.237mm) on Top Layer And Pad C13-2(180.761mm,14.732mm) on Top
Un-Routed Net Constraint: Net NetC11_1 Between Pad C13-2(180.761mm,14.732mm) on Top Layer And Pad R20-2(184.038mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC14_1 Between Pad R24-2(157.114mm,14.859mm) on Top Layer And Pad C14-1(160.615mm,14.732mm) on Top
Un-Routed Net Constraint: Net NetC13_1 Between Pad IC5-1(105.553mm,10.729mm) on Top Layer And Pad C14-2(161.965mm,14.732mm) on Top
Un-Routed Net Constraint: Net NetC13_1 Between Pad C14-2(161.965mm,14.732mm) on Top Layer And Pad R22-2(175.91mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC15_1 Between Pad C21-2(121.325mm,14.732mm) on Top Layer And Pad C15-1(129.627mm,14.732mm) on Top
Un-Routed Net Constraint: Net NetC15_2 Between Pad R25-2(112.41mm,14.859mm) on Top Layer And Pad C15-2(130.977mm,14.732mm) on Top
Un-Routed Net Constraint: Net PACK- Between Pad C16-1(133.945mm,14.732mm) on Top Layer And Pad C17-1(138.136mm,14.732mm) on Top
Un-Routed Net Constraint: Net PACK- Between Pad IC7-2(124.226mm,13.589mm) on Top Layer [Unplated] And Pad C16-1(133.945mm,14.732mm)
Un-Routed Net Constraint: Net PPW_P Between Pad IC7-1(124.226mm,14.539mm) on Top Layer [Unplated] And Pad C16-2(135.295mm,14.732mm)
Un-Routed Net Constraint: Net PACK- Between Pad C17-1(138.136mm,14.732mm) on Top Layer And Pad R9-1(142.098mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net +3V3_LED Between Pad C17-2(139.486mm,14.732mm) on Top Layer And Pad D9-1(165.1mm,12.285mm) on Top
Un-Routed Net Constraint: Net +3V3_LED Between Pad IC7-5(126.726mm,14.539mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad C18-1(121.372mm,20.701mm) on Top Layer And Pad C3-1(132.294mm,21.971mm) on Top Layer
Un-Routed Net Constraint: Net NetC18_2 Between Pad U1-31(58.636mm,74.087mm) on Top Layer And Pad C18-2(122.722mm,20.701mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C4-1(102.195mm,21.971mm) on Top Layer And Pad C19-1(106.64mm,21.59mm) on Top Layer
Un-Routed Net Constraint: Net NetC19_2 Between Pad U1-30(59.036mm,74.087mm) on Top Layer And Pad C19-2(107.99mm,21.59mm) on Top
Un-Routed Net Constraint: Net PPW_N Between Pad IC3-2(75.95mm,74.234mm) on Top Layer And Pad C20-1(107.656mm,14.732mm) on Top Layer
Un-Routed Net Constraint: Net PPW_N Between Pad R14-1(105.141mm,4.445mm) on Top Layer And Pad C20-1(107.656mm,14.732mm) on Top
Un-Routed Net Constraint: Net PPW_N Between Pad C20-1(107.656mm,14.732mm) on Top Layer And Pad R25-1(111.11mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC15_2 Between Pad C20-2(109.006mm,14.732mm) on Top Layer And Pad R25-2(112.41mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC15_2 Between Pad U1-24(61.628mm,73.496mm) on Top Layer And Pad C20-2(109.006mm,14.732mm) on Top
Un-Routed Net Constraint: Net GND Between Pad J2-2(180.84mm,24.265mm) on Top Layer And Pad C2-1(198.969mm,21.971mm) on Top Layer
Un-Routed Net Constraint: Net PACK- Between Pad C21-1(119.975mm,14.732mm) on Top Layer And Pad IC7-2(124.226mm,13.589mm) on Top
Un-Routed Net Constraint: Net NetC15_1 Between Pad R26-2(103.789mm,14.097mm) on Top Layer And Pad C21-2(121.325mm,14.732mm) on Top
Un-Routed Net Constraint: Net TS2 Between Pad J2-1(179.84mm,24.265mm) on Top Layer And Pad C2-2(200.319mm,21.971mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C3-1(132.294mm,21.971mm) on Top Layer And Pad C22-1(139.66mm,26.924mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C22-1(139.66mm,26.924mm) on Top Layer And Pad NT1-2(142.978mm,17.526mm) on Top Layer
Un-Routed Net Constraint: Net NetC22_2 Between Pad R28-1(134.732mm,27.051mm) on Top Layer And Pad C22-2(141.01mm,26.924mm) on Top
Un-Routed Net Constraint: Net NetC23_1 Between Pad R31-2(119.395mm,27.051mm) on Top Layer And Pad C23-1(123.023mm,26.924mm) on Top
Un-Routed Net Constraint: Net NetC23_2 Between Pad C23-2(124.373mm,26.924mm) on Top Layer And Pad R29-2(131.841mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetC23_2 Between Pad U2-3(109.982mm,32.774mm) on Top Layer And Pad C23-2(124.373mm,26.924mm) on Top
Un-Routed Net Constraint: Net GND Between Pad U2-6(111.882mm,32.774mm) on Top Layer And Pad C24-1(114.641mm,26.924mm) on Top Layer
Un-Routed Net Constraint: Net NetC24_2 Between Pad C24-2(115.991mm,26.924mm) on Top Layer And Pad R30-2(127.777mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetC25_1 Between Pad R32-2(106.822mm,27.051mm) on Top Layer And Pad C25-1(110.45mm,26.924mm) on Top
Un-Routed Net Constraint: Net NetC25_1 Between Pad C25-1(110.45mm,26.924mm) on Top Layer And Pad U2-5(111.882mm,32.274mm) on Top
Un-Routed Net Constraint: Net NetC23_1 Between Pad C25-2(111.8mm,26.924mm) on Top Layer And Pad R31-2(119.395mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetC23_1 Between Pad U2-4(109.982mm,32.274mm) on Top Layer And Pad C25-2(111.8mm,26.924mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C4-1(102.195mm,21.971mm) on Top Layer And Pad C26-1(102.195mm,26.924mm) on Top Layer
Un-Routed Net Constraint: Net NetC25_1 Between Pad C26-2(103.545mm,26.924mm) on Top Layer And Pad R32-2(106.822mm,27.051mm) on Top
Un-Routed Net Constraint: Net TS3 Between Pad C3-2(133.644mm,21.971mm) on Top Layer And Pad J4-1(156.726mm,18.677mm) on Top Layer

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net TS3 Between Pad U1-28(59.836mm,74.087mm) on Top Layer And Pad C3-2(133.644mm,21.971mm) on Top Layer
Un-Routed Net Constraint: Net TS4 Between Pad C4-2(103.545mm,21.971mm) on Top Layer And Pad J6-1(118.745mm,54.864mm) on Top Layer
Un-Routed Net Constraint: Net NetC5_1 Between Pad C6-2(127.04mm,20.828mm) on Top Layer And Pad C5-1(129.64mm,9.271mm) on Top Layer
Un-Routed Net Constraint: Net PACK+ Between Pad J7-10(86.849mm,8.4mm) on Multi-Layer And Pad C5-2(130.99mm,9.271mm) on Top Layer
Un-Routed Net Constraint: Net PACK+ Between Pad C5-2(130.99mm,9.271mm) on Top Layer And Pad R10-2(147.208mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net PACK- Between Pad D4-1(111.791mm,21.336mm) on Top Layer And Pad C6-1(125.69mm,20.828mm) on Top Layer
Un-Routed Net Constraint: Net PACK- Between Pad IC7-2(124.226mm,13.589mm) on Top Layer [Unplated] And Pad C6-1(125.69mm,20.828mm) on
Un-Routed Net Constraint: Net NetC7_1 Between Pad C8-2(167.172mm,2.413mm) on Top Layer And Pad C7-1(218.654mm,14.732mm) on Top Layer
Un-Routed Net Constraint: Net NetC7_2 Between Pad R5-1(163.561mm,6.858mm) on Top Layer And Pad C7-2(220.004mm,14.732mm) on Top Layer
Un-Routed Net Constraint: Net PACK+ Between Pad C8-1(165.822mm,2.413mm) on Top Layer And Pad IC2-2(213.999mm,12.766mm) on Top Layer
Un-Routed Net Constraint: Net PACK+ Between Pad R8-2(151.145mm,2.54mm) on Top Layer And Pad C8-1(165.822mm,2.413mm) on Top Layer
Un-Routed Net Constraint: Net PPW_N Between Pad R14-1(105.141mm,4.445mm) on Top Layer And Pad C9-1(129.005mm,6.604mm) on Top Layer
Un-Routed Net Constraint: Net NetC9_2 Between Pad R14-2(106.441mm,4.445mm) on Top Layer And Pad C9-2(130.355mm,6.604mm) on Top Layer
Un-Routed Net Constraint: Net PACK- Between Pad D3-1(110.267mm,9.779mm) on Top Layer And Pad D1-1(115.855mm,2.413mm) on Top Layer
Un-Routed Net Constraint: Net PRES_PR Between Pad J7-4(71.849mm,8.4mm) on Multi-Layer And Pad D1-2(116.555mm,2.413mm) on Top Layer
Un-Routed Net Constraint: Net PRES_PR Between Pad D1-2(116.555mm,2.413mm) on Top Layer And Pad R1-1(137.044mm,5.461mm) on Top
Un-Routed Net Constraint: Net PACK- Between Pad D4-1(111.791mm,21.336mm) on Top Layer And Pad D2-1(112.141mm,52.376mm) on Top Layer
Un-Routed Net Constraint: Net PACK- Between Pad R27-2(72.39mm,66.802mm) on Top Layer And Pad D2-1(112.141mm,52.376mm) on Top Layer
Un-Routed Net Constraint: Net PACK+ Between Pad Q2-1(82.145mm,60.064mm) on Top Layer [Unplated] And Pad D2-2(112.141mm,46.176mm) on
Un-Routed Net Constraint: Net PACK- Between Pad D3-1(110.267mm,9.779mm) on Top Layer And Pad D4-1(111.791mm,21.336mm) on Top Layer
Un-Routed Net Constraint: Net PACK- Between Pad R26-1(102.489mm,14.097mm) on Top Layer And Pad D3-1(110.267mm,9.779mm) on Top Layer
Un-Routed Net Constraint: Net ALERT_PR Between Pad J7-7(79.349mm,8.4mm) on Multi-Layer And Pad D3-2(110.967mm,9.779mm) on Top Layer
Un-Routed Net Constraint: Net ALERT_PR Between Pad D3-2(110.967mm,9.779mm) on Top Layer And Pad R2-1(130.16mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net SMBD_PR Between Pad J7-6(76.849mm,8.4mm) on Multi-Layer And Pad D4-2(112.491mm,21.336mm) on Top Layer
Un-Routed Net Constraint: Net SMBD_PR Between Pad D4-2(112.491mm,21.336mm) on Top Layer And Pad R3-2(127.777mm,2.54mm) on Top
Un-Routed Net Constraint: Net PACK- Between Pad J7-3(69.349mm,8.4mm) on Multi-Layer And Pad D5-1(101.885mm,2.413mm) on Top Layer
Un-Routed Net Constraint: Net PACK- Between Pad D5-1(101.885mm,2.413mm) on Top Layer And Pad R26-1(102.489mm,14.097mm) on Top Layer
Un-Routed Net Constraint: Net SMBC_PR Between Pad J7-5(74.349mm,8.4mm) on Multi-Layer And Pad D5-2(102.585mm,2.413mm) on Top Layer
Un-Routed Net Constraint: Net SMBC_PR Between Pad D5-2(102.585mm,2.413mm) on Top Layer And Pad R4-2(119.776mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetD6_2 Between Pad R17-1(190.739mm,14.859mm) on Top Layer And Pad D6-2(201.899mm,14.605mm) on Top
Un-Routed Net Constraint: Net +3V3_LED Between Pad D8-1(168.656mm,12.285mm) on Top Layer And Pad D7-1(172.085mm,12.285mm) on Top
Un-Routed Net Constraint: Net LED_C Between Pad U1-8(57.645mm,70.695mm) on Top Layer And Pad D7-2(172.085mm,14.385mm) on Top Layer
Un-Routed Net Constraint: Net +3V3_LED Between Pad D9-1(165.1mm,12.285mm) on Top Layer And Pad D8-1(168.656mm,12.285mm) on Top
Un-Routed Net Constraint: Net LED_B Between Pad U1-4(57.645mm,72.296mm) on Top Layer And Pad D8-2(168.656mm,14.385mm) on Top Layer
Un-Routed Net Constraint: Net LED_A Between Pad U1-3(57.645mm,72.696mm) on Top Layer And Pad D9-2(165.1mm,14.385mm) on Top Layer
Un-Routed Net Constraint: Net PPW_P Between Pad F1-1(93.472mm,18.923mm) on Top Layer [Unplated] And Pad IC7-1(124.226mm,14.539mm) on
Un-Routed Net Constraint: Net PPW_P Between Pad J5-2(80.733mm,82.042mm) on Multi-Layer And Pad F1-1(93.472mm,18.923mm) on Top Layer
Un-Routed Net Constraint: Net NetF1_2 Between Pad IC3-3(77.72mm,75.184mm) on Top Layer And Pad F1-2(91.322mm,20.148mm) on Top Layer
Un-Routed Net Constraint: Net NetC7_2 Between Pad Q1-1(82.057mm,68.333mm) on Top Layer [Unplated] And Pad F1-3(93.472mm,21.373mm) on
Un-Routed Net Constraint: Net NetC7_2 Between Pad F1-3(93.472mm,21.373mm) on Top Layer [Unplated] And Pad R6-2(126.268mm,7.112mm) on
Un-Routed Net Constraint: Net NetC1_1 Between Pad R12-2(139.461mm,2.54mm) on Top Layer And Pad IC1-1(204.613mm,14.666mm) on Top
Un-Routed Net Constraint: Net NetC1_2 Between Pad R19-1(167.905mm,25.654mm) on Top Layer And Pad IC1-2(204.613mm,12.766mm) on Top
Un-Routed Net Constraint: Net NetC1_3 Between Pad R5-2(164.861mm,6.858mm) on Top Layer And Pad IC1-3(206.613mm,13.716mm) on Top
Un-Routed Net Constraint: Net NetC2_1 Between Pad R9-2(143.398mm,2.54mm) on Top Layer And Pad IC2-1(213.999mm,14.666mm) on Top Layer
Un-Routed Net Constraint: Net NetC2_3 Between Pad R8-1(149.845mm,2.54mm) on Top Layer And Pad IC2-3(215.769mm,13.716mm) on Top Layer
Un-Routed Net Constraint: Net NetC9_2 Between Pad IC3-1(75.95mm,76.134mm) on Top Layer And Pad JP1-1(94.654mm,12.446mm) on Top Layer
Un-Routed Net Constraint: Net PPW_N Between Pad R27-1(72.39mm,73.152mm) on Top Layer And Pad IC3-2(75.95mm,74.234mm) on Top Layer
Un-Routed Net Constraint: Net NetC11_1 Between Pad U1-21(61.628mm,72.296mm) on Top Layer And Pad IC4-1(119.285mm,11.237mm) on Top
Un-Routed Net Constraint: Net NetC4_2 Between Pad IC4-2(119.285mm,9.337mm) on Top Layer And Pad R20-1(182.738mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC4_2 Between Pad R31-1(118.095mm,27.051mm) on Top Layer And Pad IC4-2(119.285mm,9.337mm) on Top
Un-Routed Net Constraint: Net NetC4_3 Between Pad IC4-3(121.285mm,10.287mm) on Top Layer And Pad R18-1(122.933mm,39.116mm) on Top
Un-Routed Net Constraint: Net NetC13_1 Between Pad U1-22(61.628mm,72.696mm) on Top Layer And Pad IC5-1(105.553mm,10.729mm) on Top
Un-Routed Net Constraint: Net NetC5_2 Between Pad IC5-2(105.553mm,8.829mm) on Top Layer And Pad R22-1(174.61mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetC5_2 Between Pad R32-1(105.522mm,27.051mm) on Top Layer And Pad IC5-2(105.553mm,8.829mm) on Top
Un-Routed Net Constraint: Net NetC5_3 Between Pad IC5-3(107.553mm,9.779mm) on Top Layer And Pad R21-1(123.695mm,35.306mm) on Top
Un-Routed Net Constraint: Net NetC14_1 Between Pad IC6-1(114.84mm,11.872mm) on Top Layer And Pad R24-2(157.114mm,14.859mm) on Top

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net NetC14_1 Between Pad U1-23(61.628mm,73.096mm) on Top Layer And Pad IC6-1(114.84mm,11.872mm) on Top
Un-Routed Net Constraint: Net NetC6_2 Between Pad J3-4(55.686mm,89.992mm) on Top Layer And Pad IC6-2(114.84mm,9.972mm) on Top Layer
Un-Routed Net Constraint: Net NetC6_2 Between Pad IC6-2(114.84mm,9.972mm) on Top Layer And Pad NT1-1(141.478mm,17.526mm) on Top
Un-Routed Net Constraint: Net NetC6_3 Between Pad IC6-3(116.84mm,10.922mm) on Top Layer And Pad R23-1(122.806mm,43.942mm) on Top
Un-Routed Net Constraint: Net TS1 Between Pad U1-26(60.636mm,74.087mm) on Top Layer And Pad J1-1(184.15mm,46.355mm) on Top Layer
Un-Routed Net Constraint: Net TS2 Between Pad U1-27(60.236mm,74.087mm) on Top Layer And Pad J2-1(179.84mm,24.265mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad J4-2(157.726mm,18.677mm) on Top Layer And Pad J2-2(180.84mm,24.265mm) on Top Layer
Un-Routed Net Constraint: Net NetD6_2 Between Pad J3-1(63.186mm,89.992mm) on Top Layer And Pad R18-2(125.733mm,39.116mm) on Top
Un-Routed Net Constraint: Net NetC4_2 Between Pad J3-2(60.686mm,89.992mm) on Top Layer And Pad R31-1(118.095mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetC5_2 Between Pad J3-3(58.186mm,89.992mm) on Top Layer And Pad R32-1(105.522mm,27.051mm) on Top
Un-Routed Net Constraint: Net GND Between Pad S1-2(152.967mm,14.061mm) on Top Layer [Unplated] And Pad J4-2(157.726mm,18.677mm) on
Un-Routed Net Constraint: Net PPW_N Between Pad R27-1(72.39mm,73.152mm) on Top Layer And Pad J5-1(73.533mm,82.042mm) on Multi-Layer
Un-Routed Net Constraint: Net TS4 Between Pad U1-29(59.436mm,74.087mm) on Top Layer And Pad J6-1(118.745mm,54.864mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad U2-6(111.882mm,32.774mm) on Top Layer And Pad J6-2(119.745mm,54.864mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Via (60.736mm,72.095mm) from Top Layer to Bottom Layer And Pad J6-2(119.745mm,54.864mm) on
Un-Routed Net Constraint: Net PACK- Between Pad J7-1(61.849mm,8.4mm) on Multi-Layer And Pad J7-2(66.849mm,8.4mm) on Multi-Layer
Un-Routed Net Constraint: Net PACK+ Between Pad J7-9(84.349mm,8.4mm) on Multi-Layer And Pad J7-10(86.849mm,8.4mm) on Multi-Layer
Un-Routed Net Constraint: Net PACK- Between Pad J7-2(66.849mm,8.4mm) on Multi-Layer And Pad J7-3(69.349mm,8.4mm) on Multi-Layer
Un-Routed Net Constraint: Net PACK+ Between Pad J7-8(81.849mm,8.4mm) on Multi-Layer And Pad J7-9(84.349mm,8.4mm) on Multi-Layer
Un-Routed Net Constraint: Net PACK+ Between Pad J7-8(81.849mm,8.4mm) on Multi-Layer And Pad Q2-1(82.145mm,60.064mm) on Top Layer
Un-Routed Net Constraint: Net NetC9_2 Between Pad JP1-1(94.654mm,12.446mm) on Top Layer And Pad R14-2(106.441mm,4.445mm) on Top
Un-Routed Net Constraint: Net NetJP1_2 Between Pad JP1-2(95.592mm,12.446mm) on Top Layer And Pad R15-2(115.357mm,5.969mm) on Top
Un-Routed Net Constraint: Net NetC6_2 Between Pad NT1-1(141.478mm,17.526mm) on Top Layer And Pad NT2-1(145.034mm,14.49mm) on Top
Un-Routed Net Constraint: Net GND Between Pad NT1-2(142.978mm,17.526mm) on Top Layer And Pad NT2-2(145.034mm,15.99mm) on Top Layer
Un-Routed Net Constraint: Net NetC6_2 Between Pad NT2-1(145.034mm,14.49mm) on Top Layer And Pad R24-1(155.814mm,14.859mm) on Top
Un-Routed Net Constraint: Net GND Between Pad NT2-2(145.034mm,15.99mm) on Top Layer And Pad S1-2(152.967mm,14.061mm) on Top Layer
Un-Routed Net Constraint: Net NetC1_2 Between Pad Q1-2(80.107mm,65.278mm) on Top Layer And Pad Q2-2(80.195mm,63.119mm) on Top Layer
Un-Routed Net Constraint: Net NetQ1_3 Between Pad Q1-3(82.432mm,66.383mm) on Top Layer [Unplated] And Pad R11-2(111.663mm,4.572mm)
Un-Routed Net Constraint: Net NetC1_2 Between Pad Q2-2(82.145mm,63.119mm) on Top Layer And Pad R7-2(123.459mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetC2_3 Between Pad Q2-3(79.82mm,62.014mm) on Top Layer [Unplated] And Pad R13-2(103.154mm,7.112mm) on
Un-Routed Net Constraint: Net NetR10_1 Between Pad U1-15(60.636mm,70.104mm) on Top Layer And Pad R10-1(145.908mm,2.54mm) on Top
Un-Routed Net Constraint: Net PACK+ Between Pad R10-2(147.208mm,2.54mm) on Top Layer And Pad R8-2(151.145mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetR11_1 Between Pad U1-17(61.628mm,70.695mm) on Top Layer And Pad R11-1(110.363mm,4.572mm) on Top
Un-Routed Net Constraint: Net NetQ1_3 Between Pad R11-2(111.663mm,4.572mm) on Top Layer And Pad R6-1(124.968mm,7.112mm) on Top Layer
Un-Routed Net Constraint: Net NetR1_2 Between Pad U1-7(57.645mm,71.095mm) on Top Layer And Pad R1-2(138.344mm,5.461mm) on Top Layer
Un-Routed Net Constraint: Net NetR12_1 Between Pad U1-13(59.836mm,70.104mm) on Top Layer And Pad R12-1(138.161mm,2.54mm) on Top
Un-Routed Net Constraint: Net NetC1_1 Between Pad R7-1(122.159mm,2.54mm) on Top Layer And Pad R12-2(139.461mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetR13_1 Between Pad U1-16(61.036mm,70.104mm) on Top Layer And Pad R13-1(101.854mm,7.112mm) on Top
Un-Routed Net Constraint: Net NetC2_3 Between Pad R13-2(103.154mm,7.112mm) on Top Layer And Pad R8-1(149.845mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetR15_1 Between Pad U2-8(111.882mm,33.774mm) on Top Layer And Pad R15-1(114.057mm,5.969mm) on Top
Un-Routed Net Constraint: Net NetJP1_2 Between Pad R15-2(115.357mm,5.969mm) on Top Layer And Pad R16-1(118.349mm,6.096mm) on Top
Un-Routed Net Constraint: Net NetR16_2 Between Pad U1-12(59.436mm,70.104mm) on Top Layer And Pad R16-2(119.649mm,6.096mm) on Top
Un-Routed Net Constraint: Net NetD6_2 Between Pad R28-2(136.032mm,27.051mm) on Top Layer And Pad R17-1(190.739mm,14.859mm) on Top
Un-Routed Net Constraint: Net NetD6_2 Between Pad R18-2(125.733mm,39.116mm) on Top Layer And Pad R29-1(130.541mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetC1_2 Between Pad R7-2(123.459mm,2.54mm) on Top Layer And Pad R19-1(167.905mm,25.654mm) on Top
Un-Routed Net Constraint: Net NetC4_2 Between Pad R31-1(118.095mm,27.051mm) on Top Layer And Pad R21-2(126.495mm,35.306mm) on Top
Un-Routed Net Constraint: Net NetR2_2 Between Pad U1-5(57.645mm,71.895mm) on Top Layer And Pad R2-2(131.46mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetC5_2 Between Pad R32-1(105.522mm,27.051mm) on Top Layer And Pad R23-2(125.606mm,43.942mm) on Top
Un-Routed Net Constraint: Net NetC15_1 Between Pad U1-25(61.036mm,74.087mm) on Top Layer And Pad R26-2(103.789mm,14.097mm) on Top
Un-Routed Net Constraint: Net NetC22_2 Between Pad U2-1(109.982mm,33.774mm) on Top Layer And Pad R28-1(134.732mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetD6_2 Between Pad R29-1(130.541mm,27.051mm) on Top Layer And Pad R28-2(136.032mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetR30_1 Between Pad U2-7(111.882mm,33.274mm) on Top Layer And Pad R30-1(126.477mm,27.051mm) on Top
Un-Routed Net Constraint: Net NetR3_1 Between Pad U1-1(57.645mm,73.496mm) on Top Layer And Pad R3-1(126.477mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetR4_1 Between Pad U1-2(57.645mm,73.096mm) on Top Layer And Pad R4-1(118.476mm,2.54mm) on Top Layer
Un-Routed Net Constraint: Net NetC7_2 Between Pad R6-2(126.268mm,7.112mm) on Top Layer And Pad R5-1(163.561mm,6.858mm) on Top Layer
Un-Routed Net Constraint: Net NetS1_1 Between Pad S1-1(150.817mm,9.561mm) on Top Layer [Unplated] And Pad S1-1(150.817mm,14.061mm) on

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net NetS1_1 Between Pad U1-32(58.236mm,74.087mm) on Top Layer And Pad S1-1(150.817mm,14.061mm) on Top
Un-Routed Net Constraint: Net GND Between Pad S1-2(152.967mm,9.561mm) on Top Layer [Unplated] And Pad S1-2(152.967mm,14.061mm) on
Un-Routed Net Constraint: Net GND Between Pad U1-11(59.036mm,70.104mm) on Top Layer And Via (59.636mm,70.995mm) from Top Layer to
Un-Routed Net Constraint: Net NetC11_2 Between Pad U1-19(61.628mm,71.495mm) on Top Layer And Pad U1-20(61.628mm,71.895mm) on Top
Un-Routed Net Constraint: Net NetC23_2 Between Pad U2-3(109.982mm,32.774mm) on Top Layer And Pad U2-2(109.982mm,33.274mm) on Top
Un-Routed Net Constraint: Net GND Between Pad U2-9(110.932mm,33.024mm) on Top Layer And Pad U2-6(111.882mm,32.774mm) on Top Layer

Board Clearance Constraint (Gap=0mm) (All)

[illegible]

Board Clearance Constraint (Gap=0mm) (All)

[illegible]

Board Clearance Constraint (Gap=0mm) (All)

[illegible]

Board Clearance Constraint (Gap=0mm) (All)
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R3-2(127.777mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R32-1(105.522mm,27.051mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R32-2(106.822mm,27.051mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R4-1(118.476mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R4-2(119.776mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R5-1(163.561mm,6.858mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R5-2(164.861mm,6.858mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R6-1(124.968mm,7.112mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R6-2(126.268mm,7.112mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R7-1(122.159mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R7-2(123.459mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R8-1(149.845mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R8-2(151.145mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R9-1(142.098mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad R9-2(143.398mm,2.54mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad S1-1(150.817mm,14.061mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad S1-1(150.817mm,9.561mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad S1-2(152.967mm,14.061mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad S1-2(152.967mm,9.561mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-1(109.982mm,33.774mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-2(109.982mm,33.274mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-3(109.982mm,32.774mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-4(109.982mm,32.274mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-5(111.882mm,32.274mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-6(111.882mm,32.774mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-7(111.882mm,33.274mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-8(111.882mm,33.774mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-9(110.932mm,33.024mm) on Top Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-V(110.932mm,32.624mm) on Multi-Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Pad U2-V(110.932mm,33.424mm) on Multi-Layer
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "C1" (183.515mm,38.1mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "C14" (160.02mm,16.129mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "C17" (137.541mm,16.129mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "C22" (139.052mm,28.334mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "C8" (165.227mm,3.81mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "D2" (108.915mm,54.991mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "D4" (111.455mm,22.733mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "D6" (199.136mm,16.18mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "D8" (167.818mm,16.154mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "Hole1" (154.229mm,34.874mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "IC4" (118.77mm,12.725mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "J6" (116.307mm,59.614mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "R14" (104.623mm,5.918mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "R16" (117.831mm,7.569mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "R17" (190.957mm,16.154mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "R22" (174.828mm,16.154mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "R24" (156.032mm,16.154mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "R28" (134.95mm,28.346mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "R3" (126.708mm,3.823mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Text "R6" (124.435mm,8.585mm) on Top Overlay
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (101.435mm,1.788mm)(101.435mm,1.913mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (101.47mm,27.324mm)(101.47mm,27.624mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (101.869mm,14.797mm)(104.409mm,14.797mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (102.87mm,21.271mm)(102.87mm,22.671mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (102.87mm,26.224mm)(102.87mm,27.624mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (104.27mm,22.371mm)(104.27mm,22.671mm) on Top

Board Clearance Constraint (Gap=0mm) (All)

Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (104.521mm,3.745mm)(104.521mm,3.937mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (104.521mm,3.745mm)(107.061mm,3.745mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (104.521mm,5.145mm)(107.061mm,5.145mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (106.931mm,14.032mm)(109.731mm,14.032mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (107.253mm,8.329mm)(107.253mm,9.054mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (108.841mm,44.376mm)(111.641mm,44.376mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (108.841mm,54.176mm)(110.166mm,54.176mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (109.743mm,3.872mm)(112.283mm,3.872mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (109.743mm,5.272mm)(112.283mm,5.272mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (109.817mm,10.404mm)(111.417mm,10.404mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (110.49mm,15.367mm)(110.49mm,15.559mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (111.417mm,10.004mm)(111.417mm,10.404mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (111.417mm,9.154mm)(111.542mm,9.154mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (111.832mm,34.174mm)(112.007mm,34.174mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (112.141mm,48.676mm)(112.141mm,48.876mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (113.03mm,15.367mm)(113.03mm,15.559mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (113.437mm,6.669mm)(115.977mm,6.669mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (113.916mm,26.224mm)(113.916mm,26.524mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (115.405mm,3.038mm)(117.005mm,3.038mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (115.977mm,5.269mm)(115.977mm,5.461mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (117.005mm,1.788mm)(117.13mm,1.788mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (117.005mm,2.188mm)(117.13mm,2.188mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (117.005mm,3.038mm)(117.13mm,3.038mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (117.13mm,2.638mm)(117.13mm,3.038mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (117.213mm,54.451mm)(117.975mm,54.451mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (118.483mm,58.039mm)(120.007mm,58.039mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (120.015mm,26.351mm)(120.015mm,26.543mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (120.015mm,27.559mm)(120.015mm,27.751mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (120.085mm,11.737mm)(120.985mm,11.737mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (120.269mm,5.396mm)(120.269mm,5.588mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (120.647mm,20.001mm)(120.647mm,20.301mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (120.647mm,20.001mm)(123.447mm,20.001mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (121.539mm,3.24mm)(124.079mm,3.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (121.906mm,42.842mm)(121.906mm,43.142mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (122.033mm,40.216mm)(126.633mm,40.216mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (122.298mm,26.224mm)(125.098mm,26.224mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (122.298mm,27.624mm)(125.098mm,27.624mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (122.809mm,1.84mm)(122.809mm,3.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (123.626mm,15.089mm)(124.826mm,15.089mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (124.965mm,20.128mm)(127.765mm,20.128mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (124.965mm,21.228mm)(124.965mm,21.528mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (124.965mm,21.528mm)(127.765mm,21.528mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (125.098mm,26.224mm)(125.098mm,26.524mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (126.365mm,20.128mm)(126.365mm,21.528mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (126.633mm,38.016mm)(126.633mm,38.316mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (128.28mm,5.904mm)(128.28mm,6.204mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (128.28mm,7.304mm)(131.08mm,7.304mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (128.902mm,15.132mm)(128.902mm,15.432mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (128.902mm,15.432mm)(131.702mm,15.432mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (128.915mm,8.571mm)(128.915mm,8.871mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (128.915mm,9.971mm)(131.715mm,9.971mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (129.54mm,3.048mm)(129.54mm,3.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (129.68mm,5.904mm)(129.68mm,7.304mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (130.302mm,14.032mm)(130.302mm,15.432mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (132.461mm,26.351mm)(132.461mm,26.543mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (133.22mm,15.132mm)(133.22mm,15.432mm) on Top

Board Clearance Constraint (Gap=0mm) (All)

Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (134.112mm,27.559mm)(134.112mm,27.751mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (134.112mm,27.751mm)(136.652mm,27.751mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (134.369mm,22.371mm)(134.369mm,22.671mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (134.62mm,14.032mm)(134.62mm,15.432mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (136.02mm,14.032mm)(136.02mm,14.332mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (136.424mm,6.161mm)(138.964mm,6.161mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (136.652mm,26.351mm)(136.652mm,26.543mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (137.694mm,4.761mm)(137.694mm,6.161mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (141.478mm,1.84mm)(144.018mm,1.84mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (147.828mm,1.84mm)(147.828mm,2.032mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (149.225mm,1.84mm)(149.225mm,2.032mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (155.194mm,18.263mm)(155.956mm,18.263mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (157.734mm,15.367mm)(157.734mm,15.559mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (159.89mm,15.132mm)(159.89mm,15.432mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (162.941mm,7.558mm)(165.481mm,7.558mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (164.2mm,11.303mm)(164.4mm,11.303mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (164.2mm,15.24mm)(164.846mm,15.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (164.846mm,13.081mm)(165.354mm,13.081mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (165.097mm,2.813mm)(165.097mm,3.113mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (165.481mm,6.158mm)(165.481mm,6.35mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (165.8mm,11.303mm)(166mm,11.303mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (167.285mm,24.954mm)(169.825mm,24.954mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (167.756mm,13.335mm)(169.556mm,13.335mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (167.756mm,15.24mm)(167.756mm,15.367mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (167.756mm,15.24mm)(168.402mm,15.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (168.91mm,15.367mm)(169.556mm,15.367mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (171.185mm,11.303mm)(171.385mm,11.303mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (171.185mm,15.24mm)(171.831mm,15.24mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (172.985mm,15.24mm)(172.985mm,15.367mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (173.99mm,14.159mm)(173.99mm,14.351mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (178.308mm,23.851mm)(179.07mm,23.851mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (178.686mm,14.032mm)(178.686mm,14.332mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (178.686mm,15.432mm)(181.486mm,15.432mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (181.486mm,15.132mm)(181.486mm,15.432mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (183.385mm,37.103mm)(183.385mm,37.403mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (184.658mm,15.367mm)(184.658mm,15.559mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (186.185mm,37.103mm)(186.185mm,37.403mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (194.815mm,14.032mm)(197.615mm,14.032mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (197.615mm,14.032mm)(197.615mm,14.332mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (198.244mm,21.271mm)(198.244mm,21.571mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (199.009mm,13.905mm)(199.009mm,14.351mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (199.644mm,21.271mm)(199.644mm,22.671mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (202.465mm,13.905mm)(202.465mm,14.18mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (202.465mm,15.03mm)(202.465mm,15.305mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (205.513mm,12.266mm)(206.313mm,12.266mm) on Top
Board Outline Clearance(Outline Edge): (Collision < 0.2mm) Between Board Edge And Track (214.784mm,12.216mm)(215.584mm,12.216mm) on Top