

Design Rules Verification Report

Filename : E:\Projects\ROS Robot\ROS-Robot-Hardware\electronics\pcb_files\Sensors

Warnings 0
Rule Violations 500

Warnings	
Total	0

Rule Violations	
Short-Circuit Constraint (Allowed=No) (All),(All)	0
Un-Routed Net Constraint (All)	500
Modified Polygon (Allow modified: No), (Allow shelved: No)	0
Width Constraint (Min=0.254mm) (Max=1.4mm) (Preferred=0.6mm) (All)	0
Routing Topology Rule(Topology=Shortest) (All)	0
Minimum Annular Ring (Minimum=0.2mm) (All)	0
Minimum Annular Ring (Minimum=0.15mm) (IsVia)	0
Hole Size Constraint (Min=0.15mm) (Max=6mm) (All)	0
Hole To Hole Clearance (Gap=0.2mm) (All),(All)	0
Minimum Solder Mask Sliver (Gap=0.1mm) (All),(All)	0
Silk To Solder Mask (Clearance=0.1mm) (IsPad),(All)	0
Silk to Silk (Clearance=0.1mm) (All),(All)	0
Net Antennae (Tolerance=0mm) (All)	0
Board Clearance Constraint (Gap=0mm) (All)	0
Height Constraint (Min=0mm) (Max=25.4mm) (Preferred=12.7mm) (All)	0
Total	500

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net GND Between Pad C11-2(225.357mm,37.973mm) on Top Layer And Pad C10-2(228.913mm,37.973mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C10-2(228.913mm,37.973mm) on Top Layer And Pad C9-1(232.097mm,37.973mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C12-2(221.293mm,37.973mm) on Top Layer And Pad C11-2(225.357mm,37.973mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C2-2(223.558mm,28.067mm) on Top Layer And Pad C1-2(227.262mm,28.448mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C13-1(216.349mm,37.973mm) on Top Layer And Pad C12-2(221.293mm,37.973mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C14-1(204.665mm,37.973mm) on Top Layer And Pad C13-1(216.349mm,37.973mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C3-2(215.705mm,28.448mm) on Top Layer And Pad C13-1(216.349mm,37.973mm) on Top Layer
Un-Routed Net Constraint: Net DVDD_1V1 Between Pad C14-2(205.545mm,37.973mm) on Top Layer And Pad C13-2(217.229mm,37.973mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad J4-2(200.708mm,46.609mm) on Multi-Layer And Pad C14-1(204.665mm,37.973mm) on Top Layer
Un-Routed Net Constraint: Net DVDD_1V1 Between Pad C15-2(190.051mm,37.973mm) on Top Layer And Pad C14-2(205.545mm,37.973mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C15-1(189.171mm,37.973mm) on Top Layer And Pad C8-2(190.051mm,28.448mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad J1-4(179.451mm,37.405mm) on Multi-Layer And Pad C15-1(189.171mm,37.973mm) on Top Layer
Un-Routed Net Constraint: Net DVDD_1V1 Between Pad L1-1(145.288mm,36.846mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad J2-2(159.131mm,34.552mm) on Top Layer And Pad C16-1(164.66mm,37.973mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C16-1(164.66mm,37.973mm) on Top Layer And Pad S1-1(169.613mm,37.175mm) on Top Layer
Un-Routed Net Constraint: Net XTAL_IN Between Pad Y1-1(50.659mm,58.829mm) on Top Layer [Unplated] And Pad C16-2(165.54mm,37.973mm) on
Un-Routed Net Constraint: Net VREG_PGND Between Pad C20-2(102.802mm,37.973mm) on Top Layer And Pad C17-2(135.187mm,37.973mm) on
Un-Routed Net Constraint: Net GND Between Pad C19-2(111.057mm,37.973mm) on Top Layer And Pad C18-1(118.178mm,37.973mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C18-1(118.178mm,37.973mm) on Top Layer And Pad J18-1(119.634mm,45.974mm) on
Un-Routed Net Constraint: Net GND Between Pad C18-1(118.178mm,37.973mm) on Top Layer And Pad J3-2(125.222mm,34.552mm) on Top Layer
Un-Routed Net Constraint: Net NetC18_2 Between Pad R12-1(114.233mm,37.973mm) on Top Layer And Pad C18-2(119.058mm,37.973mm) on Top
Un-Routed Net Constraint: Net VREG_AVDD Between Pad IC1-61(54.308mm,74.127mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net VREG_AVDD Between Pad C19-1(110.177mm,37.973mm) on Top Layer And Pad R10-2(139.513mm,37.973mm) on
Un-Routed Net Constraint: Net GND Between Pad C29_ULTRA4-1(101.981mm,39.23mm) on Top Layer And Pad C19-2(111.057mm,37.973mm) on
Un-Routed Net Constraint: Net DVDD_1V1 Between Pad IC1-32(51.108mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net DVDD_1V1 Between Pad C20-1(101.922mm,37.973mm) on Top Layer And Pad L1-1(145.288mm,36.846mm) on Top
Un-Routed Net Constraint: Net VREG_PGND Between Pad IC1-62(53.908mm,74.127mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +3V3 Between Pad C4-2(219.342mm,28.448mm) on Top Layer And Pad C2-1(221.958mm,28.067mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C21-1(124.714mm,49.704mm) on Top Layer And Pad C22-1(130.518mm,50.546mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C46_NEO_LED4-2(122.428mm,61.809mm) on Top Layer And Pad C21-1(124.714mm,49.704mm)
Un-Routed Net Constraint: Net GND Between Pad J18-1(119.634mm,45.974mm) on Multi-Layer And Pad C21-1(124.714mm,49.704mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C4-1(217.792mm,28.448mm) on Top Layer And Pad C2-2(223.558mm,28.067mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C2-2(223.558mm,28.067mm) on Top Layer And Pad C42_FAN1-2(223.774mm,3.762mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C22-1(130.518mm,50.546mm) on Top Layer And Pad C23-1(137.414mm,50.254mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C23-1(137.414mm,50.254mm) on Top Layer And Pad C24-2(146.676mm,50.546mm) on Top Layer
Un-Routed Net Constraint: Net +5V Between Pad C23-2(137.414mm,51.854mm) on Top Layer And Pad C24-1(142.376mm,50.546mm) on Top Layer
Un-Routed Net Constraint: Net +5V Between Pad R16-1(116.459mm,52.959mm) on Top Layer And Pad C23-2(137.414mm,51.854mm) on Top Layer
Un-Routed Net Constraint: Net +5V Between Pad C24-1(142.376mm,50.546mm) on Top Layer And Pad F2-2(193.548mm,52.652mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C24-2(146.676mm,50.546mm) on Top Layer And Pad C25-1(150.622mm,50.254mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C25-1(150.622mm,50.254mm) on Top Layer And Pad C26-2(160.615mm,49.911mm) on Top Layer
Un-Routed Net Constraint: Net VBAT Between Pad C25-2(150.622mm,51.854mm) on Top Layer And Pad C26-1(155.615mm,49.911mm) on Top
Un-Routed Net Constraint: Net VBAT Between Pad R15-1(112.522mm,52.959mm) on Top Layer And Pad C25-2(150.622mm,51.854mm) on Top
Un-Routed Net Constraint: Net VBAT Between Pad C26-1(155.615mm,49.911mm) on Top Layer And Pad F3-2(186.055mm,52.652mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C26-2(160.615mm,49.911mm) on Top Layer And Pad J5-1(166.771mm,50.546mm) on Multi-Layer
Un-Routed Net Constraint: Net GND Between Pad C27-1(129.908mm,93.472mm) on Top Layer And Pad C49_CC_LED1-1(134.366mm,99.682mm)
Un-Routed Net Constraint: Net GND Between Pad IC3-3(126.111mm,88.859mm) on Top Layer [Unplated] And Pad C27-1(129.908mm,93.472mm) on
Un-Routed Net Constraint: Net GND Between Pad D1-2(109.779mm,80.62mm) on Top Layer And Pad C28-1(110.096mm,93.472mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C28-1(110.096mm,93.472mm) on Top Layer And Pad IC4-13(120.396mm,91.567mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C28-1(110.096mm,93.472mm) on Top Layer And Pad R44_CC_LED1-2(112.776mm,101.32mm)
Un-Routed Net Constraint: Net GND Between Pad C29_ULTRA1-1(101.981mm,18.656mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C29_ULTRA1-1(101.981mm,18.656mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V Between Pad C29_ULTRA1-2(101.981mm,20.206mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C29_ULTRA2-1(101.981mm,25.514mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V Between Pad C29_ULTRA2-2(101.981mm,27.064mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C29_ULTRA3-1(101.981mm,32.372mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V Between Pad C29_ULTRA3-2(101.981mm,33.922mm) on Top Layer And Pad

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net GND Between Pad C29_ULTRA4-1(101.981mm,39.23mm) on Top Layer And Pad D4-2(102.413mm,49.886mm) on
Un-Routed Net Constraint: Net +5V Between Pad J12_ULTRA1-1(89.789mm,109.153mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net +5V Between Pad C29_ULTRA4-2(101.981mm,40.78mm) on Top Layer And Pad R16-1(116.459mm,52.959mm) on
Un-Routed Net Constraint: Net NetC30_1 Between Pad C30-1(173.469mm,9.779mm) on Top Layer And Pad U1-1(198.447mm,16.469mm) on Top
Un-Routed Net Constraint: Net NetC30_2 Between Pad R27-1(157.099mm,9.906mm) on Top Layer And Pad C30-2(175.019mm,9.779mm) on Top
Un-Routed Net Constraint: Net NetC30_2 Between Pad C30-2(175.019mm,9.779mm) on Top Layer And Pad U1-2(198.447mm,15.819mm) on Top
Un-Routed Net Constraint: Net +3V3 Between Pad C5-1(211.396mm,28.448mm) on Top Layer And Pad C3-1(214.825mm,28.448mm) on Top Layer
Un-Routed Net Constraint: Net NetC31_1 Between Pad C31-1(177.66mm,9.779mm) on Top Layer And Pad U2-1(204.162mm,16.469mm) on Top
Un-Routed Net Constraint: Net NetC31_2 Between Pad R28-1(161.163mm,9.906mm) on Top Layer And Pad C31-2(179.21mm,9.779mm) on Top
Un-Routed Net Constraint: Net NetC31_2 Between Pad C31-2(179.21mm,9.779mm) on Top Layer And Pad U2-2(204.162mm,15.819mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C3-2(215.705mm,28.448mm) on Top Layer And Pad C4-1(217.792mm,28.448mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C5-2(212.276mm,28.448mm) on Top Layer And Pad C3-2(215.705mm,28.448mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C32-1(165.087mm,9.779mm) on Top Layer And Pad C33-1(169.278mm,9.779mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad IC7-4(154.593mm,8.24mm) on Top Layer [Unplated] And Pad C32-1(165.087mm,9.779mm) on Top
Un-Routed Net Constraint: Net NetC32_2 Between Pad C32-2(166.637mm,9.779mm) on Top Layer And Pad R25-1(183.388mm,4.696mm) on Top
Un-Routed Net Constraint: Net NetC32_2 Between Pad R27-2(158.343mm,9.906mm) on Top Layer And Pad C32-2(166.637mm,9.779mm) on Top
Un-Routed Net Constraint: Net GND Between Pad J14-1(168.823mm,21.971mm) on Multi-Layer And Pad C33-1(169.278mm,9.779mm) on Top Layer
Un-Routed Net Constraint: Net NetC33_2 Between Pad C33-2(170.828mm,9.779mm) on Top Layer And Pad R26-1(194.31mm,11.681mm) on Top
Un-Routed Net Constraint: Net NetC33_2 Between Pad R28-2(162.407mm,9.906mm) on Top Layer And Pad C33-2(170.828mm,9.779mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C34-1(131.178mm,9.779mm) on Top Layer And Pad C35-2(136.919mm,9.779mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad R32-2(119.862mm,9.906mm) on Top Layer And Pad C34-1(131.178mm,9.779mm) on Top Layer
Un-Routed Net Constraint: Net +3V3 Between Pad C34-2(132.728mm,9.779mm) on Top Layer And Pad C35-1(135.369mm,9.779mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C35-2(136.919mm,9.779mm) on Top Layer And Pad C36-1(139.56mm,9.779mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C36-1(139.56mm,9.779mm) on Top Layer And Pad C37-2(145.428mm,9.779mm) on Top Layer
Un-Routed Net Constraint: Net +3V3 Between Pad C36-2(141.11mm,9.779mm) on Top Layer And Pad C37-1(143.878mm,9.779mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C45_NEO_LED4-1(145.415mm,19.418mm) on Top Layer And Pad C37-2(145.428mm,9.779mm)
Un-Routed Net Constraint: Net GND Between Pad C37-2(145.428mm,9.779mm) on Top Layer And Pad IC6-7(148.971mm,8.89mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C38-1(106.159mm,9.779mm) on Top Layer And Pad C39-1(110.35mm,9.779mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C38-1(106.159mm,9.779mm) on Top Layer And Pad IC10_NEO_LED2-1(106.172mm,13.843mm)
Un-Routed Net Constraint: Net NetC38_2 Between Pad C38-2(107.709mm,9.779mm) on Top Layer And Pad IC6-3(147.921mm,8.24mm) on Top
Un-Routed Net Constraint: Net GND Between Pad C39-1(110.35mm,9.779mm) on Top Layer And Pad R31-2(115.798mm,9.906mm) on Top Layer
Un-Routed Net Constraint: Net NetC39_2 Between Pad C39-2(111.9mm,9.779mm) on Top Layer And Pad IC7-3(152.493mm,8.24mm) on Top Layer
Un-Routed Net Constraint: Net MICROSOW1 Between Pad IC1-22(47.108mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net MICROSOW1 Between Pad C40_MS1-1(176.784mm,124.32mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C40_MS1-2(176.784mm,125.87mm) on Top Layer And Pad C40_MS2-2(176.784mm,136.792mm)
Un-Routed Net Constraint: Net GND Between Pad IC11_CC_LED4-1(147.132mm,122.956mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net MICROSOW2 Between Pad IC1-23(47.508mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net MICROSOW2 Between Pad C40_MS2-1(176.784mm,135.242mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C40_MS2-2(176.784mm,136.792mm) on Top Layer And Pad C40_MS3-2(176.784mm,147.714mm)
Un-Routed Net Constraint: Net MICROSOW3 Between Pad IC1-25(48.308mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net MICROSOW3 Between Pad C40_MS3-1(176.784mm,146.164mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C40_MS3-2(176.784mm,147.714mm) on Top Layer And Pad C40_MS4-2(176.784mm,158.636mm)
Un-Routed Net Constraint: Net GND Between Pad C40_MS3-2(176.784mm,147.714mm) on Top Layer And Pad J13_MS3-2(189.591mm,145.415mm)
Un-Routed Net Constraint: Net MICROSOW4 Between Pad IC1-26(48.708mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net MICROSOW4 Between Pad C40_MS4-1(176.784mm,157.086mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad R37_THERM1-1(22.225mm,109.093mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NTC1 Between Pad C41_THERM1-2(32.385mm,110.249mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C41_THERM2-1(32.766mm,119.621mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C41_THERM2-1(32.766mm,119.621mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NTC2 Between Pad C41_THERM2-2(32.766mm,121.171mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C41_THERM3-1(32.766mm,130.543mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NTC3 Between Pad C41_THERM3-2(32.766mm,132.093mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad R37_THERM4-1(22.225mm,141.859mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NTC4 Between Pad C41_THERM4-2(32.766mm,143.015mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad IC8_FAN1-2(217.424mm,0.825mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad IC8_FAN1-4(218.374mm,3.625mm) on Top Layer And Pad C42_FAN1-2(223.774mm,3.762mm) on

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net VBAT_AUX Between Pad C42_FAN2-1(10.668mm,122.288mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad C42_FAN2-1(10.668mm,122.288mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C42_FAN2-2(10.668mm,123.838mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C42_FAN3-2(10.668mm,140.094mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C43_FAN1-1(53.759mm,4.699mm) on Top Layer And Pad D7_FAN1-1(56.007mm,8.669mm) on
Un-Routed Net Constraint: Net VBAT_AUX Between Pad IC9_FAN1-2(51.959mm,6.67mm) on Top Layer And Pad C43_FAN1-2(52.159mm,4.699mm)
Un-Routed Net Constraint: Net GND Between Pad D7_FAN2-1(25.019mm,24.859mm) on Top Layer And Pad C43_FAN2-1(32.512mm,26.251mm) on
Un-Routed Net Constraint: Net VBAT_AUX Between Pad C43_FAN2-2(32.512mm,27.851mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad D7_FAN3-1(25.019mm,41.115mm) on Top Layer And Pad C43_FAN3-1(32.512mm,42.507mm) on
Un-Routed Net Constraint: Net GND Between Pad C43_FAN3-1(32.512mm,42.507mm) on Top Layer And Pad J13_MS1-2(36.937mm,52.959mm) on
Un-Routed Net Constraint: Net VBAT_AUX Between Pad C43_FAN3-2(32.512mm,44.107mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC44_FAN1_1 Between Pad C44_FAN1-1(67.818mm,4.358mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC44_FAN1_1 Between Pad L2_FAN1-2(63.056mm,6.985mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad D7_FAN1-1(56.007mm,8.669mm) on Top Layer And Pad C44_FAN1-2(67.818mm,9.358mm) on
Un-Routed Net Constraint: Net GND Between Pad C44_FAN1-2(67.818mm,9.358mm) on Top Layer And Pad J21_FAN1-4(75.946mm,10.16mm) on
Un-Routed Net Constraint: Net NetC44_FAN2_1 Between Pad C44_FAN2-1(50.078mm,25.146mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C44_FAN2-2(55.078mm,25.146mm) on Top Layer And Pad C44_FAN3-2(55.078mm,41.402mm)
Un-Routed Net Constraint: Net GND Between Pad C44_FAN2-2(55.078mm,25.146mm) on Top Layer And Pad D7_FAN1-1(56.007mm,8.669mm) on
Un-Routed Net Constraint: Net NetC44_FAN3_1 Between Pad C44_FAN3-1(50.078mm,41.402mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad Y1-2(52.959mm,58.829mm) on Top Layer [Unplated] And Pad C44_FAN3-2(55.078mm,41.402mm)
Un-Routed Net Constraint: Net GND Between Pad C45_NEO_LED1-1(157.988mm,65.278mm) on Top Layer And Pad J16-1(165.989mm,62.484mm)
Un-Routed Net Constraint: Net +5V_AUX Between Pad C45_NEO_LED1-2(157.988mm,66.828mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C45_NEO_LED2-1(114.046mm,11.798mm) on Top Layer And Pad R31-2(115.798mm,9.906mm)
Un-Routed Net Constraint: Net +5V_AUX Between Pad C45_NEO_LED2-2(114.046mm,13.348mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad IC10_NEO_LED2-5(106.172mm,16.343mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad C45_NEO_LED2-2(114.046mm,13.348mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C45_NEO_LED4-1(145.415mm,19.418mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C45_NEO_LED3-1(149.86mm,22.72mm) on Top Layer And Pad J15-1(156.464mm,21.463mm) on
Un-Routed Net Constraint: Net +5V_AUX Between Pad C45_NEO_LED4-2(145.415mm,20.968mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad C45_NEO_LED3-2(149.86mm,24.27mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad IC10_NEO_LED3-3(139.888mm,21.61mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad IC10_NEO_LED3-5(137.988mm,24.11mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad C45_NEO_LED4-2(145.415mm,20.968mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad C46_NEO_LED1-1(113.538mm,138.724mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad C46_NEO_LED1-1(113.538mm,138.724mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad C46_NEO_LED1-1(113.538mm,138.724mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C46_NEO_LED1-2(113.538mm,143.724mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C46_NEO_LED1-2(113.538mm,143.724mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad R44_CC_LED4-2(113.157mm,125.704mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad C46_NEO_LED2-1(113.538mm,153.71mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C46_NEO_LED2-2(113.538mm,158.71mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad C46_NEO_LED3-1(116.84mm,18.201mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad J18-3(114.634mm,45.974mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C46_NEO_LED3-2(116.84mm,23.201mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad J18-3(114.634mm,45.974mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad J10-1(118.991mm,67.104mm) on Top Layer And Pad C46_NEO_LED4-2(122.428mm,61.809mm)
Un-Routed Net Constraint: Net GND Between Pad C47_NEO_LED3-1(125.857mm,22.72mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad C47_NEO_LED3-2(125.857mm,24.27mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C47_NEO_LED4-1(125.984mm,18.415mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad C47_NEO_LED4-2(125.984mm,19.965mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C48_CC_LED1-1(123.571mm,99.682mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C48_CC_LED1-1(123.571mm,99.682mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad C48_CC_LED1-2(123.571mm,101.232mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad C48_CC_LED1-2(123.571mm,101.232mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad IC8_FAN2-2(87.76mm,55.753mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C48_CC_LED2-1(124.46mm,107.81mm) on Top Layer And Pad

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net VBAT_AUX Between Pad C48_CC_LED2-2(124.46mm,109.36mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C48_CC_LED3-1(124.46mm,115.938mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad C48_CC_LED3-2(124.46mm,117.488mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C49_CC_LED1-1(134.366mm,99.682mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C49_CC_LED1-1(134.366mm,99.682mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad C49_CC_LED1-2(134.366mm,101.232mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad C49_CC_LED1-2(134.366mm,101.232mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C49_CC_LED2-1(135.636mm,107.81mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad C49_CC_LED2-2(135.636mm,109.36mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C49_CC_LED3-1(135.636mm,115.938mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad C49_CC_LED3-2(135.636mm,117.488mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C50_CC_LED1-1(101.981mm,99.682mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C50_CC_LED1-1(101.981mm,99.682mm) on Top Layer And Pad
Un-Routed Net Constraint: Net CC_LED_OUT1 Between Pad C50_CC_LED1-2(101.981mm,101.232mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C50_CC_LED2-1(101.981mm,107.81mm) on Top Layer And Pad
Un-Routed Net Constraint: Net CC_LED_OUT2 Between Pad C50_CC_LED2-2(101.981mm,109.36mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad C50_CC_LED3-1(101.981mm,115.938mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad J12_ULTRA1-4(89.789mm,116.653mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net CC_LED_OUT3 Between Pad C50_CC_LED3-2(101.981mm,117.488mm) on Top Layer And Pad
Un-Routed Net Constraint: Net CC_LED_OUT4 Between Pad C50_CC_LED4-2(101.981mm,125.616mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +3V3 Between Pad IC2-8(208.59mm,28.067mm) on Top Layer [Unplated] And Pad C5-1(211.396mm,28.448mm) on
Un-Routed Net Constraint: Net GND Between Pad IC2-9(205.74mm,26.162mm) on Top Layer [Unplated] And Pad C5-2(212.276mm,28.448mm) on
Un-Routed Net Constraint: Net +3V3 Between Pad C7-1(192.6mm,28.448mm) on Top Layer And Pad C6-1(196.029mm,28.448mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C7-2(193.48mm,28.448mm) on Top Layer And Pad C6-2(196.909mm,28.448mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C6-2(196.909mm,28.448mm) on Top Layer And Pad IC2-4(202.89mm,24.257mm) on Top Layer
Un-Routed Net Constraint: Net +3V3 Between Pad C8-1(189.171mm,28.448mm) on Top Layer And Pad C7-1(192.6mm,28.448mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad C8-2(190.051mm,28.448mm) on Top Layer And Pad C7-2(193.48mm,28.448mm) on Top Layer
Un-Routed Net Constraint: Net NetD1_1 Between Pad D1-1(109.779mm,83.642mm) on Top Layer And Pad R1-1(112.776mm,83.693mm) on Top
Un-Routed Net Constraint: Net GND Between Pad D2-2(102.413mm,80.62mm) on Top Layer And Pad D1-2(109.779mm,80.62mm) on Top Layer
Un-Routed Net Constraint: Net NetD2_1 Between Pad D2-1(102.413mm,83.642mm) on Top Layer And Pad R2-1(105.537mm,83.693mm) on Top
Un-Routed Net Constraint: Net GND Between Pad D2-2(102.413mm,80.62mm) on Top Layer And Pad J11-5(105.402mm,73.12mm) on Top Layer
Un-Routed Net Constraint: Net NetD3_1 Between Pad J5-2(169.271mm,50.546mm) on Multi-Layer And Pad D3-1(174.402mm,52.705mm) on Top
Un-Routed Net Constraint: Net NetD3_2 Between Pad IC1-35(52.308mm,64.227mm) on Top Layer [Unplated] And Pad D3-2(176.626mm,52.705mm)
Un-Routed Net Constraint: Net NetD3_2 Between Pad D3-2(176.626mm,52.705mm) on Top Layer And Pad S2-1(180.027mm,52.161mm) on Top
Un-Routed Net Constraint: Net NetD4_1 Between Pad D4-1(102.413mm,52.908mm) on Top Layer And Pad R15-2(113.766mm,52.959mm) on Top
Un-Routed Net Constraint: Net GND Between Pad D4-2(102.413mm,49.886mm) on Top Layer And Pad D5-2(105.969mm,49.886mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad IC8_FAN2-1(87.76mm,54.803mm) on Top Layer And Pad D4-2(102.413mm,49.886mm) on Top
Un-Routed Net Constraint: Net NetD5_1 Between Pad D5-1(105.969mm,52.908mm) on Top Layer And Pad R16-2(117.703mm,52.959mm) on Top
Un-Routed Net Constraint: Net GND Between Pad D5-2(105.969mm,49.886mm) on Top Layer And Pad D6-2(109.525mm,49.886mm) on Top Layer
Un-Routed Net Constraint: Net NetD6_1 Between Pad D6-1(109.525mm,52.908mm) on Top Layer And Pad R17-2(121.64mm,52.959mm) on Top
Un-Routed Net Constraint: Net NetD7_FAN1_2 Between Pad IC9_FAN1-3(53.959mm,7.62mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetD7_FAN1_2 Between Pad D7_FAN1-2(56.007mm,5.809mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad D7_FAN2-1(25.019mm,24.859mm) on Top Layer And Pad D7_FAN3-1(25.019mm,41.115mm) on
Un-Routed Net Constraint: Net NetD7_FAN2_2 Between Pad D7_FAN2-2(25.019mm,27.719mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetD7_FAN3_2 Between Pad D7_FAN3-2(25.019mm,43.975mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetF1_1 Between Pad J4-4(200.708mm,49.609mm) on Multi-Layer And Pad F1-1(212.979mm,51.107mm) on Top
Un-Routed Net Constraint: Net NetF2_1 Between Pad F2-1(193.548mm,49.202mm) on Top Layer And Pad J4-3(203.708mm,49.609mm) on
Un-Routed Net Constraint: Net +5V Between Pad F2-2(193.548mm,52.652mm) on Top Layer And Pad R23-2(210.794mm,16.891mm) on Top Layer
Un-Routed Net Constraint: Net NetF3_1 Between Pad F3-1(186.055mm,49.202mm) on Top Layer And Pad J4-1(203.708mm,46.609mm) on
Un-Routed Net Constraint: Net VBAT Between Pad F3-2(186.055mm,52.652mm) on Top Layer And Pad R26-2(194.31mm,14.481mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad IC10_NEO_LED1-1(181.615mm,63.286mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC10_NEO_LED1-1(181.615mm,63.286mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NEOPIXEL_DIN1 Between Pad IC1-7(45.558mm,70.577mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC10_NEO_LED1-3(183.515mm,63.286mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NetC10_NEO_LED1_4 Between Pad R42_NEO_LED1-2(133.604mm,144.881mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad J16-3(165.989mm,67.484mm) on Multi-Layer And Pad

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net +5V_AUX Between Pad IC10_NEO_LED1-5(181.615mm,65.786mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad IC10_NEO_LED1-5(181.615mm,65.786mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC10_NEO_LED2-1(106.172mm,13.843mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NEOPIXEL_DIN2 Between Pad IC1-8(45.558mm,70.177mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NetC10_NEO_LED2_4 Between Pad IC10_NEO_LED2-4(108.072mm,16.343mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC10_NEO_LED3-1(137.988mm,21.61mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC10_NEO_LED4-3(134.935mm,17.927mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NEOPIXEL_DIN3 Between Pad IC1-9(45.558mm,69.777mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NetC10_NEO_LED3_4 Between Pad R42_NEO_LED3-2(101.854mm,24.358mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V_AUX Between Pad IC10_NEO_LED4-5(133.035mm,20.427mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC10_NEO_LED4-1(133.035mm,17.927mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NEOPIXEL_DIN4 Between Pad IC1-11(45.558mm,68.977mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NetC10_NEO_LED4_4 Between Pad R42_NEO_LED4-2(107.442mm,25.247mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC1_1 Between Pad IC1-1(45.558mm,72.977mm) on Top Layer [Unplated] And Pad R32-1(118.618mm,9.906mm)
Un-Routed Net Constraint: Net GND Between Pad IC11_CC_LED1-1(145.354mm,98.572mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net CC_PWM_LED1 Between Pad R44_CC_LED1-1(112.776mm,100.076mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad IC11_CC_LED1-3(147.254mm,98.572mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad IC11_CC_LED1-3(147.254mm,98.572mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NetC11_CC_LED1_4 Between Pad IC11_CC_LED1-4(147.254mm,101.072mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net CC_LED_OUT1 Between Pad IC11_CC_LED1-5(145.354mm,101.072mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC11_CC_LED2-1(147.005mm,106.7mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net CC_PWM_LED2 Between Pad R44_CC_LED2-1(113.157mm,108.204mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad IC11_CC_LED2-3(148.905mm,106.7mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NetC11_CC_LED2_4 Between Pad IC11_CC_LED2-4(148.905mm,109.2mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net CC_LED_OUT2 Between Pad IC11_CC_LED2-5(147.005mm,109.2mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC11_CC_LED3-1(147.005mm,114.828mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net CC_PWM_LED3 Between Pad R44_CC_LED3-1(113.157mm,116.332mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad IC11_CC_LED3-3(148.905mm,114.828mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NetC11_CC_LED3_4 Between Pad IC11_CC_LED3-4(148.905mm,117.328mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net CC_LED_OUT3 Between Pad IC11_CC_LED3-5(147.005mm,117.328mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net CC_PWM_LED4 Between Pad R44_CC_LED4-1(113.157mm,124.46mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC11_CC_LED4_4 Between Pad IC11_CC_LED4-4(149.032mm,125.456mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net CC_LED_OUT4 Between Pad IC11_CC_LED4-5(147.132mm,125.456mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net DVDD_1V1 Between Pad IC1-10(45.558mm,69.377mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net IMU1_IO.INT Between Pad IC1-12(45.558mm,68.577mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net IMU1_IO.RESET Between Pad IC1-13(45.558mm,68.177mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net IMU1_IO.BOOT Between Pad IC1-14(45.558mm,67.777mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net IR_HUB0_IO.INT Between Pad IC1-16(45.558mm,66.977mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net IR_HUB0_IO.RESET Between Pad IC1-17(45.558mm,66.577mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net IR_HUB1_IO.INT Between Pad IC1-18(45.558mm,66.177mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net IR_HUB1_IO.RESET Between Pad IC1-19(45.558mm,65.777mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NetC1_2 Between Pad IC1-2(45.558mm,72.577mm) on Top Layer [Unplated] And Pad R31-1(114.554mm,9.906mm)
Un-Routed Net Constraint: Net MZ_IR_IO.INT Between Pad IC1-20(45.558mm,65.377mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net MZ_IR_IO.XSHUT Between Pad IC1-21(46.708mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +3V3 Between Pad IC1-24(47.908mm,64.227mm) on Top Layer [Unplated] And Pad IC1-29(49.908mm,64.227mm) on
Un-Routed Net Constraint: Net TRIG_UL1 Between Pad IC1-27(49.108mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net ECHO_UL1 Between Pad IC1-28(49.508mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net IMU0_IO.INT Between Pad IC1-3(45.558mm,72.177mm) on Top Layer [Unplated] And Pad J9-4(112.26mm,70.104mm)
Un-Routed Net Constraint: Net XTAL_IN Between Pad IC1-30(50.308mm,64.227mm) on Top Layer [Unplated] And Pad Y1-1(50.659mm,58.829mm)
Un-Routed Net Constraint: Net XTAL_OUT Between Pad IC1-31(50.708mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net DVDD_1V1 Between Pad IC1-32(51.108mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net SWD_CLK Between Pad IC1-33(51.508mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net SWD_IO Between Pad IC1-34(51.908mm,64.227mm) on Top Layer [Unplated] And Pad R13-1(106.553mm,36.068mm)
Un-Routed Net Constraint: Net TRIG_UL2 Between Pad IC1-36(52.708mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net ECHO_UL2 Between Pad IC1-37(53.108mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net TRIG_UL3 Between Pad IC1-38(53.508mm,64.227mm) on Top Layer [Unplated] And Pad

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net ECHO_UL3 Between Pad IC1-39(53.908mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net IMU0_IO.RESET Between Pad IC1-4(45.558mm,71.777mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net TRIG_UL4 Between Pad IC1-40(54.308mm,64.227mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net ECHO_UL4 Between Pad IC1-42(55.458mm,65.777mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NetC1_43 Between Pad IC1-43(55.458mm,66.177mm) on Top Layer [Unplated] And Pad J11-4(105.402mm,72.12mm)
Un-Routed Net Constraint: Net I2C0.SDA Between Pad IC1-45(55.458mm,66.977mm) on Top Layer [Unplated] And Pad J9-2(112.26mm,68.104mm)
Un-Routed Net Constraint: Net I2C0.SCL Between Pad IC1-46(55.458mm,67.377mm) on Top Layer [Unplated] And Pad J9-3(112.26mm,69.104mm)
Un-Routed Net Constraint: Net I2C1.SDA Between Pad IC1-47(55.458mm,67.777mm) on Top Layer [Unplated] And Pad J11-2(105.402mm,70.12mm)
Un-Routed Net Constraint: Net I2C1.SCL Between Pad IC1-48(55.458mm,68.177mm) on Top Layer [Unplated] And Pad J11-3(105.402mm,71.12mm)
Un-Routed Net Constraint: Net DVDD_1V1 Between Pad IC1-65(52.708mm,74.127mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net CC_PWM_LED1 Between Pad IC1-53(55.458mm,70.177mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net CC_PWM_LED2 Between Pad IC1-54(55.458mm,70.577mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net CC_PWM_LED3 Between Pad IC1-55(55.458mm,70.977mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net CC_PWM_LED4 Between Pad IC1-56(55.458mm,71.377mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net VAUX_ALERT Between Pad IC1-57(55.458mm,71.777mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net TRML_ALERT Between Pad IC1-58(55.458mm,72.177mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +3V3 Between Pad IC1-59(55.458mm,72.577mm) on Top Layer [Unplated] And Pad IC1-60(55.458mm,72.977mm) on
Un-Routed Net Constraint: Net IMU0_IO.BOOT Between Pad IC1-6(45.558mm,70.977mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net VREG_LX Between Pad IC1-63(53.508mm,74.127mm) on Top Layer [Unplated] And Pad L1-2(145.288mm,38.846mm)
Un-Routed Net Constraint: Net +3V3 Between Pad IC1-68(51.508mm,74.127mm) on Top Layer [Unplated] And Pad IC1-64(53.108mm,74.127mm) on
Un-Routed Net Constraint: Net NetC1_66 Between Pad IC1-66(52.308mm,74.127mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NetC1_67 Between Pad IC1-67(51.908mm,74.127mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +3V3 Between Pad IC1-69(51.108mm,74.127mm) on Top Layer [Unplated] And Pad IC1-68(51.508mm,74.127mm) on
Un-Routed Net Constraint: Net +3V3 Between Pad IC1-76(48.308mm,74.127mm) on Top Layer [Unplated] And Pad IC1-69(51.108mm,74.127mm) on
Un-Routed Net Constraint: Net QSPI_SD3 Between Pad IC1-70(50.708mm,74.127mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net QSPI_SCLK Between Pad IC1-71(50.308mm,74.127mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net QSPI_SD0 Between Pad IC1-72(49.908mm,74.127mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net QSPI_SD2 Between Pad IC1-73(49.508mm,74.127mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net QSPI_SD1 Between Pad IC1-74(49.108mm,74.127mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net QSPI_CS Between Pad IC1-75(48.708mm,74.127mm) on Top Layer [Unplated] And Pad R3-1(199.898mm,26.543mm)
Un-Routed Net Constraint: Net DBG_UART_TX Between Pad IC1-77(47.908mm,74.127mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net DBG_UART_RX Between Pad IC1-78(47.508mm,74.127mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net SYSOK_LED Between Pad IC1-79(47.108mm,74.127mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net FLT_LED Between Pad IC1-80(46.708mm,74.127mm) on Top Layer [Unplated] And Pad R2-2(106.781mm,83.693mm)
Un-Routed Net Constraint: Net GND Between Pad IC1-81(50.508mm,69.177mm) on Top Layer [Unplated] And Pad Y1-4(50.659mm,60.579mm) on
Un-Routed Net Constraint: Net QSPI_CS Between Pad R3-1(199.898mm,26.543mm) on Top Layer And Pad IC2-1(202.89mm,28.067mm) on Top
Un-Routed Net Constraint: Net GND Between Pad IC2-4(202.89mm,24.257mm) on Top Layer [Unplated] And Pad IC2-9(205.74mm,26.162mm) on
Un-Routed Net Constraint: Net GND Between Pad U1-7(201.095mm,15.819mm) on Top Layer And Pad IC2-4(202.89mm,24.257mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad IC3-1(125.111mm,88.859mm) on Top Layer [Unplated] And Pad IC3-3(126.111mm,88.859mm) on
Un-Routed Net Constraint: Net GND Between Pad IC4-13(120.396mm,91.567mm) on Top Layer [Unplated] And Pad IC3-1(125.111mm,88.859mm) on
Un-Routed Net Constraint: Net I2C1.SCL Between Pad IC3-10(125.111mm,93.259mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net TRML_ALERT Between Pad IC4-10(121.196mm,93.467mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NTC1 Between Pad R36_THERM1-1(42.291mm,109.093mm) on Top Layer And Pad IC3-4(126.611mm,88.859mm) on
Un-Routed Net Constraint: Net NTC2 Between Pad R36_THERM2-1(43.053mm,120.015mm) on Top Layer And Pad IC3-5(127.111mm,88.859mm) on
Un-Routed Net Constraint: Net NTC3 Between Pad R36_THERM3-1(43.053mm,130.937mm) on Top Layer And Pad IC3-6(127.111mm,93.259mm) on
Un-Routed Net Constraint: Net NTC4 Between Pad R36_THERM4-1(43.18mm,141.859mm) on Top Layer And Pad IC3-7(126.611mm,93.259mm) on
Un-Routed Net Constraint: Net I2C1.SDA Between Pad IC3-9(125.611mm,93.259mm) on Top Layer [Unplated] And Pad J8-4(125.849mm,71.112mm)
Un-Routed Net Constraint: Net I2C0.SDA Between Pad IC4-1(118.496mm,92.367mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net TRML_ALERT Between Pad R20-2(103.225mm,93.599mm) on Top Layer And Pad IC4-10(121.196mm,93.467mm) on
Un-Routed Net Constraint: Net PWM_FAN3 Between Pad S3_FAN3-2(63.264mm,39.89mm) on Top Layer And Pad IC4-11(120.396mm,93.467mm)
Un-Routed Net Constraint: Net TACH_FAN3 Between Pad R41_FAN3-1(83.693mm,43.18mm) on Top Layer And Pad IC4-12(119.596mm,93.467mm)
Un-Routed Net Constraint: Net I2C0.SCL Between Pad IC4-2(118.496mm,91.567mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NetC4_4 Between Pad R18-1(114.173mm,93.599mm) on Top Layer And Pad IC4-4(119.596mm,89.667mm) on Top
Un-Routed Net Constraint: Net PWM_FAN1 Between Pad S3_FAN1-2(49.548mm,6.132mm) on Top Layer And Pad IC4-5(120.396mm,89.667mm) on
Un-Routed Net Constraint: Net TACH_FAN1 Between Pad R41_FAN1-1(81.915mm,10.668mm) on Top Layer And Pad IC4-6(121.196mm,89.667mm)
Un-Routed Net Constraint: Net PWM_FAN2 Between Pad S3_FAN2-2(63.264mm,23.634mm) on Top Layer And Pad IC4-7(122.296mm,90.767mm)

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net TACH_FAN2 Between Pad R41_FAN2-1(83.693mm,26.924mm) on Top Layer And Pad IC4-8(122.296mm,91.567mm)
Un-Routed Net Constraint: Net NetC4_9 Between Pad R19-1(106.045mm,93.599mm) on Top Layer And Pad IC4-9(122.296mm,92.367mm) on Top
Un-Routed Net Constraint: Net GND Between Pad IC5_ULTRA1-1(68.646mm,116.733mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC5_ULTRA1-3(70.546mm,116.733mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC5_ULTRA1-3(70.546mm,116.733mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net TRIG_HV_ULTRA1 Between Pad IC5_ULTRA1-4(70.546mm,119.233mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad IC5_ULTRA1-5(68.646mm,119.233mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC5_ULTRA2-1(69.027mm,134.259mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC5_ULTRA2-3(70.927mm,134.259mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC5_ULTRA2-3(70.927mm,134.259mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net TRIG_HV_ULTRA2 Between Pad IC5_ULTRA2-4(70.927mm,136.759mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad IC5_ULTRA2-5(69.027mm,136.759mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad IC5_ULTRA2-5(69.027mm,136.759mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC5_ULTRA3-1(69.027mm,151.785mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC5_ULTRA3-1(69.027mm,151.785mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC5_ULTRA3-3(70.927mm,151.785mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net TRIG_HV_ULTRA3 Between Pad IC5_ULTRA3-4(70.927mm,154.285mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net +5V Between Pad IC5_ULTRA3-5(69.027mm,154.285mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC5_ULTRA4-1(69.027mm,169.311mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net GND Between Pad IC5_ULTRA4-3(70.927mm,169.311mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net TRIG_HV_ULTRA4 Between Pad IC5_ULTRA4-4(70.927mm,171.811mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NetC6_2 Between Pad R29-2(120.269mm,6.477mm) on Top Layer And Pad IC6-2(147.921mm,8.89mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad IC6-7(148.971mm,8.89mm) on Top Layer [Unplated] And Pad IC6-4(150.021mm,8.24mm) on Top
Un-Routed Net Constraint: Net GND Between Pad IC6-4(150.021mm,8.24mm) on Top Layer [Unplated] And Pad IC7-7(153.543mm,8.89mm) on Top
Un-Routed Net Constraint: Net NetC1_2 Between Pad R31-1(114.554mm,9.906mm) on Top Layer And Pad IC6-5(150.021mm,8.89mm) on Top Layer
Un-Routed Net Constraint: Net NetC32_2 Between Pad IC6-6(150.021mm,9.54mm) on Top Layer [Unplated] And Pad R27-2(158.343mm,9.906mm)
Un-Routed Net Constraint: Net VBAT_AUX Between Pad IC7-1(152.493mm,9.54mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad R30-1(126.873mm,9.906mm) on Top Layer And Pad IC7-1(152.493mm,9.54mm) on Top
Un-Routed Net Constraint: Net NetC7_2 Between Pad R30-2(128.117mm,9.906mm) on Top Layer And Pad IC7-2(152.493mm,8.89mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad IC7-7(153.543mm,8.89mm) on Top Layer [Unplated] And Pad IC7-4(154.593mm,8.24mm) on Top
Un-Routed Net Constraint: Net NetC1_1 Between Pad R32-1(118.618mm,9.906mm) on Top Layer And Pad IC7-5(154.593mm,8.89mm) on Top Layer
Un-Routed Net Constraint: Net NetC33_2 Between Pad IC7-6(154.593mm,9.54mm) on Top Layer [Unplated] And Pad R28-2(162.407mm,9.906mm)
Un-Routed Net Constraint: Net GND Between Pad IC8_FAN1-1(216.474mm,0.825mm) on Top Layer And Pad IC8_FAN1-4(218.374mm,3.625mm) on
Un-Routed Net Constraint: Net DRV_PWM_FAN1 Between Pad R38_FAN1-1(208.026mm,2.606mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC8_FAN1_5 Between Pad IC8_FAN1-5(216.474mm,3.625mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad IC8_FAN2-4(84.96mm,56.703mm) on Top Layer And Pad IC8_FAN2-1(87.76mm,54.803mm) on
Un-Routed Net Constraint: Net VBAT_AUX Between Pad IC8_FAN3-2(71.504mm,55.753mm) on Top Layer And Pad
Un-Routed Net Constraint: Net DRV_PWM_FAN2 Between Pad IC8_FAN2-3(87.76mm,56.703mm) on Top Layer And Pad
Un-Routed Net Constraint: Net DRV_PWM_FAN2 Between Pad S3_FAN2-1(63.264mm,26.634mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad IC8_FAN3-1(71.504mm,54.803mm) on Top Layer And Pad IC8_FAN2-4(84.96mm,56.703mm) on
Un-Routed Net Constraint: Net NetC8_FAN2_5 Between Pad IC8_FAN2-5(84.96mm,54.803mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad IC8_FAN3-4(68.704mm,56.703mm) on Top Layer And Pad IC8_FAN3-1(71.504mm,54.803mm) on
Un-Routed Net Constraint: Net GND Between Pad IC8_FAN3-1(71.504mm,54.803mm) on Top Layer And Pad J21_FAN3-4(77.597mm,42.672mm) on
Un-Routed Net Constraint: Net VBAT_AUX Between Pad IC9_FAN3-2(42.86mm,42.307mm) on Top Layer And Pad
Un-Routed Net Constraint: Net DRV_PWM_FAN3 Between Pad IC8_FAN3-3(71.504mm,56.703mm) on Top Layer And Pad
Un-Routed Net Constraint: Net DRV_PWM_FAN3 Between Pad S3_FAN3-1(63.264mm,42.89mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad Y1-2(52.959mm,58.829mm) on Top Layer [Unplated] And Pad IC8_FAN3-4(68.704mm,56.703mm)
Un-Routed Net Constraint: Net NetC8_FAN3_5 Between Pad IC8_FAN3-5(68.704mm,54.803mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC9_FAN1_1 Between Pad IC9_FAN1-1(51.959mm,8.57mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad IC9_FAN2-2(42.86mm,26.051mm) on Top Layer And Pad IC9_FAN1-2(51.959mm,6.67mm)
Un-Routed Net Constraint: Net VBAT_AUX Between Pad IC9_FAN1-2(51.959mm,6.67mm) on Top Layer And Pad R30-1(126.873mm,9.906mm) on
Un-Routed Net Constraint: Net NetC9_FAN2_1 Between Pad IC9_FAN2-1(40.96mm,26.051mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad IC9_FAN2-2(42.86mm,26.051mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetD7_FAN2_2 Between Pad IC9_FAN2-3(41.91mm,28.051mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC9_FAN3_1 Between Pad IC9_FAN3-1(40.96mm,42.307mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetD7_FAN3_2 Between Pad IC9_FAN3-3(41.91mm,44.307mm) on Top Layer And Pad

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net GND Between Pad J10-1(118.991mm,67.104mm) on Top Layer And Pad J8-6(125.849mm,73.112mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad J9-1(112.26mm,67.104mm) on Top Layer And Pad J10-1(118.991mm,67.104mm) on Top Layer
Un-Routed Net Constraint: Net I2C0.SDA Between Pad J9-2(112.26mm,68.104mm) on Top Layer And Pad J10-2(118.991mm,68.104mm) on Top
Un-Routed Net Constraint: Net I2C0.SDA Between Pad J10-2(118.991mm,68.104mm) on Top Layer And Pad R4-1(208.788mm,37.973mm) on Top
Un-Routed Net Constraint: Net I2C0.SCL Between Pad J9-3(112.26mm,69.104mm) on Top Layer And Pad J10-3(118.991mm,69.104mm) on Top
Un-Routed Net Constraint: Net I2C0.SCL Between Pad J10-3(118.991mm,69.104mm) on Top Layer And Pad R7-1(193.294mm,37.973mm) on Top
Un-Routed Net Constraint: Net GND Between Pad J1-1(179.451mm,29.905mm) on Multi-Layer And Pad J1-4(179.451mm,37.405mm) on Multi-Layer
Un-Routed Net Constraint: Net GND Between Pad J1-1(179.451mm,29.905mm) on Multi-Layer And Pad J19-1(182.872mm,17.812mm) on Top Layer
Un-Routed Net Constraint: Net I2C1.SDA Between Pad J11-2(105.402mm,70.12mm) on Top Layer And Pad J8-4(125.849mm,71.112mm) on Top
Un-Routed Net Constraint: Net I2C1.SCL Between Pad J11-3(105.402mm,71.12mm) on Top Layer And Pad J8-5(125.849mm,72.112mm) on Top
Un-Routed Net Constraint: Net GND Between Pad J11-5(105.402mm,73.12mm) on Top Layer And Pad J9-1(112.26mm,67.104mm) on Top Layer
Un-Routed Net Constraint: Net USB_DIFF_P Between Pad J1-2(179.451mm,32.405mm) on Multi-Layer And Pad R9-1(186.055mm,37.973mm) on Top
Un-Routed Net Constraint: Net +5V Between Pad J12_ULTRA1-1(89.789mm,109.153mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net ECHO_HV_ULTRA1 Between Pad J12_ULTRA1-3(89.789mm,114.153mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad R22_ULTRA1-2(77.597mm,119.1mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V Between Pad J12_ULTRA2-1(91.059mm,126.679mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net ECHO_HV_ULTRA2 Between Pad J12_ULTRA2-3(91.059mm,131.679mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad R22_ULTRA2-2(78.359mm,136.626mm) on Top Layer And Pad
Un-Routed Net Constraint: Net +5V Between Pad J12_ULTRA3-1(91.059mm,144.205mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net ECHO_HV_ULTRA3 Between Pad J12_ULTRA3-3(91.059mm,149.205mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad R22_ULTRA3-2(78.359mm,154.152mm) on Top Layer And Pad
Un-Routed Net Constraint: Net ECHO_HV_ULTRA4 Between Pad J12_ULTRA4-3(91.186mm,166.731mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad R22_ULTRA4-2(78.486mm,171.678mm) on Top Layer And Pad
Un-Routed Net Constraint: Net USB_DIFF_N Between Pad J1-3(179.451mm,34.905mm) on Multi-Layer And Pad R6-1(201.422mm,37.973mm) on
Un-Routed Net Constraint: Net NetJ13_MS1_1 Between Pad J13_MS1-1(34.437mm,52.959mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad J13_MS1-2(36.937mm,52.959mm) on Multi-Layer And Pad Y1-4(50.659mm,60.579mm) on Top
Un-Routed Net Constraint: Net NetJ13_MS2_1 Between Pad J13_MS2-1(187.091mm,134.493mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad J13_MS2-2(189.591mm,134.493mm) on Multi-Layer And Pad J13_MS3-2(189.591mm,145.415mm)
Un-Routed Net Constraint: Net NetJ13_MS3_1 Between Pad J13_MS3-1(187.091mm,145.415mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad J13_MS3-2(189.591mm,145.415mm) on Multi-Layer And Pad J13_MS4-2(189.718mm,156.337mm)
Un-Routed Net Constraint: Net NetJ13_MS4_1 Between Pad J13_MS4-1(187.218mm,156.337mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad S1-1(169.613mm,37.175mm) on Top Layer [Unplated] And Pad J1-4(179.451mm,37.405mm) on
Un-Routed Net Constraint: Net GND Between Pad J1-4(179.451mm,37.405mm) on Multi-Layer And Pad S2-2(182.177mm,47.661mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad J14-1(168.823mm,21.971mm) on Multi-Layer And Pad S1-1(169.613mm,32.675mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad J16-1(165.989mm,62.484mm) on Multi-Layer And Pad J5-1(166.771mm,50.546mm) on Multi-Layer
Un-Routed Net Constraint: Net NEOPIXEL_DOUT1 Between Pad R42_NEO_LED1-1(133.604mm,143.637mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NEOPIXEL_DOUT2 Between Pad R42_NEO_LED2-1(134.493mm,158.623mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NEOPIXEL_DOUT3 Between Pad R42_NEO_LED3-1(101.854mm,23.114mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NEOPIXEL_DOUT4 Between Pad R42_NEO_LED4-1(107.442mm,24.003mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetJ20_THERM1_2 Between Pad R36_THERM1-2(42.291mm,110.337mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetJ20_THERM2_2 Between Pad R36_THERM2-2(43.053mm,121.259mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetJ20_THERM3_2 Between Pad R36_THERM3-2(43.053mm,132.181mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetJ20_THERM4_2 Between Pad R36_THERM4-2(43.18mm,143.103mm) on Top Layer And Pad
Un-Routed Net Constraint: Net PWM_OUT_FAN1 Between Pad S3_FAN1-3(49.548mm,4.632mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetJ21_FAN1_2 Between Pad J21_FAN1-2(75.946mm,5.08mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net NetJ21_FAN1_2 Between Pad J21_FAN1-2(75.946mm,5.08mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad J21_FAN1-4(75.946mm,10.16mm) on Multi-Layer And Pad J21_FAN2-4(76.327mm,23.622mm) on
Un-Routed Net Constraint: Net PWM_OUT_FAN2 Between Pad S3_FAN2-3(63.264mm,22.134mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetJ21_FAN2_2 Between Pad J21_FAN2-2(76.327mm,18.542mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net NetC44_FAN2_1 Between Pad L2_FAN2-2(68.961mm,22.796mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net PWM_OUT_FAN3 Between Pad S3_FAN3-3(63.264mm,38.39mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetJ21_FAN3_2 Between Pad J21_FAN3-2(77.597mm,37.592mm) on Multi-Layer And Pad
Un-Routed Net Constraint: Net NetC44_FAN3_1 Between Pad L2_FAN3-2(68.961mm,39.052mm) on Top Layer [Unplated] And Pad
Un-Routed Net Constraint: Net NetJ3_1 Between Pad J3-1(124.222mm,34.552mm) on Top Layer And Pad R11-2(131.191mm,37.312mm) on Top
Un-Routed Net Constraint: Net NetJ3_3 Between Pad R13-2(106.553mm,37.312mm) on Top Layer And Pad J3-3(126.222mm,34.552mm) on Top
Un-Routed Net Constraint: Net I2C1.SDA Between Pad J6-3(131.699mm,65.171mm) on Multi-Layer And Pad J7-3(139.954mm,65.171mm) on

Un-Routed Net Constraint (All)
Un-Routed Net Constraint: Net I2C1.SDA Between Pad J8-4(125.849mm,71.112mm) on Top Layer And Pad J6-3(131.699mm,65.171mm) on
Un-Routed Net Constraint: Net I2C1.SCL Between Pad J6-4(131.699mm,67.671mm) on Multi-Layer And Pad J7-4(139.954mm,67.671mm) on
Un-Routed Net Constraint: Net I2C1.SCL Between Pad J8-5(125.849mm,72.112mm) on Top Layer And Pad J6-4(131.699mm,67.671mm) on
Un-Routed Net Constraint: Net GND Between Pad J6-6(131.699mm,72.671mm) on Multi-Layer And Pad J7-6(139.954mm,72.671mm) on Multi-Layer
Un-Routed Net Constraint: Net GND Between Pad J8-6(125.849mm,73.112mm) on Top Layer And Pad J6-6(131.699mm,72.671mm) on Multi-Layer
Un-Routed Net Constraint: Net I2C1.SDA Between Pad J7-3(139.954mm,65.171mm) on Multi-Layer And Pad R5-1(212.471mm,37.973mm) on Top
Un-Routed Net Constraint: Net I2C1.SCL Between Pad J7-4(139.954mm,67.671mm) on Multi-Layer And Pad R8-1(196.977mm,37.973mm) on Top
Un-Routed Net Constraint: Net NetC18_2 Between Pad Y1-3(52.959mm,60.579mm) on Top Layer [Unplated] And Pad R12-1(114.233mm,37.973mm)
Un-Routed Net Constraint: Net NetD3_2 Between Pad S2-1(180.027mm,52.161mm) on Top Layer [Unplated] And Pad R14-1(189.103mm,52.959mm)
Un-Routed Net Constraint: Net ECHO_UL1 Between Pad R22_ULTRA1-1(77.597mm,117.856mm) on Top Layer And Pad
Un-Routed Net Constraint: Net ECHO_UL2 Between Pad R22_ULTRA2-1(78.359mm,135.382mm) on Top Layer And Pad
Un-Routed Net Constraint: Net ECHO_UL3 Between Pad R22_ULTRA3-1(78.359mm,152.908mm) on Top Layer And Pad
Un-Routed Net Constraint: Net ECHO_UL4 Between Pad R22_ULTRA4-1(78.486mm,170.434mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetC30_1 Between Pad U1-1(198.447mm,16.469mm) on Top Layer And Pad R23-1(209.55mm,16.891mm) on Top
Un-Routed Net Constraint: Net +5V Between Pad R25-2(183.388mm,7.496mm) on Top Layer And Pad R23-2(210.794mm,16.891mm) on Top Layer
Un-Routed Net Constraint: Net NetC31_1 Between Pad U2-1(204.162mm,16.469mm) on Top Layer And Pad R24-1(213.614mm,16.891mm) on Top
Un-Routed Net Constraint: Net VBAT Between Pad R26-2(194.31mm,14.481mm) on Top Layer And Pad R24-2(214.858mm,16.891mm) on Top Layer
Un-Routed Net Constraint: Net GND Between Pad R31-2(115.798mm,9.906mm) on Top Layer And Pad R32-2(119.862mm,9.906mm) on Top Layer
Un-Routed Net Constraint: Net BOOTSEL Between Pad S1-2(171.763mm,32.675mm) on Top Layer [Unplated] And Pad R3-2(199.898mm,27.787mm)
Un-Routed Net Constraint: Net VAUX_ALERT Between Pad R33-2(103.225mm,9.906mm) on Top Layer And Pad U1-8(201.095mm,16.469mm) on
Un-Routed Net Constraint: Net MICROSOW1 Between Pad R35_MS1-1(194.056mm,124.714mm) on Top Layer And Pad
Un-Routed Net Constraint: Net MICROSOW2 Between Pad R35_MS2-1(194.564mm,135.636mm) on Top Layer And Pad
Un-Routed Net Constraint: Net MICROSOW3 Between Pad R35_MS3-1(194.564mm,146.558mm) on Top Layer And Pad
Un-Routed Net Constraint: Net MICROSOW4 Between Pad R35_MS4-1(194.564mm,157.48mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetJ20_THERM1_2 Between Pad R37_THERM1-2(22.225mm,110.337mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetJ20_THERM2_2 Between Pad R37_THERM2-2(22.225mm,121.259mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetJ20_THERM3_2 Between Pad R37_THERM3-2(22.225mm,132.181mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetJ20_THERM4_2 Between Pad R37_THERM4-2(22.225mm,143.103mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad R37_THERM1-1(22.225mm,109.093mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad R37_THERM2-1(22.225mm,120.015mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad R37_THERM3-1(22.225mm,130.937mm) on Top Layer And Pad
Un-Routed Net Constraint: Net DRV_PWM_FAN1 Between Pad S3_FAN1-1(49.548mm,9.132mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetJ21_FAN2_2 Between Pad R41_FAN2-2(83.693mm,28.168mm) on Top Layer And Pad
Un-Routed Net Constraint: Net NetJ21_FAN3_2 Between Pad R41_FAN3-2(83.693mm,44.424mm) on Top Layer And Pad
Un-Routed Net Constraint: Net I2C0.SDA Between Pad U2-6(206.81mm,15.169mm) on Top Layer And Pad R4-1(208.788mm,37.973mm) on Top
Un-Routed Net Constraint: Net VBAT_AUX Between Pad R43_CC_LED1-2(155.829mm,101.32mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad R43_CC_LED2-2(157.988mm,109.448mm) on Top Layer And Pad
Un-Routed Net Constraint: Net VBAT_AUX Between Pad R43_CC_LED3-2(157.988mm,117.576mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad R44_CC_LED1-2(112.776mm,101.32mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad R44_CC_LED2-2(113.157mm,109.448mm) on Top Layer And Pad
Un-Routed Net Constraint: Net GND Between Pad R44_CC_LED3-2(113.157mm,117.576mm) on Top Layer And Pad
Un-Routed Net Constraint: Net I2C0.SCL Between Pad R7-1(193.294mm,37.973mm) on Top Layer And Pad U1-5(201.095mm,14.519mm) on Top
Un-Routed Net Constraint: Net GND Between Pad S1-1(169.613mm,32.675mm) on Top Layer [Unplated] And Pad S1-1(169.613mm,37.175mm) on
Un-Routed Net Constraint: Net BOOTSEL Between Pad S1-2(171.763mm,32.675mm) on Top Layer [Unplated] And Pad S1-2(171.763mm,37.175mm)
Un-Routed Net Constraint: Net NetD3_2 Between Pad S2-1(180.027mm,47.661mm) on Top Layer [Unplated] And Pad S2-1(180.027mm,52.161mm)
Un-Routed Net Constraint: Net GND Between Pad S2-2(182.177mm,47.661mm) on Top Layer [Unplated] And Pad S2-2(182.177mm,52.161mm) on
Un-Routed Net Constraint: Net GND Between Pad U1-3(198.447mm,15.169mm) on Top Layer And Pad U1-7(201.095mm,15.819mm) on Top Layer
Un-Routed Net Constraint: Net I2C0.SCL Between Pad U1-5(201.095mm,14.519mm) on Top Layer And Pad U2-5(206.81mm,14.519mm) on Top
Un-Routed Net Constraint: Net I2C0.SDA Between Pad U1-6(201.095mm,15.169mm) on Top Layer And Pad U2-6(206.81mm,15.169mm) on Top
Un-Routed Net Constraint: Net GND Between Pad U1-7(201.095mm,15.819mm) on Top Layer And Pad U2-3(204.162mm,15.169mm) on Top Layer
Un-Routed Net Constraint: Net VAUX_ALERT Between Pad U1-8(201.095mm,16.469mm) on Top Layer And Pad U2-8(206.81mm,16.469mm) on Top
Un-Routed Net Constraint: Net GND Between Pad Y1-4(50.659mm,60.579mm) on Top Layer [Unplated] And Pad Y1-2(52.959mm,58.829mm) on Top