

Lab2.Part1 - Git & GitHub

Exercise 1: Get started with Git

Les commandes :

```
DELL@DESKTOP-IP7MQ34 MINGW64 ~ (main)
$ git config --global user.name "sami"

DELL@DESKTOP-IP7MQ34 MINGW64 ~ (main)
$ git config --global user.email "sami@gmail.com"

DELL@DESKTOP-IP7MQ34 MINGW64 ~ (main)
$ mkdir learn_git

DELL@DESKTOP-IP7MQ34 MINGW64 ~ (main)
$ cd learn_git

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ touch three.txt

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ git init
Initialized empty Git repository in C:/Users/DELL/learn_git/.git/

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ git add three.txt

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ git commit -m "three.txt added"
[main (root-commit) c9fad22] three.txt added
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 three.txt

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ git log
commit c9fad2238ecb94c5c5e67a56a1b6ff39b1ee24e2 (HEAD -> main)
Author: sami <sami@gmail.com>
Date: Sat Oct 21 21:56:43 2023 +0200

    three.txt added

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ touch four.txt

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ git add four.txt

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ git commit -m "added four.txt"
[main 2d38436] added four.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 four.txt

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ rm three.txt

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ git add three.txt
```

```
DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ git log
commit c9fad2238ecb94c5c5e67a56a1b6ff39b1ee24e2 (HEAD -> main)
Author: sami <sami@gmail.com>
Date: Sat Oct 21 21:56:43 2023 +0200

    three.txt added

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ touch four.txt

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ git add four.txt

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ git commit -m "added four.txt"
[main 2d38436] added four.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 four.txt

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ rm three.txt

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ git add three.txt

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ git commit -m "delete three.txt"
[main 1728ac9] delete three.txt
1 file changed, 0 insertions(+), 0 deletions(-)
delete mode 100644 three.txt

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$ git log
commit 1728ac90fc0c1773d558a407198a6b628f48820a (HEAD -> main)
Author: sami <sami@gmail.com>
Date: Sat Oct 21 21:58:50 2023 +0200

    delete three.txt

commit 2d384364f8717c0ae1bc091dd7aea426684b966
Author: sami <sami@gmail.com>
Date: Sat Oct 21 21:58:09 2023 +0200

    added four.txt

commit c9fad2238ecb94c5c5e67a56a1b6ff39b1ee24e2
Author: sami <sami@gmail.com>
Date: Sat Oct 21 21:56:43 2023 +0200

    three.txt added

DELL@DESKTOP-IP7MQ34 MINGW64 ~/learn_git (main)
$
```

Exercise 2:

Github ID: <https://github.com/samybencheikh/TP-github-CAW>