INDEX

ABSTRACT

Assignment Name: Clinic Management System

Scope: Purpose of the system is to enable user to interact with the database, edit, update and retrieve data easily with a user-friendly interface.

AIM

I attempted to make a clinic management system which streamline the processes such as registering, making appointment, consulting doctors schedule and enabling administrative privileges.


OBJECTIVE

- Include a login page with different user types.
- To have an administrative panel.
- Create a free-flowing system.
- Create a user-friendly system.

PROJECT DETAILS

User Specifications


- 1. Admin: Administrator has the privilege of controlling all the data which includes creating, updating, deleting etc.
- 2. Staff: Staff can create appointments and register patients and view doctors.
- 3. Doctors: Doctors can view patient history and consult patients and add in the relevant details of the consultations.



SDLC METHOD:

Incremental method is the model chosen for this project, as after every iteration it can be tested. And can go back to change the iterations to change any part that needs to be changed.


SYSTEM TREE



- System tree is divided in to three main folders
- Main folder, Pages, and Admin folder
- Main folder consists of main style.css, login, connection file, credit file which is for login validation, navigation style.css file
- Pages folder contains appointment page, doctors page, navigation page, patient history
- Admin folder consists of the same folders above mentioned in the pages folder but with administrative privileges.


SYSTEM SCREEN SHOTS

Login




- Login page has three different user type logins
- Staff
- Admin
- Doctor

Main (Admin)




- The index page for all the users is the same except for the admin, which consists of an admin panel tab. For all the administrative purposes.
- Doctors Divider shows all the doctors that are in the Clinic
- Appointment divider shows all the appointments for the current day
- Appointment Id in the Appointment table is clickable, which leads to doctor's consultations tab, where doctor can see the patient's history if any, and he can add his conclusion of the current patient to the patient history table.

Patient History




- Every time the submit is pressed, all the data from the consultation form goes into the patient history database
- If(empty(\$date)) condition was given, if the date is empty, the data won't be entered into the database, the error will be shown in the URL which displays, date can't be empty.

PATIENTS




• All the data inserted into patient registration will automatically show up in the Patient records table.

ADMIN PANEL



- Staff registration form is able to register, staff, doctors, the red text marked which says doctors only is the field to specify the doctors field or specialty.
- When a staff is created, mysql has a trigger that automatically creates user credentials for the staff, with the staff or doctor fname concatenated with the staff or doctor id with a default password admin.
- The admin can delete, update staff information
- Admin can delete and change user credentials per user request

STAFF UPDATE




- If(\$gender!="M" || \$gender!="F") the update statement won't execute
- Staff Type is readonly, it can't be changed from the interface for security reasons.

CREDENTIALS UPDATE



- In here user is readonly, the user name can't be changed
- Password can be changed.

APPOINTMENTS



- Appointment form
- Enter all the relevant data and chose the Doctor the patient wants to see.

SELECT DOCTORS ON DUTY

DOCTORS			
SELECT WHO IS AVAILABL	Æ.		
SELECT DATE:			
mm / dd / yyyy			
☐ Dr Ahmed Ibrahim			
☐ Dr Ifhaam Hassan			
Dr Ibrahim Firaq			
☐ Dr John Doe			
☐ Dr John Doe			
SUBMIT			

- Select the doctors who are going to be on duty on a certain day
- You can make schedules ahead for weeks and months

DATABASE STRUCTURE


Appointment Table

Column	Туре	Nul I	Default	Extra
app_id	int(4)	No		auto_increment
patient_id	int(4)	Yes	NULL	
fname	varchar(25)	Yes	NULL	
Iname	varchar(25)	Yes	NULL	
id_no	varchar(25)	Yes	NULL	
gender	char(1)	Yes	NULL	
dob	date	Yes	NULL	
country	varchar(25)	Yes	NULL	
city	varchar(25)	Yes	NULL	
address	varchar(25)	Yes	NULL	
phone_no	int(15)	Yes	NULL	
doc_id	int(4)	No		
appdate	date	No		




Doctor On Duty

Column	Туре	Nul I	Default	Extra
DoD	int(4)	No		auto_increment
doc_id	int(4)	Yes	NULL	
dod_date	date	Yes	NULL	




DOCTORS

Column	Туре	Nul I	Default	Extra
doc_id	int(4)	No		auto_increment
fname	varchar(25)	Yes	NULL	
Iname	varchar(25)	Yes	NULL	
gender	char(1)	Yes	NULL	
phone_no	int(15)	Yes	NULL	
country	varchar(25)	Yes	NULL	
city	varchar(25)	Yes	NULL	
address	varchar(25)	Yes	NULL	
speciality	varchar(25)	Yes	NULL	
dob	date	Yes	NULL	



LOGIN

Column	Туре	Nul I	Default	Extra
login_id	int(4)	No		auto_increment
user	varchar(25)	Yes	NULL	
pass	varchar(25)	Yes	NULL	
userType	varchar(10)	No		



PATIENTS

Column	Туре	Nul I	Default	Extra
patient_id	int(4)	No		auto_increment
fname	varchar(25)	Yes	NULL	
Iname	varchar(25)	Yes	NULL	
id_no	varchar(25)	Yes	NULL	
gender	char(1)	Yes	NULL	
country	varchar(25)	Yes	NULL	
city	varchar(25)	Yes	NULL	
address	varchar(25)	Yes	NULL	
phone_no	int(15)	Yes	NULL	
dob	date	Yes	NULL	

+ Options												
←T→		∇	patient_id	fname	Iname	id_no	gender	country	city	address	phone_no	dob
🗌 🥜 Edit 👫	Сору	Delete	1000	mohamed	sameen	A306926	M	Maldives	Addy City	Tokyovilla	7528528	1992-05-30
☐ Ø Edit ¾	Сору	Delete	1003	lfhaam	Hassan	A341666	F	Maldives	Male	Fullage	173774608	1995-03-22
🗌 🥜 Edit 👫	Сору	Delete	1004	Ahmed	Ibrahim	A546898	M	Malawi	addu	Tokyovilla	7528528	1995-03-19
☐ Ø Edit ¾	Сору	Delete	1005	Ibrahim	Firaq	A306928	M	Maldives	Addu Atoll	Tokyovilla	173774608	1860-12-12
☐ 🥜 Edit 👫	Сору	Delete	1006	Hussain Farhaan	Firaq	E098897	M	Maldives	S.Hithadhoo	Tokyovilla	767238757	1996-08-28


PATIENT HISTORY

Column	Туре	Nul I	Default	Extra
pt_hist_id	int(4)	No		auto_increment
app_id	int(4)	No		
patient_id	int(4)	Yes	NULL	
doc_id	int(4)	Yes	NULL	
pt_diag	varchar(500	Yes	NULL	
)			
pt_presc	varchar(25)	Yes	NULL	
date	date	No		

+ Options ▼ pt_hist_id app_id patient_id doc_id pt_diag ☐ Ø Edit ♣ Copy Delete 1000 1000 testing testi 1000 ☐ Ø Edit 👫 Copy 🥥 Delete 1000 1000 2017-12-27 1000 sdkljfsadjf;ksadjf ☐ Ø Edit ♣ Copy Delete 1001 1001 1004 1000 Caner NO medicine no cure 0000-00-00 ☐ Ø Edit 👫 Copy 🥥 Delete 1002 1000 1000 1000 TEsting testing 2017-12-27

STAFF

Column	Туре	Nul I	Default	Extra
staff_id	int(4)	No		auto_increment
staff_type	varchar(10)	No		
staff_fname	varchar(25)	Yes	NULL	
staff_Iname	varchar(25)	No		
staff_dob	date	Yes	NULL	
staff_gender	char(1)	Yes	NULL	
staff_country	varchar(50)	Yes	NULL	
staff_city	varchar(25)	Yes	NULL	
staff_add	varchar(25)	Yes	NULL	
staff_phone	int(15)	Yes	NULL	



CONCLUSION

- All the data entered in the forms, goes straight to the database
- Without the Admins privileges certain functions cannot be executed
- The amount of knowledge I gained from this assignment is vast.

REFERENCES

www.stackoverflow.com

www.w3schools.com

www.youtube.com

www.mysql.com

```
APPENDIX
Conn.php
<?php
$conn=mysqli_connect("localhost","root","");
$db=mysqli_select_db($conn,"clinicmanagement");
if($conn->connect_error){
  die("Connection Failed: ".$conn->conect_error);
}
#echo "Connected Succesfully";
?>
Creds.php
<?php
session_start();
$error=";
if(isset($_POST['login'])){
  if(empty($_POST['user']) || empty($_POST['pass']) || empty($_POST['userType'])){
    $error="User or password invalid";
  }
  else
  {
    $user=$_POST['user'];
    $pass=$_POST['pass'];
    $userType= $_POST['userType'];
    $conn=mysqli_connect("localhost","root","");
```

```
$db=mysqli_select_db($conn,"clinicmanagement");
    $query = mysqli_query($conn,"SELECT * FROM login WHERE pass='$pass' AND user='$user' AND
userType='$userType'");
    $rows = mysqli_num_rows($query);
    if($rows==1)
      while($rows = mysqli_fetch_assoc($query))
      {
        if($rows['userType']=='admin')
        {
         header("location:/ClinicManagement/pages/Admin/index.php");
        }else{
          header("location:index.php");
        }
      }
    }
    else
    {
      $error="Username or password invalid";
    }
    mysqli_close($conn);
  }
}
?>
```

```
Login.php
<?php
  include("creds.php");
?>
<!DOCTYPE html>
<html>
<head>
  <title>LOGIN</title>
  <style type="text/css">
    .form{
      width: 360px;
      margin: 50px auto;
      border-radius: 10px;
      border: 2px solid #ccc;
      padding: 10px 40px 25px;
      margin-top: 70px;
      font-family: Cambria, "Hoefler Text", "Liberation Serif", Times, "Times New Roman", serif;
    }
    input[type=text],input[type=password]{
      width: 90%;
      padding: 10px;
      margin-top: 8px;
      border: 1px solid #ccc;
      padding-left: 5px;
      font-size: 16px;
      font-family: Cambria, "Hoefler Text", "Liberation Serif", Times, "Times New Roman", serif;
    }
    select {
```

```
width: 90%;
      padding: 10px;
      margin-top: 8px;
      border: 1px solid #ccc;
      padding-left: 5px;
      font-size: 16px;
      font-family: Cambria, "Hoefler Text", "Liberation Serif", Times, "Times New Roman", serif;
    }
    input[type=submit]{
      width: 100%;
      background-color: #9FB48B;
      border: 2px solid #000;
      padding: 10px;
      font-size: 20px;
      cursor: pointer;
      border-radius: 5px;
      margin-bottom: 15px;
      color: white;
    }
  </style>
</head>
<body>
<div class="form">
  <h1 align="Center">LOGIN</h1>
  <form name="login" method="POST" action="" style="text-align: center;">
    <input type="text" name="user" placeholder="username" id="user"><br><br>
    <input type="password" name="pass" placeholder="password" id="pass"><br><bR>
    <select name="userType" id="userType">
      <option value="admin">Admin</option>
```

```
<option value="doctor">Doctor</option>
      <option value="staff">Staff</option>
    </select><br><br>
    <input type="submit" name="login" value="Login">
    <span><?php echo $error; ?></span>
  </form>
</div>
</body>
</html>
Nav.php
<header>
  <div class="container">
    <nav>
      <a href="/ClinicManagement/index.php">Home</a>
       <a href="/ClinicManagement/pages/patients.php" id="patient">Patients</a>
        <a href="/ClinicManagement/login.php">Logout</a>
      </nav>
  </div>
</header>
Index.php
<?php
  include("conn.php");
  include("nav.php");
  if(isset($_POST['app-del'])){
```

```
$app_id = $_POST['hidd-app-id'];
    echo $app_id;
    $del = "DELETE from appointment where app_id=$app_id";
    echo $del;
    mysqli_query($conn,$del);
 }
?>
<!DOCTYPE html>
<html>
<head>
  <title>Index</title>
  k rel="stylesheet" type="text/css" href="style.css">
  <link rel="stylesheet" type="text/css" href="nav-style.css">
</head>
<body>
  <div class="names">
    <label id="doc">DOCTORS</label>
    <label id="app">APPOINTMENTS</label>
  </div>
  <div class="onDuty">
    <?php
      $sql = 'SELECT doconduty.DoD,doctors.fname,doctors.lname,doctors.speciality FROM
doctors,doconduty where doctors.doc_id=doconduty.doc_id and
doconduty.dod_date=CURRENT_DATE';
      $result = mysqli_query($conn,$sql);
      echo "";
      if(mysqli_num_rows($result) > 0)
```

```
{
                            echo "ID";
                            echo "Name";
                            echo "Speciality";
                            while ($row = mysqli_fetch_array($result)) {
                                   echo "";
                                  echo "".$row[0]."";
                                   echo "".$row[1]." ".$row[2]."";
                                  echo "".$row[3]."";
                           }
                     }else {
                            echo "O Results";
                    }
                     echo "";
                     #mysqli_close($conn);
              ?>
       </div>
       <div class="appointments">
              <form name="app-disp-form" method="post" action="index.php">
              <?php
                     $sql = 'SELECT
doctors. doc\_id, appointment. app\_id, appointment. patient\_id, appointment. fname, appointment. In ame, appointment. app\_id, app\_i
ppointment.id no,appointment.gender,appointment.dob,appointment.country,appointment.city,appoi
ntment.address,appointment.phone_no,appointment.appdate,doctors.fname,doctors.lname FROM
appointment,doctors WHERE appointment.doc_id=doctors.doc_id AND appointment.doc_id';
                            $results = mysqli_query($conn,$sql);
                            echo "";
                           if(mysqli num rows($results)>0)
                            {
```

```
echo "Appt Id";
        echo "ID";
        echo "NAME";
       echo "ID_NO";
       echo "GENDER";
       echo "DOB";
       echo "COUNTRY";
       echo "CITY";
       echo "ADDRESS";
       echo "PHONE NO";
       echo "DOCTOR";
       echo "Date";
       echo "Void";
       while($row = mysqli_fetch_array($results))
         echo "";
         ?>
           <a href="/ClinicManagement/pages/pt-history.php?app_id=<?php echo
$row['app_id'];?>&patient_id=<?php echo $row['patient_id'];?>&doc_id=<?php echo</pre>
$row['doc id'];?>"><?php echo $row['app id'];?></a>
         <?php
           echo "".$row['patient id']."";
           echo "".$row['3']." ".$row['4']."";
           echo "".$row['id no']."";
           echo "".$row['gender']."";
           echo "".$row['dob']."";
           echo "".$row['country']."";
```

```
echo "".$row['city']."";
             echo "".$row['address']."";
             echo "".$row['phone_no']."";
             echo "".$row['fname']." ".$row['Iname']." ";
             echo "".$row['appdate']."";
             echo "<input type='submit' name='app-del' value='delete'>";
           ?>
             <input type="hidden" name="hidd-app-id" value="<?php echo $row['app_id'];?>">
             <input type="hidden" name="hidd-pt-id" value="<?php echo $row['patient_id'];?>">
           <?php
           echo "";
         }
       }else
         echo "0 results";
       echo "";
    ?>
    </form>
  </div>
  <form class="b-app" target="_blank"</pre>
onclick="window.open('pages/appointments.php','newwindow','width=700,height=800'); return false;">
   <input type="submit" name="app" value="appointment"><br><br>
 </form>
</body>
</html>
Nav-style.css
.container {
```

```
width: 75%;
  margin: 0 auto;
}
header {
  background: #019375;
}
header::after {
  content: ";
  display: table;
  clear: both;
}
nav {
  float: right;
}
nav ul {
  margin: 0;
  padding: 0;
  list-style: none;
}
nav li {
  display: inline-block;
  margin-left: 70px;
  padding-top: 10px;
  padding-bottom: 10px;
```

```
position: relative;
}
nav a {
  color: white;
  text-decoration: none;
  text-transform: uppercase;
  font-size: 14px;
}
nav a:hover {
  color: #000;
}
nav a::before {
  content: ";
  display: block;
  height: 5px;
  background-color: #444;
  position: absolute;
  top: 0;
  width: 0%;
  transition: all ease-in-out 250ms;
}
nav a:hover::before {
  width: 100%;
}
```

```
Style.css
body{
  margin: 0;
  padding: 0;
  font-family: 'Ariel', serif;
  margin-bottom: 20px;
  background-color: #EAEED5;
  font-weight: 400;
  font-family:Cambria, "Hoefler Text", "Liberation Serif", Times, "Times New Roman", serif;
}
.onDuty {
  float: left;
  margin-left: 40px;
  margin-top: 20px;
  width: 400px;
  height: 400px;
  border-radius: 10px;
  border: 2px solid #ccc;
  padding: 10px 40px 25px;
  overflow-x: hidden;
  overflow-y: auto;
}
.onDuty td {
  text-transform: uppercase;
}
.onDuty table th {
```

```
background-color: #BCCDD1;
}
.onDuty table tr:nth-child(odd) {
  background-color: #D6E1DD;
}
.onDuty table tr:nth-child(even){
  background-color: #E3E4DE;
}
.onDuty table {
  border: 1px solid black;
  border-collapse: collapse;
  text-align: center;
  width: 400px;
}
.onDuty th, td {
  border: 1px solid black;
  border-collapse: collapse;
}
.appointments{
  float: left;
  margin-left: 75px;
  margin-top: 20px;
  width: 1200px;
  height: 400px;
  border-radius: 10px;
  border: 2px solid #ccc;
  padding: 10px 40px 25px;
```

```
overflow: scroll;
  overflow-x: hidden;
}
.appointments td {
  text-transform: uppercase;
}
.appointments table th {
  background-color: #BCCDD1;
}
.appointments table tr:nth-child(odd) {
  background-color: #D6E1DD;
}
.appointments table tr:nth-child(even){
  background-color: #E3E4DE;
}
.appointments table {
  border: 1px solid black;
  border-collapse: collapse;
  text-align: center;
  width: 1200px;
}
.appointments th, td {
  border: 1px solid black;
  border-collapse: collapse;
}
```

```
#doc {
  padding-right: 470px;
  margin-left: 40px;
}
.names {
  font-size: 20px;
}
/*patient registration*/
.pt-form {
  display: table;
  width: 500px;
  margin-left: 50px;
  border-radius: 10px;
  border: 2px solid #ccc;
  padding: 20px 40px 25px;
  margin-top: 100px;
}
.pt-form input[type="text"],select, input[type="date"] {
  display: table-cell;
  width: 90%;
  padding: 10px;
  margin-top: 8px;
  border: 1px solid #ccc;
  padding-left: 5px;
  font-size: 16px;
  font-family: Cambria, "Hoefler Text", "Liberation Serif", Times, "Times New Roman", serif;
}
```

```
.pt-form input[type="submit"]{
  width: 90%;
  height: 40px;
  background: #9FB48B;
  border-radius: 10px;
  border: 1px solid #ccc;
  font-size: 20px;
  font-family: Cambria, "Hoefler Text", "Liberation Serif", Times, "Times New Roman", serif;
}
.pt-form p {
  display: table-row;
}
.pt-form-header h1 {
  padding-right: 250px;
  float: left;
  margin-left: 50px;
  margin-top: 10px;
  font-family:Cambria, "Hoefler Text", "Liberation Serif", Times, "Times New Roman", serif;
}
/*patient records*/
.pt-records {
  overflow: scroll;
  overflow-x: hidden;
  float: left;
  margin-top: -905px;
  margin-left: 700px;
  height: 880px;
  width: 1000px;
  border-radius: 10px;
```

```
border: 2px solid #ccc;
  padding: 20px 40px 25px;
  margin-top: -930px;
}
.pt-records td {
  text-transform: uppercase;
}
.pt-records table th {
  background-color: #BCCDD1;
}
.pt-records table tr:nth-child(odd) {
  background-color: #D6E1DD;
}
.pt-records table tr:nth-child(even){
  background-color: #E3E4DE;
}
.pt-records table {
  border: 1px solid black;
  border-collapse: collapse;
  text-align: center;
  width: 980px;
}
.pt-records th, td {
  border: 1px solid black;
  border-collapse: collapse;
```

```
}
.pt-records form {
  display: table;
}
.pt-records form p {
  display: table-row;
}
.pt-records form a {
  display: table-cell;
}
.b-app {
  width: 485px;
  height: 70px;
  float: left;
  position: absolute;
  margin-top: 500px;
  margin-left: 40px;
}
/*appointment button*/
.b-app input[type="submit"] {
  width: 100%;
  height: 100%;
  border-radius: 10px;
  border: 2px solid #000;
  font-family: Cambira, "Hoefler Text", "Liberation Seriff", Times, "Times New Roman", serif;
  background: #007563;
```

```
font-size: 30px;
  color:
}
.b-app input:hover {
  background-color: #019375;
}
/*appointment form */
.ap-div {
  display: table;
  width: 500px;
  margin-left: 50px;
  border-radius: 10px;
  border: 2px solid #ccc;
  padding: 20px 40px 25px;
  margin-top: 10px
}
.ap-div input[type="text"],select,input[type="date"] {
  display: table-cell;
  width: 90%;
  padding: 10px;
  margin-top: 8px;
  margin-left: 20px;
  border: 1px solid #ccc;
  padding-left: 5px;
```

```
font-size: 16px;
  font-family: Cambria, "Hoefler Text", "Liberation Serif", Times, "Times New Roman", serif;
}
.ap-div input[type="submit"]{
  width: 90%;
  margin-left: 20px;
  background-color: #36384C;
  border: 2px solid #000;
  padding: 10px;
  font-size: 20px;
  cursor:pointer;
  border-radius: 5px;
  margin-bottom: 15px;
}
.form-app p {
  display: table-row;
}
.app-h1 h1 {
  padding-right: 250px;
  float: left;
  margin-left: 50px;
  margin-top: 5px;
  font-family:Cambria, "Hoefler Text", "Liberation Serif", Times, "Times New Roman", serif;
}
.ap-div label {
```

```
padding-left: 20px;
  color: black;
  font-family:Cambria, "Hoefler Text", "Liberation Serif", Times, "Times New Roman", serif;
}
.sel-doctors {
  border: 2px solid #ccc;
  border-radius: 10px;
  margin-top:10px;
  margin-left:50px;
  margin-right:50px;
  width: 50%;
}
.inside-heading-doc {
  margin-top: 10px;
  margin-left:
}
.sel-doctors input {
  margin-top: 10px;
  margin-left: 10px;
}
.heading-doc {
  margin-top: 10px;
  margin-left: 50px;
}
/*pt history record */
.pt-hist-div {
  border: 2px solid #ccc;
```

```
border-radius: 10px;
  margin-top: 20px;
  margin-left: 20px;
  width: 800px;
}
.pt-hist-div form {
  margin-top: 20px;
  margin-left: 20px;
  margin-right: 20px;
}
.pt-hist-div input[type="date"],input[type="text"] {
  width: 40%;
  height: 40px;
  border: none;
  border-bottom: 2px solid #ccc;
}
.pt-hist-div textarea {
  margin-left: 20px;
  align-self: auto;
  background-color: #EAEED5;
}
.pt-hist-div input[type="submit"]{
  width: 87.55%;
  margin-left: 20px;
  height: 40px;
  border: 1px solid #ccc;
  border-radius: 10px;
  background-color: #007563;
  font-size: 20px;
```

```
font-family:Cambria, "Hoefler Text", "Liberation Serif", Times, "Times New Roman", serif;
}
.pt-hist-div input[type="submit"]:hover{
  width: 87.55%;
  margin-left: 20px;
  height: 40px;
  border: 1px solid #ccc;
  border-radius: 10px;
  background-color:#019375;
  font-size: 20px;
  font-family:Cambria, "Hoefler Text", "Liberation Serif", Times, "Times New Roman", serif;
}
.pt-hist-div label {
  display: block;
}
Pages /appointment.php
<?php
  include("conn.php");
  $error=";
  if(isset($_POST['searchbt'])){
    if(!empty('search')){
      $patient_id=$_POST['search'];
      $fname =";
      $Iname=";
      $id_no='';
      $gender=";
      $dob=";
```

```
$country=";
                         $city=";
                         $address=";
                         $phone_no=";
                         $doc_id=$_POST['docsel'];
                         $sql= "select * from patients where patient_id=$patient_id";
                        //echo $sql;
                         $result = mysqli_query($conn,$sql);
                         while($row = mysqli_fetch_array($result)){
                                 $fname =$row['fname'];
                                  $Iname=$row['Iname'];
                                 $id_no=$row['id_no'];
                                 $gender=$row['gender'];
                                 $dob=$row['dob'];
                                 $country=$row['country'];
                                 $city=$row['city'];
                                 $address=$row['address'];
                                 $phone_no=$row['phone_no'];
                        }
                }
        }
        if(isset($_POST['make'])){
if(!empty('search')\& (!empty('fname'))\& (!empty('id\_no'))\& (!empty('id\_no'))\& (!empty('gender'))\& (!empty('id\_no'))\& (!empty(
y('dob'))&(!empty('country'))&(!empty('city'))&(!empty('address'))&(!empty('phone_no'))){
                         $patient_id=$_POST['search'];
                         $fname =$_POST['fname'];
                         $Iname=$_POST['Iname'];
```

```
$id_no=$_POST['id_no'];
      $gender=$_POST['gender'];
      $dob=$_POST['dob'];
      $country=$_POST['country'];
      $city=$_POST['city'];
      $address=$_POST['address'];
      $phone_no=$_POST['phone_no'];
      $doc_id=$_POST['docsel'];
      $appdate=$_POST['appdate'];
      $ins = "INSERT INTO appointment (patient_id,fname,lname,id_no,gender,dob, country,
city,address,phone_no,doc_id,appdate) values ($patient_id,'$fname', '$lname', '$id_no', '$gender',
'$dob', '$country', '$city', '$address', $phone_no,$doc_id,'$appdate')";
      if(mysqli_query($conn,$ins)){
        echo "Appointment Done";
      }
      else{
        $error ="$ins <br>".mysqli_error($conn);
      }
    }
  }
?>
<html>
  <head>
    <title>APPOINTMENTS</title>
    <link rel="stylesheet" type="text/css" href="/ClinicManagement/style.css">
  </head>
```

```
<body>
    <div class="app-h1">
      <h1>APPOINTMENT</h1>
    </div>
    <div class="ap-div">
      <form name="form-app" action="appointments.php" method="post" style="content:center">
        >
        <label>Patient Search :</label><br>
        <input type="text" name="search" value="<?php if(!empty($patient_id)) echo $patient id;
?>"><br><br>
          <input type="submit" name="searchbt" value="search"><br><br>
          <span><?php echo $error;?></span>
        <label>First Name:</label>
          <input type="text" name="fname" value="<?php if(!empty($fname)) echo $fname; ?>"
readonly><br><br>
        <label>Last Name:</label>
          <input type="text" name="Iname" value="<?php if(!empty($Iname)) echo $Iname; ?>"
readonly><br><br>
        <label>ID/Passport:</label>
          <input type="text" name="id_no" value="<?php if(!empty($id_no)) echo $id_no; ?>"
readonly><br><br>
        <label>Gender:</label>
          <input type="text" name="gender" value="<?php if(!empty($gender)) echo $gender; ?>"
readonly><br><br>
        <label>DOB:</label><br>
          <input type="text" name="dob" value="<?php if(!empty($dob)) echo $dob; ?>"
readonly><br><br>
        <label>Country:</label>
          <input type="text" name="country" value="<?php if(!empty($country)) echo $country; ?>"
readonly><br><br>
        <label>City:</label><br>
```

```
<input type="text" name="city" value="<?php if(!empty($city)) echo $city; ?>"
readonly><br><br>
        <label>Address:</label><input type="text" name="address" value="<?php if(!empty($address))</pre>
echo $address; ?>" readonly><br><br>
        <label>Phone No:</label>
          <input type="text" name="phone_no" value="<?php if(!empty($phone_no)) echo
$phone_no; ?>" readonly><br><br>
        <label>Date:</label><br>
          <input type="date" name="appdate"><br><br>
        <label>Doctor:</label><br>
        <select name="docsel">
        <?php
          $sql2 = "select * from doctors";
          $query = mysqli_query($conn,$sql2);
          while($rows = mysqli_fetch_array($query)){
        ?>
        <option value="<?php echo $rows['doc_id'];?>"><?php echo "Dr ".$rows['fname']."</pre>
".$rows['Iname'];?></option>";
        <?php
          }
        ?>
        </select><br><br>
        <input type="submit" name="make" value="make"><br><br>
        <?php echo $error; ?>
      </form>
    </div>
  </body>
</html>
```

```
/pages/patients.php
<?php
  include("conn.php");
  include("nav.php");
  $error=";
  if(isset($_POST['submit']))
  {
    $fname = $_POST['fname'];
    $Iname = $_POST['Iname'];
    $id_no = $_POST['id_no'];
    $gender = $_POST['gender'];
    $country = $_POST['country'];
    $city = $_POST['city'];
    $address = $_POST['address'];
    $phone_no = $_POST['phone_no'];
    $dob = $_POST['dob'];
    //echo $fname." ".$Iname." ".$id_no." ".$gender." ".$country." ".$city." ".$address." ".$phone_no;
    $sql = "insert into patients (fname,lname,id_no,gender,country,city,address,phone_no,dob) values
('$fname','$lname','$id_no','$gender','$country','$city','$address',$phone_no,'$dob')";
    if(mysqli_query($conn,$sql))
    {
      echo "Registerd";
    }
    else
    {
```

```
$error="$sql <br>". mysqli_error($conn);
    }
  }
?>
<!DOCTYPE html>
<html>
<head>
  <title>Patients</title>
  <link rel="stylesheet" type="text/css" href="/ClinicManagement/style.css">
  <link rel="stylesheet" type="text/css" href="/ClinicManagement/nav-style.css">
</head>
<body>
  <div class="pt-form-header">
  <h1>PATIENT REGISTRATION</h1>
    <h1>PATIENT RECORDS</h1>
  </div>
  <div class="pt-form">
  <form name="patient_record" action="patients.php" method="POST" style="content:center">
  >
    <label>First Name:</label><input type="text" name="fname"><br><br><br></ri>
    <label>Last Name:</label><input type="text" name="lname"><br><br></ri>
    <label>ID/Passport:</label><input type="text" name="id_no"><br><br></ri>
    <label>Gender:</label>
    <select name="gender">
      <option value="M">Male</option>
      <option value="F">Female</option>
    </select><br><br>
    <label>DOB:</label><input type="date" name="dob"><br><br></ri>
```

```
<label>Country:</label>
<select name="country">
 <option value="Afghanistan">Afghanistan
 <option value="Albania">Albania
 <option value="Algeria">Algeria
 <option value="American Samoa">American Samoa
 <option value="Andorra">Andorra</option>
 <option value="Angola">Angola
 <option value="Anguilla">Anguilla</option>
 <option value="Antartica">Antarctica</option>
 <option value="Antigua and Barbuda">Antigua and Barbuda/option>
 <option value="Argentina">Argentina
 <option value="Armenia">Armenia
 <option value="Aruba">Aruba</option>
 <option value="Australia">Australia
 <option value="Austria">Austria
 <option value="Azerbaijan">Azerbaijan
 <option value="Bahamas">Bahamas
 <option value="Bahrain">Bahrain
 <option value="Bangladesh">Bangladesh</option>
 <option value="Barbados">Barbados
 <option value="Belarus">Belarus
 <option value="Belgium">Belgium</option>
 <option value="Belize">Belize</option>
 <option value="Benin">Benin</option>
 <option value="Bermuda">Bermuda</option>
 <option value="Bhutan">Bhutan
 <option value="Bolivia">Bolivia</option>
```

```
<option value="Bosnia and Herzegowina">Bosnia and Herzegowina
<option value="Botswana">Botswana
<option value="Bouvet Island">Bouvet Island
<option value="Brazil">Brazil</option>
<option value="British Indian Ocean Territory">British Indian Ocean Territory</option>
<option value="Brunei Darussalam">Brunei Darussalam/option>
<option value="Bulgaria">Bulgaria
<option value="Burkina Faso">Burkina Faso
<option value="Burundi">Burundi</option>
<option value="Cambodia">Cambodia
<option value="Cameroon">Cameroon
<option value="Canada">Canada</option>
<option value="Cape Verde">Cape Verde</option>
<option value="Cayman Islands">Cayman Islands
<option value="Central African Republic">Central African Republic
<option value="Chad">Chad</option>
<option value="Chile">Chile</option>
<option value="China">China</option>
<option value="Christmas Island">Christmas Island
<option value="Cocos Islands">Cocos (Keeling) Islands/option>
<option value="Colombia">Colombia
<option value="Comoros">Comoros</option>
<option value="Congo">Congo</option>
<option value="Congo">Congo, the Democratic Republic of the</option>
<option value="Cook Islands">Cook Islands
<option value="Costa Rica">Costa Rica
<option value="Cota D'Ivoire">Cote d'Ivoire</option>
<option value="Croatia">Croatia (Hrvatska)
<option value="Cuba">Cuba</option>
```

```
<option value="Cyprus">Cyprus</option>
<option value="Czech Republic">Czech Republic
<option value="Denmark">Denmark
<option value="Djibouti">Djibouti
<option value="Dominica">Dominica</option>
<option value="Dominican Republic">Dominican Republic/option>
<option value="East Timor">East Timor
<option value="Ecuador">Ecuador</option>
<option value="Egypt">Egypt</option>
<option value="El Salvador">El Salvador
<option value="Equatorial Guinea">Equatorial Guinea/option>
<option value="Eritrea">Eritrea</option>
<option value="Estonia">Estonia</option>
<option value="Ethiopia">Ethiopia
<option value="Falkland Islands">Falkland Islands (Malvinas)
<option value="Faroe Islands">Faroe Islands
<option value="Fiji">Fiji</option>
<option value="Finland">Finland</option>
<option value="France">France</option>
<option value="France Metropolitan">France, Metropolitan
<option value="French Guiana">French Guiana
<option value="French Polynesia">French Polynesia
<option value="French Southern Territories">French Southern Territories
<option value="Gabon">Gabon</option>
<option value="Gambia">Gambia</option>
<option value="Georgia">Georgia</option>
<option value="Germany">Germany</option>
<option value="Ghana">Ghana</option>
<option value="Gibraltar">Gibraltar
```

```
<option value="Greece">Greece</option>
<option value="Greenland">Greenland
<option value="Grenada">Grenada</option>
<option value="Guadeloupe">Guadeloupe</option>
<option value="Guam">Guam</option>
<option value="Guatemala">Guatemala
<option value="Guinea">Guinea</option>
<option value="Guinea-Bissau">Guinea-Bissau
<option value="Guyana">Guyana</option>
<option value="Haiti">Haiti
<option value="Heard and McDonald Islands">Heard and Mc Donald Islands/option>
<option value="Holy See">Holy See (Vatican City State)
<option value="Honduras">Honduras
<option value="Hong Kong">Hong Kong</option>
<option value="Hungary">Hungary</option>
<option value="Iceland">Iceland
<option value="India">India
<option value="Indonesia">Indonesia
<option value="Iran">Iran (Islamic Republic of)
<option value="Iraq">Iraq</option>
<option value="Ireland">Ireland
<option value="Israel">Israel
<option value="Italy">Italy</option>
<option value="Jamaica">Jamaica
<option value="Japan">Japan
<option value="Jordan">Jordan
<option value="Kazakhstan">Kazakhstan
<option value="Kenya">Kenya</option>
<option value="Kiribati">Kiribati
```

```
<option value="Democratic People's Republic of Korea">Korea, Democratic People's Republic
of</option>
     <option value="Korea">Korea, Republic of</option>
     <option value="Kuwait">Kuwait
     <option value="Kyrgyzstan">Kyrgyzstan</option>
     <option value="Lao">Lao People's Democratic Republic
     <option value="Latvia">Latvia
     <option value="Lebanon" selected>Lebanon
     <option value="Lesotho">Lesotho</option>
     <option value="Liberia">Liberia</option>
     <option value="Libyan Arab Jamahiriya">Libyan Arab Jamahiriya
     <option value="Liechtenstein">Liechtenstein
     <option value="Lithuania">Lithuania
     <option value="Luxembourg">Luxembourg</option>
     <option value="Macau">Macau</option>
     <option value="Macedonia">Macedonia, The Former Yugoslav Republic of/option>
     <option value="Madagascar">Madagascar</option>
     <option value="Malawi">Malawi
     <option value="Malaysia">Malaysia
     <option value="Maldives">Maldives
     <option value="Mali">Mali</option>
     <option value="Malta">Malta
     <option value="Marshall Islands">Marshall Islands
     <option value="Martinique">Martinique</option>
     <option value="Mauritania">Mauritania
     <option value="Mauritius">Mauritius
     <option value="Mayotte">Mayotte
     <option value="Mexico">Mexico</option>
```

<option value="Micronesia">Micronesia, Federated States of

```
<option value="Moldova">Moldova, Republic of
<option value="Monaco">Monaco</option>
<option value="Mongolia">Mongolia
<option value="Montserrat">Montserrat
<option value="Morocco">Morocco</option>
<option value="Mozambique">Mozambique</option>
<option value="Myanmar">Myanmar
<option value="Namibia">Namibia
<option value="Nauru">Nauru</option>
<option value="Nepal">Nepal</option>
<option value="Netherlands">Netherlands
<option value="Netherlands Antilles">Netherlands Antilles/option>
<option value="New Caledonia">New Caledonia
<option value="New Zealand">New Zealand
<option value="Nicaragua">Nicaragua
<option value="Niger">Niger</option>
<option value="Nigeria">Nigeria</option>
<option value="Niue">Niue</option>
<option value="Norfolk Island">Norfolk Island
<option value="Northern Mariana Islands">Northern Mariana Islands
<option value="Norway">Norway</option>
<option value="Oman">Oman</option>
<option value="Pakistan">Pakistan
<option value="Palau">Palau</option>
<option value="Panama">Panama
<option value="Papua New Guinea">Papua New Guinea
<option value="Paraguay">Paraguay
<option value="Peru">Peru</option>
<option value="Philippines">Philippines
```

```
<option value="Pitcairn">Pitcairn</option>
<option value="Poland">Poland
<option value="Portugal">Portugal
<option value="Puerto Rico">Puerto Rico</option>
<option value="Qatar">Qatar</option>
<option value="Reunion">Reunion
<option value="Romania">Romania
<option value="Russia">Russian Federation
<option value="Rwanda">Rwanda</option>
<option value="Saint Kitts and Nevis">Saint Kitts and Nevis
<option value="Saint LUCIA">Saint LUCIA
<option value="Saint Vincent">Saint Vincent and the Grenadines/option>
<option value="Samoa">Samoa</option>
<option value="San Marino">San Marino
<option value="Sao Tome and Principe">Sao Tome and Principe</option>
<option value="Saudi Arabia">Saudi Arabia
<option value="Senegal">Senegal</option>
<option value="Seychelles">Seychelles</option>
<option value="Sierra">Sierra Leone</option>
<option value="Singapore">Singapore
<option value="Slovakia">Slovakia (Slovak Republic)
<option value="Slovenia">Slovenia
<option value="Solomon Islands">Solomon Islands
<option value="Somalia">Somalia
<option value="South Africa">South Africa
<option value="South Georgia">South Georgia and the South Sandwich Islands/option>
<option value="Span">Spain</option>
<option value="SriLanka">Sri Lanka
<option value="St. Helena">St. Helena
```

```
<option value="St. Pierre and Miguelon">St. Pierre and Miquelon
     <option value="Sudan">Sudan</option>
     <option value="Suriname">Suriname
     <option value="Svalbard">Svalbard and Jan Mayen Islands/option>
     <option value="Swaziland">Swaziland</option>
     <option value="Sweden">Sweden</option>
     <option value="Switzerland">Switzerland
     <option value="Syria">Syrian Arab Republic
     <option value="Taiwan">Taiwan, Province of China
     <option value="Tajikistan">Tajikistan
     <option value="Tanzania">Tanzania, United Republic of/option>
     <option value="Thailand">Thailand
     <option value="Togo">Togo</option>
     <option value="Tokelau">Tokelau</option>
     <option value="Tonga">Tonga</option>
     <option value="Trinidad and Tobago">Trinidad and Tobago
     <option value="Tunisia">Tunisia
     <option value="Turkey">Turkey</option>
     <option value="Turkmenistan">Turkmenistan
     <option value="Turks and Caicos">Turks and Caicos Islands/option>
     <option value="Tuvalu">Tuvalu
     <option value="Uganda">Uganda
     <option value="Ukraine">Ukraine
     <option value="United Arab Emirates">United Arab Emirates
     <option value="United Kingdom">United Kingdom
     <option value="United States">United States
     <option value="United States Minor Outlying Islands">United States Minor Outlying
Islands</option>
     <option value="Uruguay">Uruguay</option>
```

```
<option value="Uzbekistan">Uzbekistan
   <option value="Vanuatu">Vanuatu
   <option value="Venezuela">Venezuela</option>
   <option value="Vietnam">Viet Nam</option>
   <option value="Virgin Islands (British)">Virgin Islands (British)
   <option value="Virgin Islands (U.S)">Virgin Islands (U.S.)
   <option value="Wallis and Futana Islands">Wallis and Futuna Islands
   <option value="Western Sahara">Western Sahara
   <option value="Yemen">Yemen</option>
   <option value="Yugoslavia">Yugoslavia
   <option value="Zambia">Zambia
   <option value="Zimbabwe">Zimbabwe</option>
 </select><br><br>
 <label>City:&nbsp&nbsp&nbsp&nbsp</label><input type="text" name="city"><br><br><br>
 <label>Address:</label><input type="text" name="address"><br><br>
 <label>Phone No:</label><input type="text" name="phone_no"><br><br><br></ri>
 <input type="submit" name="submit" value="register"><br><br>
<span><?php echo $error; ?></span>
</form>
</div>
<div class="pt-records">
 <form>
 <?php
   $sql = 'SELECT * FROM patients';
   $result = mysqli_query($conn,$sql);
     echo "";
     echo "";
```

```
echo "PID";
      echo "Name";
      echo "ID";
      echo "Gender";
      echo "DOB";
      echo "Country";
      echo "City";
      echo "Address";
      echo "Phone";
      echo "";
    while($row = mysqli_fetch_array($result))
    {
      echo "";
      echo "".$row['patient_id']."</a>";
      echo "".$row['fname']." ".$row['lname']." ";
      echo "".$row['id_no']."";
      echo "".$row['gender']."";
      echo "".$row['dob']."";
      echo "".$row['country']."";
      echo "".$row['city']."";
      echo "".$row['address']."";
      echo "".$row['phone_no']."";
      echo "";
    }
    echo "";
   ?>
   </form>
 </div>
</body>
```

```
</html>
/pages/pt-history.php
<?php
  include("nav.php");
  include("conn.php");
  $app_id=$_GET['app_id'];
  $patient_id=$_GET['patient_id'];
  $doc_id = $_GET['doc_id'];
  $calAge=";
  $error=";
  if(!empty($app_id)&&(!empty($patient_id))&&(!empty($doc_id))){
  $sql = "SELECT doctors.fname,
  doctors.Iname,
  patients.fname,
  patients.lname,
  patients.dob,
  patients.gender
  FROM doctors, patients, appointment WHERE doctors.doc_id=appointment.doc_id and
patients.patient_id=appointment.patient_id AND app_id=$app_id";
  $result = mysqli_query($conn,$sql );
  while($row=mysqli_fetch_array($result))
  {
    $calAge=$row[4];
    $dateOfBirth = "$calAge";
    $today = date("Y-m-d");
    $diff = date_diff(date_create($dateOfBirth), date_create($today));
?>
<!DOCTYPE html>
```

```
<html>
<head>
  <title>Patient History</title>
  <link rel="stylesheet" type="text/css" href="/ClinicManagement/style.css">
  <link rel="stylesheet" type="text/css" href="/ClinicManagement/nav-style.css">
  <style>
    .view-hist {
      float: left;
      border: 2px solid #ccc;
      width: 40%;
      margin-left: 45%;
      margin-top: -70%;
      border: 2px solid #ccc;
      border-radius: 10px;
    }
    .view-hist form {
      margin-left: 1%;
      margin-right: 1%;
    }
    .view-hist table {
      border: 1px solid black;
      border-collapse: collapse;
    }
    .view-hist table th {
      background-color: #BCCDD1;
    }
    .view-hist table th,td {
      text-transform: uppercase;
```

text-align: center;

```
}
    .view-hist table tr:nth-child(odd){
      background-color: #D6E1DD;
    }
    .view-hist table tr:nth-child(even){
      background-color: #E3E4DE;
    }
  </style>
</head>
<body>
  <div class="pt-hist-div">
    <form name='pt-hist-form' action='pt-history.php' method="post">
      <div class="left">
        <label>Patient Id</label><input type="text" name="ptid" value="<?php echo</pre>
$patient_id;?>"><br><br>
        <label>Dr Name:</label><input type="text" name="drname" value="<?php echo</pre>
ucwords($row[0]." ".$row[1]);?>"><br><br>
        <label>First Name:</label><input type="text" name="ptfname" value="<?php echo</pre>
ucwords($row[2]." ".$row[3]);?>"><br><br>
      </div>
      <div class="right">
        <span><?php echo $error;?></span>
      <label>Date:</label><input type="date" name="date"><br><br>
      <label>Age:</label><input type="text" name="ptage" value="<?php echo $diff-</pre>
>format('%y');?>"><br><br>
      <label>Gender:</label><input type="text" name="ptgender" value="<?php echo
$row[5];?>"><br><br>
      </div>
      <label>Diagnosis:</label><br><textarea name="ptdiag" cols="80"</pre>
rows="20"></textarea><br><br>
```

```
<label>Prescription:</label><br><textarea name="ptpres" cols="80"</pre>
rows="20"></textarea><br><br>
      <input type="hidden" name="app_id" value="<?php echo $app_id;?>">
      <input type="hidden" name="doc id" value="<?php echo $doc id;?>">
      <input type="submit" name="submit" value="submit">
    </form>
    <?php
      }
      }
      if(isset($_POST['submit'])){
        $error = $_GET['error'];
        $patient_id=$_POST['ptid'];
        $app_id=$_POST['app_id'];
        $date = $ POST['date'];
        $diagnosis = $_POST['ptdiag'];
        $prescription = $_POST['ptpres'];
        $doc_id = $_POST['doc_id'];
        $app_id = $_POST['app_id'];
        $sql1 = "INSERT INTO patient_history(patient_id,app_id,doc_id,pt_diag,pt_presc,date) VALUES
($patient_id,$app_id,$doc_id,'$diagnosis','$prescription','$date')";
        if(!empty($date)){
          mysqli query($conn,$sql1);
          echo $sql1;
          header("location:pt-
history.php?app_id=$app_id&patient_id=$patient_id&doc_id=$doc_id");
        }else
        {
           header("location:pt-
history.php?app id=$app id&patient id=$patient id&doc id=$doc id&error='please select date'");
        }
```

```
}
                ?>
        </div>
        <div class="view-hist">
                <form>
                       <?php
                       echo "";
                       echo "<caption>Patient History</caption>";
                       echo "";
                       echo "History Id";
                       echo "App Id";
                       echo "Doc Name";
                       echo "Diagnosis";
                       echo "Prescription";
                       echo "Date";
                       echo "";
                       $views = "SELECT
patient\_history.pt\_hist\_id, patient\_history.app\_id, doctors.fname, doctors.lname, patient\_history.pt\_diag, and the patient\_history
patient_history.pt_presc,patient_history.date
                        FROM patient history, doctors where patient history.doc id=doctors.doc id and
patient_history.patient_id=$patient_id";
                       $res = mysqli_query($conn,$views);
                       if(mysqli_num_rows($res)>0)
                       {
                               while($rows = mysqli_fetch_array($res))
                              {
                                      echo "";
                                      echo "".$rows[0]."";
```

```
echo "".$rows[1]."";
         echo "Dr ".$rows[2]." ".$rows[3]."";
         echo "".$rows[4]."";
         echo "".$rows[5]."";
         echo "".$rows[6]."";
         echo "";
       }
     }
     else
     {
       echo "No history";
     }
     echo "";
     ?>
   </form>
 </div>
</body>
</html>
/pages/admin/appointment.php
<?php
 include("conn.php");
 $error=";
 if(isset($_POST['searchbt'])){
   if(!empty('search')){
     $patient_id=$_POST['search'];
     $fname =";
     $Iname=";
     $id_no=";
```

```
$gender=";
      $dob=";
      $country=";
      $city=";
      $address=";
      $phone_no=";
      $doc_id=$_POST['docsel'];
      $sql= "select * from patients where patient_id=$patient_id";
      //echo $sql;
      $result = mysqli_query($conn,$sql);
      while($row = mysqli_fetch_array($result)){
        $fname =$row['fname'];
        $Iname=$row['Iname'];
        $id_no=$row['id_no'];
        $gender=$row['gender'];
        $dob=$row['dob'];
        $country=$row['country'];
        $city=$row['city'];
        $address=$row['address'];
        $phone_no=$row['phone_no'];
      }
    }
  }
  if(isset($_POST['make'])){
if(!empty('search')&(!empty('fname'))&(!empty('lname'))&(!empty('id_no'))&(!empty('gender'))&(!empty
y('dob'))&(!empty('country'))&(!empty('city'))&(!empty('address'))&(!empty('phone_no'))){
      $patient_id=$_POST['search'];
```

```
$fname =$_POST['fname'];
      $Iname=$_POST['Iname'];
      $id_no=$_POST['id_no'];
      $gender=$_POST['gender'];
      $dob=$_POST['dob'];
      $country=$_POST['country'];
      $city=$_POST['city'];
      $address=$_POST['address'];
      $phone_no=$_POST['phone_no'];
      $doc_id=$_POST['docsel'];
      $appdate=$_POST['appdate'];
      $ins = "INSERT INTO appointment (patient_id,fname,lname,id_no,gender,dob, country,
city,address,phone no,doc id,appdate) values ($patient id,'$fname', '$lname', '$id no', '$gender',
'$dob', '$country', '$city', '$address', $phone_no,$doc_id,'$appdate')";
      if(mysqli_query($conn,$ins)){
        echo "Appointment Done";
      }
      else{
        $error ="$ins <br>".mysqli error($conn);
      }
    }
  }
?>
<html>
  <head>
    <title>APPOINTMENTS</title>
```

```
<link rel="stylesheet" type="text/css" href="/ClinicManagement/style.css">
  </head>
  <body>
    <div class="app-h1">
      <h1>APPOINTMENT</h1>
    </div>
    <div class="ap-div">
      <form name="form-app" action="appointments.php" method="post" style="content:center">
        >
        <label>Patient Search :</label><br>
        <input type="text" name="search" value="<?php if(!empty($patient_id)) echo $patient_id;
?>"><br><br>
          <input type="submit" name="searchbt" value="search"><br><br>
          <span><?php echo $error;?></span>
        <label>First Name:</label>
          <input type="text" name="fname" value="<?php if(!empty($fname)) echo $fname; ?>"
readonly><br><br>
        <label>Last Name:</label>
          <input type="text" name="Iname" value="<?php if(!empty($Iname)) echo $Iname; ?>"
readonly><br><br>
        <label>ID/Passport:</label>
          <input type="text" name="id_no" value="<?php if(!empty($id_no)) echo $id_no; ?>"
readonly><br><br>
        <label>Gender:</label>
          <input type="text" name="gender" value="<?php if(!empty($gender)) echo $gender; ?>"
readonly><br><br>
        <label>DOB:</label><br>
          <input type="text" name="dob" value="<?php if(!empty($dob)) echo $dob; ?>"
readonly><br><br>
        <label>Country:</label>
```

```
<input type="text" name="country" value="<?php if(!empty($country)) echo $country; ?>"
readonly><br><br>
        <label>City:</label><br>
          <input type="text" name="city" value="<?php if(!empty($city)) echo $city; ?>"
readonly><br><br>
        <label>Address:</label><input type="text" name="address" value="<?php if(!empty($address))
echo $address; ?>" readonly><br><br>
        <label>Phone No:</label>
          <input type="text" name="phone_no" value="<?php if(!empty($phone_no)) echo
$phone no; ?>" readonly><br><br>
        <label>Date:</label><br>
          <input type="date" name="appdate"><br><br>
        <label>Doctor:</label><br>
        <select name="docsel">
        <?php
          $sql2 = "select * from doctors";
          $query = mysqli_query($conn,$sql2);
          while($rows = mysqli_fetch_array($query)){
        ?>
        <option value="<?php echo $rows['doc_id'];?>"><?php echo "Dr ".$rows['fname']."</pre>
".$rows['Iname'];?></option>";
        <?php
          }
        ?>
        </select><br><br>
        <input type="submit" name="make" value="make"><br><br>
        <?php echo $error; ?>
      </form>
    </div>
```

```
</body>
</html>
/pages/admin/doctors.php
<?php
  include("conn.php");
  include("nav.php");
  $error=";
  if(isset($_POST['submit'])){
    $doc = $_POST['ckbox-doc'];
    $date = $_POST['date'];
    foreach ($doc as $x)
    {
      $sql = "INSERT INTO doconduty(doc_id,dod_date) VALUES ($x,'$date')";
      if(mysqli_query($conn,$sql))
        $error ="Inserted into the Table";
      }
      else
        $error = "Please Check again";
      }
    }
  }
?>
<!DOCTYPE html>
<html>
<head>
  <title>Index</title>
```

```
<link rel="stylesheet" type="text/css" href="/ClinicManagement/style.css">
  <link rel="stylesheet" type="text/css" href="/ClinicManagement/nav-style.css">
  <style type="text/css">
    .sel-doctors form {
      margin-left: 1%;
      margin-top: 1%;
    }
    .sel-doctors form input[type="submit"] {
      width: 10%;
      border: 2px solid black;
      border-radius: 10px;
      background-color: #9FB48B
   }
    .sel-doctors form input[type="date"]{
      width: 18%;
   }
  </style>
</head>
<body>
  <div class="heading-doc">DOCTORS</div>
  <div class="sel-doctors">
  <form name="doc-form" action="doctors.php" method="post">
    <div class="inside-heading-doc">SELECT WHO IS AVAILABLE</div><br>
    SELECT DATE:<br>
    <span><?php echo $error;?></span>
    <input type="date" name="date"><br>
    <?php
      $sql = "select * from doctors";
      $result = mysqli_query($conn,$sql);
```

```
foreach($result as $x)
    ?>
        <input type="checkbox" name="ckbox-doc[]" value="<?php echo $x['doc_id'];?>"><?php echo</pre>
"Dr"." ".ucwords($x['fname'])." ".ucwords($x['Iname']);?><br>
    <?php
        }
    ?>
    <input type="submit" name="submit" value="SUBMIT">
  </form>
  </div>
</body>
</html>
/pages/admin/index.php
<?php
  include("conn.php");
  include("nav.php");
  if(isset($_POST['app-del'])){
    $app_id = $_POST['hidd-app-id'];
    echo $app_id;
    $del = "DELETE from appointment where app_id=$app_id";
    echo $del;
    mysqli_query($conn,$del);
  }
?>
<!DOCTYPE html>
<html>
```

```
<head>
  <title>Index</title>
  <link rel="stylesheet" type="text/css" href="/./ClinicManagement/style.css">
  <link rel="stylesheet" type="text/css" href="/./ClinicManagement/nav-style.css">
</head>
<body>
  <div class="names">
    <label id="doc">DOCTORS</label>
    <label id="app">APPOINTMENTS</label>
 </div>
  <div class="onDuty">
    <?php
      $sql = 'SELECT doconduty.DoD,doctors.fname,doctors.lname,doctors.speciality FROM
doctors,doconduty where doctors.doc_id=doconduty.doc_id and
doconduty.dod_date=CURRENT_DATE';
     $result = mysqli_query($conn,$sql);
     echo "";
     if(mysqli num rows($result) > 0)
     {
        echo "ID";
       echo "Name";
        echo "Speciality";
        while ($row = mysqli_fetch_array($result)) {
         echo "";
         echo "".$row[0]."";
         echo "".$row[1]." ".$row[2]."";
```

```
echo "".$row[3]."";

} else {
    echo "0 Results";
}
    echo "";
    #mysqli_close($conn);
?>
</div>
<div class="appointments">
    <form name="app-disp-form" method="post" action="index.php">
    <?php
    $sql = 'SELECT</pre>
```

doctors.doc_id,appointment.app_id,appointment.patient_id,appointment.fname,appointment.lname,appointment.id_no,appointment.gender,appointment.dob,appointment.country,appointment.city,appointment.address,appointment.phone_no,appointment.appdate,doctors.fname,doctors.lname FROM appointment,doctors WHERE appointment.doc_id=doctors.doc_id AND appointment.doc_id';

```
$results = mysqli_query($conn,$sql);
echo "";
if(mysqli_num_rows($results)>0)
{
    echo "Appt Id";
    echo "ID";
    echo "NAME";
    echo "POB";
    echo "COUNTRY";
    echo "COUNTRY";
    echo "ADDRESS";
    echo "ADDRESS";
}
```

```
echo "PHONE NO";
         echo "DOCTOR";
         echo "Date";
        echo "Void";
        while($row = mysqli_fetch_array($results))
         {
          echo "";
           ?>
            <a href="/ClinicManagement/pages/Admin/pt-history.php?app_id=<?php echo
$row['app id'];?>&patient id=<?php echo $row['patient id'];?>&doc id=<?php echo</pre>
$row['doc_id'];?>"><?php echo $row['app_id'];?></a>
          <?php
            echo "".$row['patient id']."";
            echo "".$row['3']." ".$row['4']."";
            echo "".$row['id no']."";
            echo "".$row['gender']."";
            echo "".$row['dob']."";
            echo "".$row['country']."";
            echo "".$row['city']."";
            echo "".$row['address']."";
            echo "".$row['phone no']."";
            echo "".$row['fname']." ".$row['Iname']." ";
            echo "".$row['appdate']."";
            echo "<input type='submit' name='app-del' value='delete'>";
          ?>
            <input type="hidden" name="hidd-app-id" value="<?php echo $row['app_id'];?>">
            <input type="hidden" name="hidd-pt-id" value="<?php echo $row['patient_id'];?>">
```

```
<?php
            echo "";
          }
        }else
          echo "0 results";
        }
        echo "";
    ?>
    </form>
  </div>
  <form class="b-app" target="_blank"</pre>
onclick="window.open('/ClinicManagement/pages/appointments.php','newwindow','width=700,height=
800'); return false;">
   <input type="submit" name="app" value="appointment"><br><br>
  </form>
</body>
</html>
/pages/admin/patients.php
<?php
  include("conn.php");
  include("nav.php");
  $error=";
  if(isset($_POST['submit']))
  {
    $fname = $_POST['fname'];
    $Iname = $_POST['Iname'];
    $id_no = $_POST['id_no'];
    $gender = $_POST['gender'];
```

```
$country = $_POST['country'];
    $city = $_POST['city'];
    $address = $_POST['address'];
    $phone_no = $_POST['phone_no'];
    $dob = $_POST['dob'];
    //echo $fname." ".$Iname." ".$id_no." ".$gender." ".$country." ".$city." ".$address." ".$phone_no;
    $sql = "insert into patients (fname,lname,id_no,gender,country,city,address,phone_no,dob) values
('$fname','$lname','$id_no','$gender','$country','$city','$address',$phone_no,'$dob')";
    if(mysqli_query($conn,$sql))
    {
      echo "Registerd";
    }
    else
    {
       $error="$sql <br>". mysqli_error($conn);
    }
  }
?>
<!DOCTYPE html>
<html>
<head>
  <title>Patients</title>
  <link rel="stylesheet" type="text/css" href="/ClinicManagement/style.css">
  <link rel="stylesheet" type="text/css" href="/ClinicManagement/nav-style.css">
```

```
</head>
<body>
  <div class="pt-form-header">
  <h1>PATIENT REGISTRATION</h1>
    <h1>PATIENT RECORDS</h1>
  </div>
  <div class="pt-form">
  <form name="patient_record" action="patients.php" method="POST" style="content:center">
  >
    <label>First Name:</label><input type="text" name="fname"><br><br><br></ri>
    <label>Last Name:</label><input type="text" name="lname"><br><br></ri>
    <label>ID/Passport:</label><input type="text" name="id_no"><br><br><br>
    <label>Gender:</label>
    <select name="gender">
      <option value="M">Male</option>
      <option value="F">Female</option>
    </select><br><br>
    <label>DOB:</label><input type="date" name="dob"><br><br></ri>
    <label>Country:</label>
    <select name="country">
      <option value="Afghanistan">Afghanistan
      <option value="Albania">Albania
      <option value="Algeria">Algeria
      <option value="American Samoa">American Samoa
      <option value="Andorra">Andorra
      <option value="Angola">Angola</option>
      <option value="Anguilla">Anguilla</option>
      <option value="Antartica">Antarctica</option>
```

```
<option value="Antigua and Barbuda">Antigua and Barbuda/option>
<option value="Argentina">Argentina
<option value="Armenia">Armenia
<option value="Aruba">Aruba</option>
<option value="Australia">Australia
<option value="Austria">Austria
<option value="Azerbaijan">Azerbaijan
<option value="Bahamas">Bahamas
<option value="Bahrain">Bahrain
<option value="Bangladesh">Bangladesh</option>
<option value="Barbados">Barbados
<option value="Belarus">Belarus
<option value="Belgium">Belgium</option>
<option value="Belize">Belize</option>
<option value="Benin">Benin</option>
<option value="Bermuda">Bermuda</option>
<option value="Bhutan">Bhutan
<option value="Bolivia">Bolivia
<option value="Bosnia and Herzegowina">Bosnia and Herzegowina
<option value="Botswana">Botswana
<option value="Bouvet Island">Bouvet Island
<option value="Brazil">Brazil</option>
<option value="British Indian Ocean Territory">British Indian Ocean Territory</option>
<option value="Brunei Darussalam">Brunei Darussalam/option>
<option value="Bulgaria">Bulgaria
<option value="Burkina Faso">Burkina Faso
<option value="Burundi">Burundi
<option value="Cambodia">Cambodia
<option value="Cameroon">Cameroon
```

```
<option value="Canada">Canada</option>
<option value="Cape Verde">Cape Verde</option>
<option value="Cayman Islands">Cayman Islands
<option value="Central African Republic">Central African Republic
<option value="Chad">Chad</option>
<option value="Chile">Chile</option>
<option value="China">China</option>
<option value="Christmas Island">Christmas Island
<option value="Cocos Islands">Cocos (Keeling) Islands/option>
<option value="Colombia">Colombia
<option value="Comoros">Comoros</option>
<option value="Congo">Congo</option>
<option value="Congo">Congo, the Democratic Republic of the</option>
<option value="Cook Islands">Cook Islands
<option value="Costa Rica">Costa Rica
<option value="Cota D'Ivoire">Cote d'Ivoire</option>
<option value="Croatia">Croatia (Hrvatska)
<option value="Cuba">Cuba</option>
<option value="Cyprus">Cyprus</option>
<option value="Czech Republic">Czech Republic
<option value="Denmark">Denmark
<option value="Djibouti">Djibouti
<option value="Dominica">Dominica</option>
<option value="Dominican Republic">Dominican Republic/option>
<option value="East Timor">East Timor
<option value="Ecuador">Ecuador</option>
<option value="Egypt">Egypt</option>
<option value="El Salvador">El Salvador
<option value="Equatorial Guinea">Equatorial Guinea/option>
```

```
<option value="Eritrea">Eritrea</option>
<option value="Estonia">Estonia</option>
<option value="Ethiopia">Ethiopia
<option value="Falkland Islands">Falkland Islands (Malvinas)
<option value="Faroe Islands">Faroe Islands
<option value="Fiji">Fiji</option>
<option value="Finland">Finland</option>
<option value="France">France</option>
<option value="France Metropolitan">France, Metropolitan
<option value="French Guiana">French Guiana
<option value="French Polynesia">French Polynesia
<option value="French Southern Territories">French Southern Territories
<option value="Gabon">Gabon</option>
<option value="Gambia">Gambia</option>
<option value="Georgia">Georgia</option>
<option value="Germany">Germany</option>
<option value="Ghana">Ghana</option>
<option value="Gibraltar">Gibraltar
<option value="Greece">Greece</option>
<option value="Greenland">Greenland
<option value="Grenada">Grenada</option>
<option value="Guadeloupe">Guadeloupe</option>
<option value="Guam">Guam</option>
<option value="Guatemala">Guatemala
<option value="Guinea">Guinea</option>
<option value="Guinea-Bissau">Guinea-Bissau
<option value="Guyana">Guyana
<option value="Haiti">Haiti
<option value="Heard and McDonald Islands">Heard and Mc Donald Islands/option>
```

```
<option value="Holy See">Holy See (Vatican City State)
     <option value="Honduras">Honduras
     <option value="Hong Kong">Hong Kong</option>
     <option value="Hungary">Hungary</option>
     <option value="Iceland">Iceland
     <option value="India">India</option>
     <option value="Indonesia">Indonesia
     <option value="Iran">Iran (Islamic Republic of)
     <option value="Iraq">Iraq</option>
     <option value="Ireland">Ireland
     <option value="Israel">Israel</option>
     <option value="Italy">Italy</option>
     <option value="Jamaica">Jamaica</option>
     <option value="Japan">Japan
     <option value="Jordan">Jordan</option>
     <option value="Kazakhstan">Kazakhstan
     <option value="Kenya">Kenya</option>
     <option value="Kiribati">Kiribati
     <option value="Democratic People's Republic of Korea">Korea, Democratic People's Republic
of</option>
     <option value="Korea">Korea, Republic of</option>
     <option value="Kuwait">Kuwait
     <option value="Kyrgyzstan">Kyrgyzstan</option>
     <option value="Lao">Lao People's Democratic Republic
     <option value="Latvia">Latvia
     <option value="Lebanon" selected>Lebanon
     <option value="Lesotho">Lesotho</option>
     <option value="Liberia">Liberia</option>
     <option value="Libyan Arab Jamahiriya">Libyan Arab Jamahiriya
```

```
<option value="Liechtenstein">Liechtenstein
<option value="Lithuania">Lithuania
<option value="Luxembourg">Luxembourg</option>
<option value="Macau">Macau</option>
<option value="Macedonia">Macedonia, The Former Yugoslav Republic of</option>
<option value="Madagascar">Madagascar
<option value="Malawi">Malawi
<option value="Malaysia">Malaysia
<option value="Maldives">Maldives
<option value="Mali">Mali</option>
<option value="Malta">Malta
<option value="Marshall Islands">Marshall Islands
<option value="Martinique">Martinique</option>
<option value="Mauritania">Mauritania
<option value="Mauritius">Mauritius
<option value="Mayotte">Mayotte
<option value="Mexico">Mexico</option>
<option value="Micronesia">Micronesia, Federated States of
<option value="Moldova">Moldova, Republic of
<option value="Monaco">Monaco</option>
<option value="Mongolia">Mongolia
<option value="Montserrat">Montserrat
<option value="Morocco">Morocco</option>
<option value="Mozambique">Mozambique</option>
<option value="Myanmar">Myanmar
<option value="Namibia">Namibia
<option value="Nauru">Nauru</option>
<option value="Nepal">Nepal</option>
<option value="Netherlands">Netherlands
```

```
<option value="Netherlands Antilles">Netherlands Antilles
<option value="New Caledonia">New Caledonia
<option value="New Zealand">New Zealand
<option value="Nicaragua">Nicaragua
<option value="Niger">Niger</option>
<option value="Nigeria">Nigeria</option>
<option value="Niue">Niue</option>
<option value="Norfolk Island">Norfolk Island
<option value="Northern Mariana Islands">Northern Mariana Islands
<option value="Norway">Norway</option>
<option value="Oman">Oman</option>
<option value="Pakistan">Pakistan
<option value="Palau">Palau</option>
<option value="Panama">Panama</option>
<option value="Papua New Guinea">Papua New Guinea
<option value="Paraguay">Paraguay</option>
<option value="Peru">Peru</option>
<option value="Philippines">Philippines
<option value="Pitcairn">Pitcairn</option>
<option value="Poland">Poland
<option value="Portugal">Portugal</option>
<option value="Puerto Rico">Puerto Rico</option>
<option value="Qatar">Qatar</option>
<option value="Reunion">Reunion
<option value="Romania">Romania
<option value="Russia">Russian Federation
<option value="Rwanda">Rwanda</option>
<option value="Saint Kitts and Nevis">Saint Kitts and Nevis
<option value="Saint LUCIA">Saint LUCIA</option>
```

```
<option value="Saint Vincent">Saint Vincent and the Grenadines/option>
<option value="Samoa">Samoa</option>
<option value="San Marino">San Marino
<option value="Sao Tome and Principe">Sao Tome and Principe</option>
<option value="Saudi Arabia">Saudi Arabia
<option value="Senegal">Senegal</option>
<option value="Seychelles">Seychelles</option>
<option value="Sierra">Sierra Leone</option>
<option value="Singapore">Singapore
<option value="Slovakia">Slovakia (Slovak Republic)
<option value="Slovenia">Slovenia
<option value="Solomon Islands">Solomon Islands
<option value="Somalia">Somalia
<option value="South Africa">South Africa
<option value="South Georgia">South Georgia and the South Sandwich Islands/option>
<option value="Span">Spain</option>
<option value="SriLanka">Sri Lanka
<option value="St. Helena">St. Helena
<option value="St. Pierre and Miguelon">St. Pierre and Miguelon
<option value="Sudan">Sudan</option>
<option value="Suriname">Suriname</option>
<option value="Svalbard">Svalbard and Jan Mayen Islands/option>
<option value="Swaziland">Swaziland</option>
<option value="Sweden">Sweden</option>
<option value="Switzerland">Switzerland
<option value="Syria">Syrian Arab Republic
<option value="Taiwan">Taiwan, Province of China
<option value="Tajikistan">Tajikistan
<option value="Tanzania">Tanzania, United Republic of/option>
```

```
<option value="Thailand">Thailand
     <option value="Togo">Togo</option>
     <option value="Tokelau">Tokelau
     <option value="Tonga">Tonga</option>
     <option value="Trinidad and Tobago">Trinidad and Tobago
     <option value="Tunisia">Tunisia
     <option value="Turkey">Turkey</option>
     <option value="Turkmenistan">Turkmenistan
     <option value="Turks and Caicos">Turks and Caicos Islands
     <option value="Tuvalu">Tuvalu
     <option value="Uganda">Uganda</option>
     <option value="Ukraine">Ukraine
     <option value="United Arab Emirates">United Arab Emirates
     <option value="United Kingdom">United Kingdom
     <option value="United States">United States
     <option value="United States Minor Outlying Islands">United States Minor Outlying
Islands
     <option value="Uruguay">Uruguay</option>
     <option value="Uzbekistan">Uzbekistan
     <option value="Vanuatu">Vanuatu
     <option value="Venezuela">Venezuela</option>
     <option value="Vietnam">Viet Nam</option>
     <option value="Virgin Islands (British)">Virgin Islands (British)
     <option value="Virgin Islands (U.S)">Virgin Islands (U.S.)
     <option value="Wallis and Futana Islands">Wallis and Futuna Islands
     <option value="Western Sahara">Western Sahara
     <option value="Yemen">Yemen</option>
     <option value="Yugoslavia">Yugoslavia
     <option value="Zambia">Zambia
```

```
</select><br><br>
 <label>City:&nbsp&nbsp&nbsp&nbsp</label><input type="text" name="city"><br><br>
 <label>Address:</label><input type="text" name="address"><br><br>
 <label>Phone No:</label><input type="text" name="phone_no"><br><br><br></ri>
 <input type="submit" name="submit" value="register"><br><br>
<span><?php echo $error; ?></span>
</form>
</div>
<div class="pt-records">
 <form>
 <?php
   $sql = 'SELECT * FROM patients';
   $result = mysqli_query($conn,$sql);
     echo "";
     echo "";
     echo "PID";
     echo "Name";
     echo "ID";
     echo "Gender";
     echo "DOB";
     echo "Country";
     echo "City";
     echo "Address";
     echo "Phone";
     echo "";
   while($row = mysqli_fetch_array($result))
```

```
{
       echo "";
       echo "".$row['patient_id']."";
       echo "".$row['fname']." ".$row['Iname']."";
       echo "".$row['id_no']."";
       echo "".$row['gender']."";
       echo "".$row['dob']."";
       echo "".$row['country']."";
       echo "".$row['city']."";
       echo "".$row['address']."";
       echo "".$row['phone_no']."";
       echo "";
     }
     echo "";
   ?>
   </form>
 </div>
</body>
</html>
/pages/admin/pt-history.php
 <?php
   include("nav.php");
   include("conn.php");
   $app_id=$_GET['app_id'];
   $patient_id=$_GET['patient_id'];
   $doc_id = $_GET['doc_id'];
   $calAge=";
   $error=";
   if(!empty($app_id)&&(!empty($patient_id))&&(!empty($doc_id))){
```

```
$sql = "SELECT doctors.fname,
    doctors.Iname,
    patients.fname,
    patients.Iname,
    patients.dob,
    patients.gender
    FROM doctors, patients, appointment WHERE doctors.doc_id=appointment.doc_id and
patients.patient_id=appointment.patient_id AND app_id=$app_id";
    $result = mysqli_query($conn,$sql);
    while($row=mysqli_fetch_array($result))
      $calAge=$row[4];
      $dateOfBirth = "$calAge";
      $today = date("Y-m-d");
      $diff = date_diff(date_create($dateOfBirth), date_create($today));
  ?>
  <!DOCTYPE html>
  <html>
  <head>
    <title>Patient History</title>
    <link rel="stylesheet" type="text/css" href="/ClinicManagement/style.css">
    <link rel="stylesheet" type="text/css" href="/ClinicManagement/nav-style.css">
    <style>
      .view-hist {
        float: left;
        border: 2px solid #ccc;
        width: 40%;
        margin-left: 45%;
        margin-top: -70%;
```

```
border: 2px solid #ccc;
      border-radius: 10px;
    }
    .view-hist form {
      margin-left: 1%;
      margin-right: 1%;
    }
    .view-hist table {
      border: 1px solid black;
      border-collapse: collapse;
    }
    .view-hist table th {
      background-color: #BCCDD1;
    }
    .view-hist table th,td {
      text-transform: uppercase;
      text-align: center;
    }
    .view-hist table tr:nth-child(odd){
      background-color: #D6E1DD;
    }
    .view-hist table tr:nth-child(even){
      background-color: #E3E4DE;
    }
  </style>
</head>
<body>
  <div class="pt-hist-div">
```

```
<form name='pt-hist-form' action='pt-history.php' method="post">
        <div class="left">
          <label>Patient Id</label><input type="text" name="ptid" value="<?php echo
$patient id;?>"><br><br>
          <label>Dr Name:</label><input type="text" name="drname" value="<?php echo
ucwords($row[0]." ".$row[1]);?>"><br><br>
          <label>First Name:</label><input type="text" name="ptfname" value="<?php echo
ucwords($row[2]." ".$row[3]);?>"><br><br>
        </div>
        <div class="right">
          <span><?php echo $error;?></span>
        <label>Date:</label><input type="date" name="date"><br><br>
        <label>Age:</label><input type="text" name="ptage" value="<?php echo $diff-</pre>
>format('%y');?>"><br><br>
        <label>Gender:</label><input type="text" name="ptgender" value="<?php echo</pre>
$row[5];?>"><br><br>
        </div>
        <label>Diagnosis:textarea name="ptdiag" cols="80"
rows="20"></textarea><br><br>
        <label>Prescription:</label><br><textarea name="ptpres" cols="80"</pre>
rows="20"></textarea><br><br>
        <input type="hidden" name="app_id" value="<?php echo $app_id;?>">
        <input type="hidden" name="doc_id" value="<?php echo $doc_id;?>">
        <input type="submit" name="submit" value="submit">
      </form>
      <?php
        }
        if(isset($_POST['submit'])){
          $error = $ GET['error'];
          $patient_id=$_POST['ptid'];
```

```
$app_id=$_POST['app_id'];
          $date = $_POST['date'];
          $diagnosis = $_POST['ptdiag'];
          $prescription = $_POST['ptpres'];
          $doc_id = $_POST['doc_id'];
          $app_id = $_POST['app_id'];
          $sql1 = "INSERT INTO patient_history(patient_id,app_id,doc_id,pt_diag,pt_presc,date)
VALUES ($patient_id,$app_id,$doc_id,'$diagnosis','$prescription','$date')";
          if(!empty($date)){
            mysqli_query($conn,$sql1);
            echo $sql1;
            header("location:pt-
history.php?app_id=$app_id&patient_id=$patient_id&doc_id=$doc_id");
          }else
          {
             header("location:pt-
history.php?app_id=$app_id&patient_id=$patient_id&doc_id=$doc_id&error='please select date'");
          }
        }
      ?>
    </div>
    <div class="view-hist">
      <form>
        <?php
        echo "";
        echo "<caption>Patient History</caption>";
        echo "";
        echo "History Id";
```

```
echo "App Id";
       echo "Doc Name";
       echo "Diagnosis";
       echo "Prescription";
       echo "Date";
       echo "";
       $views = "SELECT
patient_history.pt_hist_id,patient_history.app_id,doctors.fname,doctors.lname,patient_history.pt_diag,
patient_history.pt_presc,patient_history.date
       FROM patient_history,doctors where patient_history.doc_id=doctors.doc_id and
patient_history.patient_id=$patient_id";
       $res = mysqli_query($conn,$views);
       if(mysqli_num_rows($res)>0)
       {
         while($rows = mysqli_fetch_array($res))
         {
          echo "";
           echo "".$rows[0]."";
           echo "".$rows[1]."";
           echo "Dr ".$rows[2]." ".$rows[3]."";
          echo "".$rows[4]."";
           echo "".$rows[5]."";
           echo "".$rows[6]."";
          echo "";
         }
       }
       else
         echo "No history";
       }
```

```
echo "";
        ?>
      </form>
    </div>
  </body>
  </html>
/pages/admin/update_creds.php
<?php
  include("conn.php");
  include("nav.php");
  $login_id = $_GET['login_id'];
  $error =";
  if(isset($_POST['edit']))
  {
    $txtid= $_POST['txtId'];
    $txttype= $_POST['txtType'];
    $txtuser= $_POST['txtUser'];
    $txtpass= $_POST['txtPass'];
    $update = "UPDATE login SET
    user='$txtuser',
    pass='$txtpass',
    userType='$txttype'
    WHERE login_id=$txtid";
    echo $update;
      if(mysqli_query($conn,$update))
      {
        header("location:/./ClinicManagement/pages/Admin/userReg.php");
      }
```

```
else
      {
         header("update_creds.php?login_id=$txtid");
      }
  }
?>
<html>
  <head>
    <link rel="stylesheet" href="/./ClinicManagement/nav-style.css">
    <link rel="stylesheet" href="/./ClinicManagement/style.css">
    <style type="text/css">
      table {
         border: 1px solid black;
         border-collapse: collapse;
      }
      table th {
         background-color: #BCCDD1;
      }
      table th,td{
         border: 1px solid black;
         border-collapse: collapse;
        text-align: center;
      }
      input[type="text"]{
        width: inherit;
        text-align: center;
        background-color: #D6E1DD;
      }
```

```
.edit-div {
      margin-left: 1%;
      margin-top: 1%;
      border: 1px solid black;
      border-radius: 10px;
      width: 78%;
    }
    .edit-div form {
      margin-left: 1%;
      margin-top: 1%;
    }
    .edit-div form input[type="submit"]{
      margin-left: 40%;
      width: 20%;
      height: 5%;
      border-radius: 10px;
      border: 1px solid black;
      background-color: #019375;
    }
  </style>
</head>
<body>
  <div class="edit-div">
  <form name="edit" action="update_creds.php" method="post">
    <?php
      $sql = "Select * from login where login_id=$login_id";
      $results = mysqli_query($conn,$sql);
      echo "";
```

```
echo "<caption>Edit Staff</caption>";
       echo "";
       echo "Login Id";
       echo "User";
       echo "Pass";
       echo "Type";
       echo "";
       while($row = mysqli_fetch_assoc($results))
       {
       ?>
       <input type='text' name='txtId' value='<?php echo $row['login_id'];?>'
       <input type='text' name='txtUser' value='<?php echo $row['user'];?>' readonly>
       <input type='text' name='txtPass' value='<?php echo $row['pass'];?>'>
       <input type='text' name='txtType' value='<?php echo $row['userType'];?>'>
       <?php
       }echo "";?>
       <br><br>
       <input type="submit" name="edit" value="update">
   </form>
   </div>
 </body>
</html>
/pages/admin/update_staff.php
<?php
 include("conn.php");
 include("nav.php");
```

```
$staff_id = $_GET['staff_id'];
$error =";
if(isset($_POST['edit']))
  $txtid= $_POST['txtId'];
  $txttype= $_POST['txtType'];
  $txtfname= $_POST['txtFname'];
  $txtIname= $_POST['txtLname'];
  $txtdob= $_POST['txtDob'];
  $txtgender= $_POST['txtGender'];
  $txtcountry= $_POST['txtCountry'];
  $txtcity= $_POST['txtCity'];
  $txtadd= $_POST['txtAdd'];
  $txtphone=$_POST['txtPhone'];
  $update = "UPDATE staff SET staff_type='$txttype',
  staff_fname='$txtfname',
  staff_Iname='$txtIname',
  staff_dob='$txtdob',
  staff_gender='$txtgender',
  staff_country='$txtcountry',
  staff_city='$txtcity',
  staff_add='$txtadd',
  staff_phone='$txtphone' WHERE staff_id=$txtid";
  if($txtgender=="M" || $txtgender=="F")
  {
    if(mysqli_query($conn,$update))
    {
      header("location:/./ClinicManagement/pages/Admin/userReg.php");
    }
```

```
else
      {
        header("update_staff.php?staff_id=$txtid");
      }
    }
    else
    {
      header("location:update_staff.php?staff_id=$txtid");
      $error = "Gender can be M or F";
    }
  }
?>
<html>
  <head>
    <link rel="stylesheet" href="/./ClinicManagement/nav-style.css">
    <link rel="stylesheet" href="/./ClinicManagement/style.css">
    <style type="text/css">
      table {
         border: 1px solid black;
        border-collapse: collapse;
      }
      table th {
         background-color: #BCCDD1;
      }
      table th,td{
         border: 1px solid black;
         border-collapse: collapse;
        text-align: center;
```

```
}
    input[type="text"]{
      width: inherit;
      text-align: center;
      background-color: #D6E1DD;
    }
    .edit-div {
      margin-left: 1%;
      margin-top: 1%;
      border: 1px solid black;
      border-radius: 10px;
      width: 78%;
    }
    .edit-div form {
      margin-left: 1%;
      margin-top: 1%;
    }
    .edit-div form input[type="submit"]{
      margin-left: 40%;
      width: 20%;
      height: 5%;
      border-radius: 10px;
      border: 1px solid black;
      background-color: #019375;
    }
  </style>
</head>
<body>
  <div class="edit-div">
```

```
<form name="edit" action="update_staff.php" method="post">
     <?php
       $sql = "Select * from staff where staff_id=$staff_id";
       $results = mysqli_query($conn,$sql);
       echo "";
       echo "<caption>Edit Staff</caption>";
       echo "";
       echo "id";
       echo "Type";
       echo "FName";
       echo "LName";
       echo "Dob";
       echo "Gender";
       echo "Country";
       echo "City";
       echo "Address";
       echo "Phone";
       echo "";
       while($row = mysqli_fetch_assoc($results))
      {
       ?>
       <input type='text' name='txtld' value='<?php echo $row['staff_id'];?>'
       <input type='text' name='txtType' value='<?php echo $row['staff_type'];?>'
readonly>
       <input type='text' name='txtFname' value='<?php echo $row['staff fname'];?>'>
       <input type='text' name='txtLname' value='<?php echo $row['staff Iname'];?>'>
       <input type='text' name='txtDob' value='<?php echo $row['staff_dob'];?>'>
```

```
<input type='text' name='txtGender' value='<?php echo $row['staff_gender'];?>'>
        <input type='text' name='txtCountry' value='<?php echo $row['staff_country'];?>'>
        <input type='text' name='txtCity' value='<?php echo $row['staff_city'];?>'>
        <input type='text' name='txtAdd' value='<?php echo $row['staff_add'];?>'>
        <input type='text' name='txtPhone' value='<?php echo $row['staff_phone'];?>'>
        <?php
        }echo "";?>
        <br><br>>
        <input type="submit" name="edit" value="update">
    </form>
    </div>
  </body>
</html>
/pages/admin/userReg.php
<?php
 include("conn.php");
 include("nav.php");
 $error=";
 if(isset($_POST['submit'])){
if(!empty($_POST['userType'])&!empty($_POST['userFName'])&!empty($_POST['userDob'])&!empty($_
POST['userGender'])&!empty($_POST['userCountry'])&!empty($_POST['userCity'])&!empty($_POST['userCity'])
rAdd'])&!empty($_POST['userPhone'])&!empty($_POST['userLName'])){
      $userType = $_POST['userType'];
      $userFName = $_POST['userFName'];
      $userLName = $_POST['userLName'];
      $userDob = $_POST['userDob'];
```

```
$userGender = $_POST['userGender'];
      $userCountry = $_POST['userCountry'];
      $userCity = $_POST['userCity'];
      $userAdd = $_POST['userAdd'];
      $userPhone = $_POST['userPhone'];
      $userField = $_POST['userField'];
      if($userType == "doc")
      {
        $sql = "INSERT INTO doctors(fname,lname,gender,phone_no,country,city, address,
speciality,dob) VALUES
('$userFName','$userLName','$userGender',$userPhone,'$userCountry','$userCity','$userAdd','$userFiel
d','$userDob')";
        if(mysqli_query($conn,$sql))
          $error = "Registered";
        }
        else
          $error = "Error occured";
          echo $sql;
        }
      }
      else
      {
        $sql = "INSERT INTO staff(staff_type,staff_fname,staff_lname,staff_dob,staff_gender,
staff_country,staff_city,staff_add,staff_phone) VALUES
('$userType','$userFName','$userLName','$userDob','$userGender','$userCountry','$userCity','$userAdd'
,$userPhone)";
        if(mysqli_query($conn,$sql))
        {
```

```
$error = "Registered";
      }
      else
        $error = "Error Occured";
      }
      }
  }
  else
  {
    $error = "There can't be empty fields";
 }
}
if(isset($_POST['del-staff'])){
  $staff = $_POST['staff_id'];
  $del = "delete from staff where staff_id=$staff";
  if(mysqli_query($conn,$del))
  {
    $error = "deleted";
  }
  else
  {
    $error = "Error Occured";
 }
//delete user credentials
```

```
if(isset($_POST['del-cred'])){
    $login_id = $_POST['login_id'];
    $sql1 = " delete from login where login_id=$login_id";
    if(mysqli_query($conn,$sql1))
    {
      $error = "Deleted";
    }
    else
    {
      $error = "Error Occured";
   }
 }
?>
<html>
  <head>
    <title>Admin Panel</title>
    <link rel="stylesheet" type="text/css" href="/./ClinicManagement/nav-style.css">
    <link rel="stylesheet" type="text/css" href="/./ClinicManagement/style.css">
    k rel="stylesheet" type="text/css" href="/./ClinicManagement/pages/Admin/user-reg.css">
  </head>
  <body>
    <div class="userRegistration">
    <form name="userReg" action="userReg.php" method="post">
      <caption>STAFF REGISTRATOIN</caption><br>
      <label>User Type:</label><br>
      <select name="userType">
        <option value="admin" onselect="doc()">Admin</option>
        <option value="staff">Staff</option>
```

```
<option value="doc">Doctor</option>
</select><br><br>
<label>First Name:</label>
<input type="text" name="userFName"><br><br>
<label>Last Name:</label>
<input type="text" name="userLName"><br><br>
<label>DOB:</label>
<input type="date" name="userDob"><br><br>
<label>Gender</label><br>
<select name="userGender">
 <option value="M">Male</option>
 <option value="F">Female</option>
</select><br><br>
<label>Country:</label><br>
<select name="userCountry">
<option value="Afghanistan">Afghanistan
<option value="Albania">Albania
<option value="Algeria">Algeria
<option value="American Samoa">American Samoa
<option value="Andorra">Andorra</option>
<option value="Angola">Angola
<option value="Anguilla">Anguilla
<option value="Antartica">Antarctica</option>
<option value="Antigua and Barbuda">Antigua and Barbuda/option>
<option value="Argentina">Argentina
<option value="Armenia">Armenia
<option value="Aruba">Aruba</option>
<option value="Australia">Australia
<option value="Austria">Austria
```

```
<option value="Azerbaijan">Azerbaijan</option>
<option value="Bahamas">Bahamas
<option value="Bahrain">Bahrain
<option value="Bangladesh">Bangladesh</option>
<option value="Barbados">Barbados
<option value="Belarus">Belarus
<option value="Belgium">Belgium</option>
<option value="Belize">Belize</option>
<option value="Benin">Benin</option>
<option value="Bermuda">Bermuda</option>
<option value="Bhutan">Bhutan
<option value="Bolivia">Bolivia
<option value="Bosnia and Herzegowina">Bosnia and Herzegowina
<option value="Botswana">Botswana
<option value="Bouvet Island">Bouvet Island
<option value="Brazil">Brazil</option>
<option value="British Indian Ocean Territory">British Indian Ocean Territory</option>
<option value="Brunei Darussalam">Brunei Darussalam/option>
<option value="Bulgaria">Bulgaria
<option value="Burkina Faso">Burkina Faso
<option value="Burundi">Burundi
<option value="Cambodia">Cambodia
<option value="Cameroon">Cameroon
<option value="Canada">Canada</option>
<option value="Cape Verde">Cape Verde</option>
<option value="Cayman Islands">Cayman Islands
<option value="Central African Republic">Central African Republic
<option value="Chad">Chad</option>
<option value="Chile">Chile</option>
```

```
<option value="China">China</option>
<option value="Christmas Island">Christmas Island
<option value="Cocos Islands">Cocos (Keeling) Islands/option>
<option value="Colombia">Colombia
<option value="Comoros">Comoros</option>
<option value="Congo">Congo</option>
<option value="Congo">Congo, the Democratic Republic of the</option>
<option value="Cook Islands">Cook Islands
<option value="Costa Rica">Costa Rica
<option value="Cota D'Ivoire">Cote d'Ivoire</option>
<option value="Croatia">Croatia (Hrvatska)
<option value="Cuba">Cuba</option>
<option value="Cyprus">Cyprus</option>
<option value="Czech Republic">Czech Republic
<option value="Denmark">Denmark
<option value="Djibouti">Djibouti</option>
<option value="Dominica">Dominica</option>
<option value="Dominican Republic">Dominican Republic/option>
<option value="East Timor">East Timor
<option value="Ecuador">Ecuador</option>
<option value="Egypt">Egypt</option>
<option value="El Salvador">El Salvador
<option value="Equatorial Guinea">Equatorial Guinea/option>
<option value="Eritrea">Eritrea</option>
<option value="Estonia">Estonia</option>
<option value="Ethiopia">Ethiopia
<option value="Falkland Islands">Falkland Islands (Malvinas)
<option value="Faroe Islands">Faroe Islands
<option value="Fiji">Fiji</option>
```

```
<option value="Finland">Finland</option>
<option value="France">France</option>
<option value="France Metropolitan">France, Metropolitan
<option value="French Guiana">French Guiana
<option value="French Polynesia">French Polynesia
<option value="French Southern Territories">French Southern Territories
<option value="Gabon">Gabon</option>
<option value="Gambia">Gambia</option>
<option value="Georgia">Georgia</option>
<option value="Germany">Germany</option>
<option value="Ghana">Ghana
<option value="Gibraltar">Gibraltar</option>
<option value="Greece">Greece</option>
<option value="Greenland">Greenland
<option value="Grenada">Grenada</option>
<option value="Guadeloupe">Guadeloupe</option>
<option value="Guam">Guam</option>
<option value="Guatemala">Guatemala
<option value="Guinea">Guinea</option>
<option value="Guinea-Bissau">Guinea-Bissau
<option value="Guyana">Guyana
<option value="Haiti">Haiti
<option value="Heard and McDonald Islands">Heard and Mc Donald Islands/option>
<option value="Holy See">Holy See (Vatican City State)
<option value="Honduras">Honduras
<option value="Hong Kong">Hong Kong</option>
<option value="Hungary">Hungary</option>
<option value="Iceland">Iceland
<option value="India">India</option>
```

```
<option value="Indonesia">Indonesia
     <option value="Iran">Iran (Islamic Republic of)
     <option value="Iraq">Iraq</option>
     <option value="Ireland">Ireland
     <option value="Israel">Israel</option>
     <option value="Italy">Italy</option>
     <option value="Jamaica">Jamaica</option>
     <option value="Japan">Japan
     <option value="Jordan">Jordan</option>
     <option value="Kazakhstan">Kazakhstan
     <option value="Kenya">Kenya</option>
     <option value="Kiribati">Kiribati
     <option value="Democratic People's Republic of Korea">Korea, Democratic People's Republic
of</option>
     <option value="Korea">Korea, Republic of</option>
     <option value="Kuwait">Kuwait
     <option value="Kyrgyzstan">Kyrgyzstan</option>
     <option value="Lao">Lao People's Democratic Republic
     <option value="Latvia">Latvia
     <option value="Lebanon" selected>Lebanon
     <option value="Lesotho">Lesotho</option>
     <option value="Liberia">Liberia</option>
     <option value="Libyan Arab Jamahiriya">Libyan Arab Jamahiriya
     <option value="Liechtenstein">Liechtenstein
     <option value="Lithuania">Lithuania
     <option value="Luxembourg">Luxembourg</option>
     <option value="Macau">Macau</option>
     <option value="Macedonia">Macedonia, The Former Yugoslav Republic of</option>
     <option value="Madagascar">Madagascar</option>
```

```
<option value="Malawi">Malawi
```

- <option value="Malaysia">Malaysia
- <option value="Maldives">Maldives
- <option value="Mali">Mali</option>
- <option value="Malta">Malta
- <option value="Marshall Islands">Marshall Islands
- <option value="Martinique">Martinique
- <option value="Mauritania">Mauritania
- <option value="Mauritius">Mauritius
- <option value="Mayotte">Mayotte
- <option value="Mexico">Mexico</option>
- <option value="Micronesia">Micronesia, Federated States of
- <option value="Moldova">Moldova, Republic of
- <option value="Monaco">Monaco</option>
- <option value="Mongolia">Mongolia
- <option value="Montserrat">Montserrat
- <option value="Morocco">Morocco</option>
- <option value="Mozambique">Mozambique</option>
- <option value="Myanmar">Myanmar
- <option value="Namibia">Namibia
- <option value="Nauru">Nauru</option>
- <option value="Nepal">Nepal</option>
- <option value="Netherlands">Netherlands
- <option value="Netherlands Antilles">Netherlands Antilles
- <option value="New Caledonia">New Caledonia
- <option value="New Zealand">New Zealand
- <option value="Nicaragua">Nicaragua
- <option value="Niger">Niger</option>
- <option value="Nigeria">Nigeria</option>

```
<option value="Niue">Niue</option>
<option value="Norfolk Island">Norfolk Island
<option value="Northern Mariana Islands">Northern Mariana Islands/option>
<option value="Norway">Norway</option>
<option value="Oman">Oman</option>
<option value="Pakistan">Pakistan
<option value="Palau">Palau</option>
<option value="Panama">Panama</option>
<option value="Papua New Guinea">Papua New Guinea
<option value="Paraguay">Paraguay
<option value="Peru">Peru</option>
<option value="Philippines">Philippines
<option value="Pitcairn">Pitcairn</option>
<option value="Poland">Poland
<option value="Portugal">Portugal</option>
<option value="Puerto Rico">Puerto Rico</option>
<option value="Qatar">Qatar</option>
<option value="Reunion">Reunion
<option value="Romania">Romania
<option value="Russia">Russian Federation
<option value="Rwanda">Rwanda</option>
<option value="Saint Kitts and Nevis">Saint Kitts and Nevis
<option value="Saint LUCIA">Saint LUCIA
<option value="Saint Vincent">Saint Vincent and the Grenadines
<option value="Samoa">Samoa</option>
<option value="San Marino">San Marino
<option value="Sao Tome and Principe">Sao Tome and Principe</option>
<option value="Saudi Arabia">Saudi Arabia
<option value="Senegal">Senegal</option>
```

```
<option value="Seychelles">Seychelles</option>
<option value="Sierra">Sierra Leone</option>
<option value="Singapore">Singapore
<option value="Slovakia">Slovakia (Slovak Republic)
<option value="Slovenia">Slovenia
<option value="Solomon Islands">Solomon Islands
<option value="Somalia">Somalia
<option value="South Africa">South Africa
<option value="South Georgia">South Georgia and the South Sandwich Islands/option>
<option value="Span">Spain</option>
<option value="SriLanka">Sri Lanka
<option value="St. Helena">St. Helena
<option value="St. Pierre and Miguelon">St. Pierre and Miguelon
<option value="Sudan">Sudan</option>
<option value="Suriname">Suriname
<option value="Svalbard">Svalbard and Jan Mayen Islands/option>
<option value="Swaziland">Swaziland</option>
<option value="Sweden">Sweden</option>
<option value="Switzerland">Switzerland
<option value="Syria">Syrian Arab Republic/option>
<option value="Taiwan">Taiwan, Province of China
<option value="Tajikistan">Tajikistan</option>
<option value="Tanzania">Tanzania, United Republic of/option>
<option value="Thailand">Thailand
<option value="Togo">Togo</option>
<option value="Tokelau">Tokelau
<option value="Tonga">Tonga</option>
<option value="Trinidad and Tobago">Trinidad and Tobago
<option value="Tunisia">Tunisia
```

```
<option value="Turkey">Turkey</option>
     <option value="Turkmenistan">Turkmenistan
     <option value="Turks and Caicos">Turks and Caicos Islands
     <option value="Tuvalu">Tuvalu
     <option value="Uganda">Uganda</option>
     <option value="Ukraine">Ukraine
     <option value="United Arab Emirates">United Arab Emirates
     <option value="United Kingdom">United Kingdom
     <option value="United States">United States
     <option value="United States Minor Outlying Islands">United States Minor Outlying
Islands</option>
     <option value="Uruguay">Uruguay</option>
     <option value="Uzbekistan">Uzbekistan</option>
     <option value="Vanuatu">Vanuatu
     <option value="Venezuela">Venezuela</option>
     <option value="Vietnam">Viet Nam</option>
     <option value="Virgin Islands (British)">Virgin Islands (British)
     <option value="Virgin Islands (U.S)">Virgin Islands (U.S.)
     <option value="Wallis and Futana Islands">Wallis and Futuna Islands
     <option value="Western Sahara">Western Sahara
     <option value="Yemen">Yemen</option>
     <option value="Yugoslavia">Yugoslavia
     <option value="Zambia">Zambia
     <option value="Zimbabwe">Zimbabwe</option>
     </select><br><br>
     <label>City:</label><br>
     <input type="text" name="userCity"><br><br>
     <label>Address:</label><br>
     <input type="text" name="userAdd"><br><br>
```

```
<label>Phone:</label><br>
 <input type="text" name="userPhone"><br><br>
 <label>Field:<label style="color:red"> (only for doctors)</label></label>
 <input type="text" name="userField"><br><br>
 <input type="submit" name="submit" value="Register">
 <span><?php echo $error;?></span>
</form>
</div>
<div class="show-user">
 <form name="view-user" action="userReg.php" metho="post">
 <?php
   echo "";
   echo "<caption>STAFF TABLE $error</caption>";
   $show = "SELECT * from staff";
   $result = mysqli_query($conn,$show);
   echo "";
   echo "id";
   echo "Type";
   echo "FName";
   echo "LName";
   echo "Dob";
   echo "Gender";
   echo "Country";
   echo "City";
   echo "Address";
   echo "Phone";
   echo "Void";
   echo "Edit";
   echo "";
```

```
while($row = mysqli_fetch_assoc($result))
         echo "";
         echo "".$row['staff_id']."";
         echo "".$row['staff_type']."";
         echo "".$row['staff_fname']."";
         echo "".$row['staff_Iname']."";
         echo "".$row['staff_dob']."";
         echo "".$row['staff_gender']."";
         echo "".$row['staff_country']."";
         echo "".$row['staff_city']."";
         echo "".$row['staff_add']."";
         echo "".$row['staff_phone']."";?>
         <form name="del" action="userReg.php?staff_id=<?php echo $row['staff_id'];?>"
method="post">
           <input type="hidden" name="staff_id" value="<?php echo $row['staff_id'];?>">
           <input type='submit' name='del-staff' value='delete'>
           </form>
         <form name="edit" action="update_staff.php?staff_id=<?php echo $row['staff_id'];?>"
method="post">
           <input type="hidden" name="staff_id" value="<?php echo $row['staff_id'];?>">
           <input type='submit' name='edit-staff' value="edit">
           </form>
         <?php
         echo "";
```

```
}
   echo "";
 ?>
 </form>
</div>
<div class="login-det">
 <form name="usr-cred" action="userReg.php" method="post">
   <?php
    echo "";
    echo "<caption>Credentials: $error ";
    $creds = "select * from login";
    $res = mysqli_query($conn,$creds);
    echo "";
    echo "Login Id";
    echo "User";
    echo "Pass";
    echo "User Type";
    echo "Void";
    echo "Edit";
    echo "";
   while($rows = mysqli_fetch_assoc($res))
   {
    echo "";
    echo "".$rows['login_id']."";
    echo "".$rows['user']."";
    echo "".$rows['pass']."";
    echo "".$rows['userType']."";
   ?>
```

```
<form name="delUser" action="userReg.php?login_id=<?php echo $rows['login_id'];?>"
method="post">
              <input type="hidden" name="login_id" value="<?php echo $rows['login_id'];?>">
              <input type="submit" name="del-cred" value="delete">
            </form>
          <form name='delUser' action='update_creds.php?login_id=<?php echo</pre>
$rows['login_id'];?>' method="post">
              <input type="hidden" name="login_id" value="<?php echo $rows['login_id'];?>">
              <input type="submit" name="edit-cred" value="edit">
            </form>
          <?php
         echo "";
       }
       echo "";
        ?>
      </form>
    </div>
 </body>
</html>
/pages/admin/user-reg.css
.userRegistration {
 float: left;
 width: 25%;
```

```
border: 2px solid #ccc;
  margin-left: 1%;
  border-radius: 10px;
  margin-bottom: 1%;
  margin-top: 1%;
}
.userRegistration form {
  margin-left: 5%;
  margin-top: 5%;
  margin-bottom: 5%;
  margin-right: 5%;
}
input[type="text"],input[type="date"],select{
  display: block;
  width: 90%;
}
input[type="text"],input[type="date"]{
  margin-left: 5%;
}
.userRegistration input[type="submit"]{
  width: 100%;
  height: 4%;
  border: 2px solid black;
  border-radius: 10px;
  background: #9FB48B
}
.show-user {
  margin-left: 28%;
```

```
border: 2px solid #ccc;
  border-radius: 10px;
  margin-top: 1%;
  margin-bottom: 1%;
  width: 60%;
  height: 30%;
  overflow-y: scroll;
  overflow-x: hidden;
}
.show-user form {
  margin-left: 2%;
  margin-right: 5%;
  margin-top: 1%;
  margin-bottom: 1%;
}
.show-user table {
  border: 1px solid black;
  border-collapse: collapse;
}
.show-user table th{
  background-color: #BCCDD1;
}
.show-user table td,th{
  text-transform: uppercase;
  padding-left: 10px;
  padding-right: 10px;
}
.show-user table th,td{
  border: 1px solid black;
```

```
border-collapse: collapse;
  text-align: center;
}
.show-user table tr:nth-child(odd){
  background-color: #D6E1DD;
}
.show-user table tr:nth-child(even){
  background-color: #E3E4DE;
}
.login-det {
  float: left;
  border: 2px solid #ccc;
  border-radius: 10px;
  margin-left: 1.8%;
  width: 30%;
}
.login-det form{
  margin-left: 5%;
}
.login-det table{
  border: 1px solid black;
  border-collapse: collapse;
}
.login-det table th{
  background-color: #BCCDD1;
}
.login-det table th{
  text-transform: uppercase;
```

```
}
.login-det table tr:nth-child(odd){
  background-color: #D6E1DD;
}
.login-det table tr:nth-child(even){
 background-color: #E3E4DE;
}
/pages/admin/nav.php
<header>
  <div class="container">
    <nav>
     <a href="/./ClinicManagement/pages/Admin/index.php">Home</a>
       <a href="/./ClinicManagement/pages/Admin/patients.php">Patients</a>
       <a href="/./ClinicManagement/pages/Admin/doctors.php">Doctors</a>
       <a href="/./ClinicManagement/pages/Admin/userReg.php">AdminPanel</a>
       <a href="/./ClinicManagement/login.php" >Logout</a>
     </nav>
  </div>
</header>
```