

Deploynix

Job Portal — Complete Project Blueprint

A single, clean, user-friendly and dynamic job platform — merged from two codebases, keeping the best feature from each. This document is generated automatically from the merged source code.

Version 1.0 · 04 September 2026

Stack · Django 5.2 · PostgreSQL · WhiteNoise · Gunicorn

Integrations · Razorpay (payments) · Gmail SMTP · WhatsApp Business API · DigiLocker (BGV)

Roles · Job Seeker · Employer · Super Admin · Verification Team

Contents

1 · About this project	3
• Project at a glance	3
2 · Merge decisions — the better feature from each repo	3
3 · User roles & features	4
• 3.1 Job Seeker	4
• 3.2 Employer	4
• 3.3 Super Admin	4
• 3.4 Verification team (BGV)	4
4 · Core workflows (dynamic)	5
• 4.1 Job seeker signup & apply	5
• 4.2 Job posting & approval	5
• 4.3 Application pipeline	5
• 4.4 Background verification (BGV)	5
• 4.5 Subscription & payment	5
5 · Page & URL directory	5
6 · Database schema	10
• 6.1 core app	10
• 6.2 verification app	11
7 · Technology stack	11
8 · Setup & run (local)	11
• Key URLs	12
9 · Deploying to production	12
10 · Security notes & next steps	12
• Security	12
• Next steps (roadmap)	12

1 · About this project

Deploynix is a complete job portal where **job seekers** find and apply for jobs, **employers** post jobs and manage candidates, a **super admin** moderates the whole platform, and a dedicated **verification team** runs background checks (BGV).

This blueprint documents the **merged** project — the result of combining two developers' codebases into one. Every section below is generated from the actual merged source, so the routes, pages and database fields listed are exactly what the code implements.

• Project at a glance

What	Count	Detail
User roles	4	Job Seeker · Employer · Super Admin · Verifier
Web pages / routes	73	Django URL patterns across core + verification
Database tables	17	Django models in core + verification
View functions	76	Request handlers in views.py
Job types	5	Full-time · Part-time · Internship · Remote · Walk-in
Background checks	5	Identity · Education · Employment · Address · Criminal

2 · Merge decisions — the better feature from each repo

The two repositories shared a common base and then diverged. The table below shows, for each feature that differed, **which version was kept and why**.

Feature	Repo A (friend)	Repo B (yours)	Merged result
Job approval	is_approved (Yes/No)	approval_status (Pending / Approved / Rejected)	3-state approval workflow (Richer moderation) · kept
Background verification	Built inside core app (docs per profile)	Dedicated verification app (5-step + audit log + DigiLocker)	Verification app (Complete BGV lifecycle) · kept
Admin panel	OTP admin login + jobs/users/inquiries	OTP super-admin + dashboard + employer/seeker /subscription/plan lists	Merged into ONE panel (All lists kept)
Admin login	username + OTP	email + OTP (super-admin)	Email + OTP (More user-friendly) · kept
Employer login	raw email used as username	slug username from company name	Slug username (Cleaner) · kept
WhatsApp alerts	—	whatsapp_opted_in + API client	WhatsApp feature · kept
Application source	—	source field (website / LinkedIn / other)	Source tracking · kept
Profile completion	—	completion % + missing-fields helper	Profile completeness bar · kept
Walk-in jobs	Walk-in category + manual add candidate	—	Walk-in feature · kept
Edit job re-approval	Yes (re-submits for approval)	—	Edit + re-approval flow · kept

Feature	Repo A (friend)	Repo B (yours)	Merged result
Employer reports	Yes (funnel + monthly trends)	—	Reports page · kept
ATS resume checker	Yes (JD vs resume matching)	—	ATS checker · kept

3 · User roles & features

Four roles use the portal. Each role sees only its own features and data.

• 3.1 Job Seeker

- Email-OTP signup and login (secure, no plain-text password storage).
- Profile with **completeness %** (resume, skills, experience, education, location, job type, certificates).
- **WhatsApp opt-in** for job alerts & application updates.
- Search and browse jobs — vacancies, internships and walk-in roles — with keyword & location filters.
- One-click apply (duplicate applications are blocked automatically).
- **My Applications** timeline: Applied » Viewed » Shortlisted / Rejected / Hired, with withdraw option.
- Save jobs to a shortlist.
- **ATS checker**: upload a resume + paste a job description to get a keyword match score.
- In-app notifications with unread count.
- Background verification: give consent, upload documents for the 5 checks, and track status.
- Email verification, password reset, and account deletion (danger zone).

• 3.2 Employer

- Login by email + company name (auto-creates the account on first use).
- Dashboard with live stats: applicants, interviews, inquiries.
- Post jobs in **5 types** (full-time, part-time, internship, remote, walk-in) with skills, salary, openings.
- Edit a job (it is re-submitted for admin approval) or delete it.
- Candidate management: new applicants, manage, shortlisted, and **resume search** with JD-based matching.
- Schedule interviews and track their status.
- Add **walk-in candidates** manually (no account needed for the candidate).
- Company profile: logo, about, industry, website, size, founding year.
- Subscription plans via **Razorpay** — job-post and resume-view limits enforced.
- Request **background verification** for shortlisted candidates and view a check-by-check summary.
- Reports: hiring funnel, monthly postings, top jobs.
- Settings: change password.

• 3.3 Super Admin

- Email + OTP login (second factor sent by email).
- Control-panel dashboard with platform metrics (employers, seekers, subscriptions, applications, jobs, inquiries, pending approvals).
- **Job approval workflow**: approve / reject / mark pending / delete any job.
- Employer directory (search, plan, subscription status, ban/unban).
- Job-seeker directory (search, application count, ban/unban).
- Subscriptions list (active / expired filters) and Plans list (pricing + active subscribers).
- Inquiries inbox with status updates (Unread » Read » Replied » Closed).

• 3.4 Verification team (BGV)

- **Verifier dashboard:** all background checks assigned to the signed-in verifier.
- Each check has **5 steps** — identity, education, employment, address, criminal — with documents.
- Verifiers mark each step Verified / Rejected with remarks; an immutable **audit log** records every action.
- **BGV admin** assigns requests to verifiers (assignment queue).
- **Segregation of duties:** a requester can never verify their own request.
- Identity step supports automated **DigiLocker** verification (API-ready stub).


4 · Core workflows (dynamic)

The main journeys through the platform, step by step.


• 4.1 Job seeker signup & apply




• 4.2 Job posting & approval




• 4.3 Application pipeline



• 4.4 Background verification (BGV)



• 4.5 Subscription & payment



5 · Page & URL directory

Every route in the portal, grouped by area and labelled with who uses it. (Extracted from `core/urls.py` and `verification/urls.py`.)

Super Admin · login (2)

Path	URL name	Used by	App
/super-admin/login/	super_admin_login	Admin	core
/super-admin/verify/	super_admin_verify	Admin	core

Super Admin · control panel (11)

Path	URL name	Used by	App
/control-panel/	control_panel	Admin	core
/control-panel/jobs/	admin_jobs_list	Admin	core

Path	URL name	Used by	App
/control-panel/jobs/<int:job_id>/set-status/<str:status>/	admin_job_set_status	Admin	core
/control-panel/jobs/<int:job_id>/delete/	admin_job_delete	Admin	core
/control-panel/employers/	admin_employers_list	Admin	core
/control-panel/job-seekers/	admin_job_seekers_list	Admin	core
/control-panel/users/<int:user_id>/toggle-active/	admin_user_toggle_active	Admin	core
/control-panel/inquiries/	admin_inquiries_list	Admin	core
/control-panel/inquiries/<int:inquiry_id>/update-status/	admin_inquiry_update_status	Admin	core
/control-panel/subscriptions/	admin_subscriptions_list	Admin	core
/control-panel/plans/	admin_plans_list	Admin	core

Auth · employer login (1)

Path	URL name	Used by	App
/employer-login/	employer_login	Public	core

Employer · dashboard (1)

Path	URL name	Used by	App
/employer-dashboard/	employer_dashboard	Employer	core

Employer · settings (1)

Path	URL name	Used by	App
/employer-settings/	employer_settings	Employer	core

Employer · reports (1)

Path	URL name	Used by	App
/employer-reports/	employer_reports	Employer	core

Employer · post job (2)

Path	URL name	Used by	App
/post-job/	post_job_select	Employer	core
/post-job/<str:job_type>/	post_job	Employer	core

Employer · candidates (6)

Path	URL name	Used by	App
/candidates/new/	new_applicants	Employer	core
/candidates/manage/	manage_candidates	Employer	core
/candidates/search/	search_resume	Employer	core
/candidates/shortlisted/	shortlisted	Employer	core
/candidates/add/	add_candidate	Employer	core

Path	URL name	Used by	App
/candidates/<int:application_id>/unlock/	unlock_resume	Employer	core

Employer · candidate detail (2)

Path	URL name	Used by	App
/candidate/<int:application_id>/	candidate_detail	Employer	core
/candidate/<uuid:bgv_id>/upload/	candidate_upload	Employer	verification

Employer · application status (1)

Path	URL name	Used by	App
/application/<int:application_id>/status/	update_application_status	Employer	core

Employer · interviews (1)

Path	URL name	Used by	App
/interview/add/	add_interview	Employer	core

Employer · company profile (1)

Path	URL name	Used by	App
/company-profile/	company_profile	Employer	core

Employer · subscription (3)

Path	URL name	Used by	App
/plans/	subscription_plans	Employer	core
/plans/<int:plan_id>/order/	create_razorpay_order	Employer	core
/plans/verify/	verify_payment	Employer	core

Jobs · detail / apply / manage (5)

Path	URL name	Used by	App
/job/<int:job_id>/	job_detail	Job Seeker / Employer	core
/job/<int:job_id>/apply/	apply_job	Job Seeker / Employer	core
/job/<int:job_id>/delete/	delete_job	Job Seeker / Employer	core
/job/<int:job_id>/save/	toggle_save_job	Job Seeker / Employer	core
/job/<int:job_id>/edit/	edit_job	Job Seeker / Employer	core

Jobs · list (1)

Path	URL name	Used by	App
/jobs/	jobs_list	Job Seeker	core

Job Seeker · applications (2)

Path	URL name	Used by	App
/my-applications/	my_applications	Job Seeker	core
/my-applications/<int:application_id>/delete/	delete_application	Job Seeker	core

Job Seeker · profile (2)

Path	URL name	Used by	App
/profile/create/	create_profile	Job Seeker	core
/profile/edit/	edit_profile	Job Seeker	core

Job Seeker · saved jobs (1)

Path	URL name	Used by	App
/saved-jobs/	saved_jobs_list	Job Seeker	core

Job Seeker · ATS checker (1)

Path	URL name	Used by	App
/ats-checker/	ats_checker	Job Seeker	core

Job Seeker · notifications (2)

Path	URL name	Used by	App
/notifications/	notifications_list	Job Seeker	core
/notifications/unread-count/	unread_notification_count	Job Seeker	core

Job Seeker · account (1)

Path	URL name	Used by	App
/delete-account/	delete_account	Job Seeker	core

Auth · signup (1)

Path	URL name	Used by	App
/signup/	signup	Public	core

Auth · signup OTP (2)

Path	URL name	Used by	App
/verify-signup-otp/	verify_signup_otp	Public	core
/resend-signup-otp/	resend_signup_otp	Public	core

Auth · job seeker login (1)

Path	URL name	Used by	App
/job-seeker-login/	job_seeker_login	Public	core

Auth · role selector (1)

Path	URL name	Used by	App
/job-seekers/	job_seeker_options	Public	core

Auth · logout (1)

Path	URL name	Used by	App
/logout/	logout	All users	core

Auth · email verify (2)

Path	URL name	Used by	App
/verify-email/<uidb64>/<token>/	verify_email	Public	core
/resend-verification/	resend_verification	Public	core

Auth · password reset (4)

Path	URL name	Used by	App
/password-reset/	core/password_reset_form.html	Public	core
/password-reset/done/	core/password_reset_done.html	Public	core
/reset/<uidb64>/<token>/	core/password_reset_confirm.html	Public	core
/reset/done/	core/password_reset_complete.html	Public	core

Public · service pages (1)

Path	URL name	Used by	App
/services/<slug:slug>/	service_detail	Public	core

Public · job vacancies (1)

Path	URL name	Used by	App
/vacancies/	job_vacancies	Public	core

Public · internships (1)

Path	URL name	Used by	App
/internships/	internships	Public	core

Public · walk-in jobs (1)

Path	URL name	Used by	App
/walk-in-jobs/	walkin_jobs	Public	core

Public · contact / inquiries (1)

Path	URL name	Used by	App
/inquiries/	inquiries	Public	core

Jobs · apply success (1)

Path	URL name	Used by	App
/application-success/<int:job_id>/	application_success	Job Seeker	core

Public · home (7)

Path	URL name	Used by	App
/company/overview/	company_bgv_overview	Public	verification
/company/application/<int:application_id>/status/	company_bgv_status	Public	verification

Path	URL name	Used by	App
/company/application/<int:application_id>/request/	request_bgv	Public	verification
/staff/verifier/	verifier_dashboard	Public	verification
/staff/verifier/step/<int:step_id>/	verifier_step_detail	Public	verification
/staff/admin/queue/	admin_assignment_queue	Public	verification
/staff/admin/assign/<uuid:bgv_id>/	admin_assign_verifier	Public	verification

6 · Database schema

All tables and their fields, exactly as defined in the merged models.py files.

• 6.1 core app

Model (core)	Fields
Profile	user · Reference (1:1), phone · Text (short), is_employer · Yes / No, company_name · Text (short), logo · Image, about · Text (long), industry · Text (short), website · Link, company_size · Text (short), founded_year · Number, address · Text (short), city · Text (short), state · Text (short), created_at · Date & time, is_email_verified · Yes / No
Job	posted_by · Reference, job_title · Text (short), company_name · Text (short), job_description · Text (long), experience_required · Text (short), job_type · Text (short), location · Text (short), number_of_openings · Number, salary_range · Text (short), skills_required · Text (short), posted_at · Date & time, views_count · Number, approval_status · Text (short)
JobApplication	job · Reference, job_seeker_profile · Reference, full_name · Text (short), email · Email, phone · Text (short), education · Text (short), skills · Text (short), experience · Text (short), resume · File upload, cover_note · Text (long), status · Text (short), source · Text (short), is_bookmarked · Yes / No, applied_at · Date & time, is_viewed · Yes / No
Inquiry	name · Text (short), email · Email, phone · Text (short), subject · Text (short), message · Text (long), status · Text (short), created_at · Date & time
Interview	application · Reference, scheduled_at · Date & time, status · Text (short), notes · Text (long), created_at · Date & time
JobSeekerProfile	user · Reference (1:1), full_name · Text (short), phone · Text (short), whatsapp_opted_in · Yes / No, location · Text (short), education · Text (short), certificates · Text (long), skills · Text (short), experience · Text (short), preferred_job_type · Text (short), is_experienced · Yes / No, resume · File upload, ats_score · Number, created_at · Date & time, updated_at · Date & time, is_email_verified · Yes / No
SubscriptionPlan	name · Text (short), price · Number, duration_days · Number, job_post_limit · Number, resume_view_limit · Number, includes_bgv_access · Yes / No
EmployerSubscription	user · Reference (1:1), plan · Reference, started_at · Date & time, expires_at · Date & time, jobs_posted_count · Number, resumes_viewed_count · Number
ResumeUnlock	employer · Reference, application · Reference, unlocked_at · Date & time
Notification	user · Reference, notification_type · Text (short), message · Text (short), link · Text (short), is_read · Yes / No, created_at · Date & time
SavedJob	user · Reference, job · Reference, saved_at · Date & time
JobSeekerSignupOTP	username · Text (short), email · Email, password_hash · Text (short), otp_code · Text (short), attempts · Number, created_at · Date & time, expires_at · Date & time

• 6.2 verification app

Model (verification)	Fields
VerifierProfile	user · Reference (1:1), role · Text (short), is_active · Yes / No, created_at · Date & time
VerificationRequest	id · Unique ID, application · Reference (1:1), requested_by · Reference, assigned_verifier · Reference, overall_status · Text (short), candidate_consent_given · Yes / No, candidate_consent_at · Date & time, created_at · Date & time, updated_at · Date & time, completed_at · Date & time
VerificationStep	request · Reference, step_type · Text (short), status · Text (short), method · Text (short), remarks · Text (long), external_reference_id · Text (short), raw_api_response · JSON data, verified_by · Reference, verified_at · Date & time, created_at · Date & time, updated_at · Date & time
VerificationDocument	step · Reference, file · File upload, file_hash · Text (short), uploaded_by · Reference, uploaded_at · Date & time
VerificationAuditLog	request · Reference, actor · Reference, action · Text (short), old_status · Text (short), new_status · Text (short), ip_address · GenericIPAddressField, timestamp · Date & time

A few fields intentionally appear on two tables — e.g. name, email, phone, education, skills, experience and resume exist on both **JobSeekerProfile** and **JobApplication**. This powers the **walk-in candidate** feature: an employer can add a candidate who has no account, so those details live on the application itself. Helper properties (`display_full_name`, `display_email`, ...) pick the right value.

7 · Technology stack

Layer	Technology	Purpose
Backend	Django 5.2 (Python)	URLs, views, ORM, auth, admin
Database	PostgreSQL (dj-database-url)	Production DB; SQLite works for local dev
Static files	WhiteNoise (compressed + manifest)	Serves CSS/JS/images in production
Server	Gunicorn	WSGI server for production
Payments	Razorpay	Subscription plans, order creation, signature verification
Email	Gmail SMTP (TLS 587)	OTPs, verification links, password reset, notifications
Messaging	WhatsApp Business API (Graph API v25)	Job alerts & application updates
BGV	DigiLocker / vendor API (stub ready)	Automated identity verification
Resume parsing	PyPDF (pypdf)	ATS keyword extraction from PDF resumes
Config	python-decouple + env vars	Secrets kept out of source control
Hosting	Render (build.sh included)	Free tier works; Railway / PythonAnywhere also fine

8 · Setup & run (local)

One-time setup to run the project on your machine:

```
# 1. create a virtual environment (Windows) python -m venv venv venv\Scripts\activate # 2. install
dependencies pip install -r requirements.txt # 3. set environment variables $env:SECRET_KEY =
"dev-key" $env:DEBUG = "True" $env:DATABASE_URL = "sqlite:///db.sqlite3" $env:ALLOWED_HOSTS = "" # 4.
create tables and load sample data python manage.py migrate python manage.py loaddata datadump.json #
5. create an admin account (for the control panel) python manage.py createsuperuser # 6. run the
server python manage.py runserver
```

• Key URLs

What	URL
Public home page	http://127.0.0.1:8000/
Super admin login	/super-admin/login/
Admin control panel	/control-panel/
Verifier dashboard	/bgv/staff/verifier/
Django built-in admin	/admin/

9 · Deploying to production

The project is pre-configured for **Render**. Push the folder to GitHub, then:

- Render » New » Web Service » connect the repo.
- Build command: `./build.sh` (installs deps, collects static, migrates, loads sample data).
- Start command: `gunicorn deploynix.wsgi:application`.
- Add environment variables: `SECRET_KEY`, `DATABASE_URL` (Render provides one), `EMAIL_HOST_USER/PASSWORD`, `RAZORPAY_KEY_ID/SECRET`, `WHATSAPP_*`, `DIGILOCKER_API_KEY`.

Free alternatives: **PythonAnywhere** (Bash console » pip install » migrate » loaddata » edit WSGI file) or **Railway**.

10 · Security notes & next steps

• Security

- All secrets live in environment variables (`.env.example` documents each one).
- Passwords are stored hashed; OTPs expire and limit retry attempts.
- Uploaded resumes/PDFs are size- and type-validated (PDF max 5 MB).
- Background-verification documents are uploaded to a protected location, not public media.
- BGV audit log is immutable (rows cannot be edited or deleted).
- **Action required:** a WhatsApp access token was once committed to a public repo — rotate it in Meta's dashboard.

• Next steps (roadmap)

- Wire DigiLocker to a real provider (Surepass / Cashfree / IDSPay) — replace the placeholder `BASE_URL`.
- Add approved WhatsApp templates and send real job alerts from the ready-made client.
- Re-enable plan gating for background verification (includes `_bgv_access` field already exists).
- Optional extras mentioned in the UI: resume builder, AI interview practice, smart job matching.

End of blueprint — generated from the merged Deploynix source code.