

Release Notes of the Modelica Standard Library Version 3.1



Version 3.1 – Build 6

In this section bug fixes are summarized that have been incorporated for version 3.1-**build 6** (Jan. 17, 2010):

An "unassignedMessage" annotation was added to the electrical connector variables (Modelica.Electrical.Analog.Interfaces.*Pin). If appropriate support in the Modelica tool is available, then missing ground objects (Electrical.Analog.Basic.Ground) lead to a meaningful error message.

Version 3.1 – Build 5

In this section bug fixes are summarized that have been incorporated for version 3.1-**build 5** (Dec. 18, 2009):

The following **critical errors** have been fixed (i.e. errors that can lead to wrong simulation results):

Electrical.Analog.SemiConductors.	
NPN PNP HeatingPNP	LossPower was wrongly calculated. This was corrected (changeset:2925 , changeset:3115).
Fluid.	
Pipes	ticket:215 : <ul style="list-style-type: none"> fix consideration of nParallel>1 for velocity of fluid flow fix consideration of nParallel>1 for transient changes defined by mass, energy and momentum balances fix consideration of nNodes in nominal (inverse) flow models
Fluid.Examples	
HeatExchanger	Wrong heat transfer modifier "perimeter" removed. New parameter use_heatTransfer added, in order that heat transfer can be switched on (was previously always switched off)
Media.Interfaces.PartialMedium.	
IsobaricExpansionCoefficient	Changed minimum from 1e-8 to 0.
Media.Interfaces.PartialLinearFluid.	
setState_psX isentropicEnthalpy	Wrong equations corrected.
density_derX	Missing function added.
Media.Interfaces.PartialSimpleMedium.	
specificInternalEnergy	Missing functions added.

specificEntropy specificGibbsEnergy specificHelmholtzEnergy isentropicEnthalpy isobaricExpansionCoefficient isothermalCompressibility density_derp_T density_derT_p density_derX molarMass	
Media.Interfaces.PartialSimpleIdealGasMedium.	
specificInternalEnergy	wrong equation corrected
isentropicEnthalpy isobaricExpansionCoefficient isothermalCompressibility density_derp_T density_derT_p density_derX molarMass	Missing functions added.
Media.CompressibleLiquids.LinearColdWater.	
dynamicViscosity thermalConductivity	Wrong values corrected (computed from IF97 with reference values)
Media.CompressibleLiquids.LinearWater_pT_Ambient.	
dynamicViscosity thermalConductivity	Missing functions added
Media.IdealGases.Common.SingleGasNasa.	
density_derX	Wrong equation corrected.
Media.Water.IF97_Uilities.	
waterBaseProp_dT	Fixed dpT-calculation (ticket: 224).
StateGraph.Examples.Utilities.	
TankController	A graphical annotation was wrong leading to a syntax error in some Modelica tools. This has been corrected (ticket:206 , changeset:2926).

Additionally, the following (backward compatible and uncritical) bug fixes have been applied:

- All class annotations have been moved just before the 'end' keyword of the class, as required from Modelica 3.1.
- Wrong links in html-documentation to other classes and to images have been fixed.
- Removed fillPattern and fillColor attributes from Line annotation ([ticket:155](#))
- Moved misplaced "visible" annotation inside "Placement" annotation (in Modelica.StateGraph.Temporary.NumericValue).
- Replacement of wrong usages of "ampersand" in the html-documentation of Machines, MultiPhase, Rotational, Translational, FluidHeatFlow, HeatTransfer with the correct html-keyword.
- Replacement of non-standard annotations by tool specific annotations:
Images -> __Dymola_Images,
keepConstant -> __Dymola_keepConstant,
editButton -> __Dymola_editButton,
experimentSetupOutput -> __Dymola_experimentSetupOutput
- Replaced misspelled annotation "tolerance" by "Tolerance" in Modelica.Fluid.Examples.TraceSubstances.RoomCO2WithControls.
- Added a new example Fluid.Examples.Explanatory.MeasuringTemperature (copied from ModelicaTest.Fluid and adapted) since the example is useful to demonstrate the differences between one- and two-port sensors and because the link in Fluid.Sensors to this examples is then only inside the Fluid-library and not to ModelicaTest that most people will not have.

Version 3.1 – Build 4 (first release of 3.1)

In this section, the new features of version 3.1 (August 14, 2009) are summarized:

Version 3.1 is backward compatible to version 3.0 and 3.0.1, i.e., models developed with version 3.0 or 3.0.1 will work without any changes also with version 3.1.

Version 3.1 is slightly based on the Modelica Specification 3.1. It uses the following new language elements (compared to Modelica Specification 3.0):

- Prefix stream and built-in operators inStream(..) and actualStream(..) in Modelica.Fluid.
- Annotation connectorSizing in Modelica.Fluid.
- Annotation inverse in Modelica.Media.
- Annotations versionBuild, dateModified, revisionId at the root level annotation of package Modelica, to improve the version handling.
- Modifiers can be used in connectors instances (so balanced models are less restrictive). This allowed to make the implementation of conditional connectors (support and heatPort) in the Rotational, Translational and Electrical libraries simpler.

The following **new libraries** have been added:

Modelica.Fluid	Components to model 1-dim. thermo-fluid flow in networks of vessels, pipes, fluid machines, valves and fittings. All media from the Modelica.Media library can be used (so incompressible or compressible, single or multiple substance, one or two phase medium). The library is using the stream-concept from Modelica Specification 3.1.
Modelica.Magnetic.FluxTubes	Components to model magnetic devices based on the magnetic flux tubes concepts. Especially to model electro-magnetic actuators. Nonlinear shape, force, leakage, and Material models. Material data for steel, electric sheet, pure iron, Cobalt iron, Nickel iron, NdFeB, Sm2Co17, and more.
ModelicaServices	New top level package that shall contain functions and models to be used in the Modelica Standard Library that requires a tool specific implementation. ModelicaServices is then used in the Modelica package. In this first version, the 3-dim. animation with model Modelica.Mechanics.MultiBody.Visualizers.Advanced.Shape was moved to ModelicaServices. Tool vendors can now provide their own implementation of the animation.

The following **new components** have been added to **existing** libraries:

Modelica.	
versionBuild versionDate dateModified revisionId	New annotations from Modelica 3.1 for version handling added.
Modelica.UsersGuide.ReleaseNotes.	
VersionManagement	Copied from info layer of previous ReleaseNotes (to make it more visible) and adapted it to the new possibilities in Modelica Specification 3.1.
Modelica.Blocks.Math.	
RectangularToPolar PolarToRectangular	New blocks to convert between rectangular and polar form of space phasors.
Modelica.Blocks.Routing.	

Replicator	New block to replicate an input signal to many output signals.
Modelica.Electrical.Analog.Examples.	
AmplifierWithOpAmpDetailed HeatingResistor CompareTransformers OvervoltageProtection ControlledSwitchWithArc SwitchWithArc ThyristorBehaviourTest	New examples to demonstrate the usage of new components.
Modelica.Electrical.Analog.Basic.	
OpAmpDetailed TranslationalEMF M_Transformer	New detailed model of an operational amplifier. New electromotoric force from electrical energy into mechanical translational energy. Generic transformer with choosable number of inductors
Modelica.Electrical.Analog.Ideal.	
OpenerWithArc CloserWithArc ControlledOpenerWithArc ControlledCloserWithArc	New switches with simple arc model.
Modelica.Electrical.Analog.Interfaces.	
ConditionalHeatPort	New partial model to add a conditional HeatPort to an electrical component.
Modelica.Electrical.Analog.Lines.	
M_Oline	New multiple line model, both the number of lines and the number of segments choosable.
Modelica.Electrical.Analog.Semiconductors.	
ZDiode Thyristor	Zener Diode with 3 working areas and simple thyristor model.
Modelica.Electrical.MultiPhase.Ideal.	
OpenerWithArc CloserWithArc	New switches with simple arc model (as in Modelica.Electrical.Analog.Ideal).
Modelica.Mechanics.MultiBody.Examples.Elementary.	
RollingWheel RollingWheelSetDriving RollingWheelSetPulling	New examples to demonstrate the usage of new components.
Modelica.Mechanics.MultiBody.Joints.	
RollingWheel RollingWheelSet	New joints (no mass, no inertia) that describe an ideal rolling wheel and a ideal rolling wheel set consisting of two wheels rolling on the plane $z=0$.
Modelica.Mechanics.MultiBody.Parts.	
RollingWheel RollingWheelSet	New ideal rolling wheel and ideal rolling wheel set consisting of two wheels rolling on the plane $z=0$.
Modelica.Mechanics.MultiBody.Visualizers.	
Ground	New model to visualize the ground (box at $z=0$).
Modelica.Mechanics.Rotational.Interfaces.	
PartialElementaryOneFlangeAndSupport2 PartialElementaryTwoFlangesAndSupport2	New partial model with one and two flanges and the support flange with a much simpler implementation as previously.
Modelica.Mechanics.Translational.Interfaces.	
PartialElementaryOneFlangeAndSupport2 PartialElementaryTwoFlangesAndSupport2	New partial model with one and two flanges and the support flange with a much simpler implementation as previously.

Modelica.Media.IdealGases.Common.MixtureGasNasa.	
setSmoothState	Return thermodynamic state so that it smoothly approximates: if $x > 0$ then state_a else state_b.
Modelica.Utilities.Internal.	
PartialModelicaServices	New package containing the interface description of models and functions that require a tool dependent implementation (currently only "Shape" for 3-dim. animation, but will be extended in the future)
Modelica.Thermal.HeatTransfer.Components.	
ThermalCollector	New auxiliary model to collect the heat flows from m heatports to a single heatport; useful for multiphase resistors (with heatports) as a junction of the m heatports.
Modelica.Icons.	
VariantLibrary BaseClassLibrary ObsoleteModel	New icons (VariantLibrary and BaseClassLibrary have been moved from Modelica_Fluid.Icons to this place).
Modelica.SIunits.	
ElectricalForceConstant	New type added (#190).
Modelica.SIunits.Conversions.	
from_Hz to_Hz	New functions to convert between frequency [Hz] and angular velocity [1/s]. (#156)

The following **existing components** have been **improved** in a **backward compatible** way:

Modelica.	
Blocks Mechanics StateGraph	Provided missing parameter values for examples (these parameters had only start values)
Modelica.Electrical.Analog.Basic	
Resistor, Conductor, VariableResistor, VariableConductor	Conditional heatport added for coupling to thermal network.
Modelica.Electrical.Analog.Ideal	
Thyristors, Switches, IdealDiode	Conditional heatport added for coupling to thermal network.
Modelica.Electrical.Analog.Semiconductors	
Diode, ZDiode, PMOS, NMOS, NPN, PNP	Conditional heatport added for coupling to thermal network.
Modelica.Electrical.MultiPhase.Basic	
Resistor, Conductor, VariableResistor, VariableConductor	Conditional heatport added for coupling to thermal network (as in Modelica.Electrical.Analog).
Modelica.Electrical.MultiPhase.Ideal	
Thyristors, Switches, IdealDiode	Conditional heatport added for coupling to thermal network (as in Modelica.Electrical.Analog).
Modelica.Mechanics.MultiBody.Visualizers.Advanced.	
Shape	New implementation by inheriting from ModelicaServices. This allows a tool vendor to provide its own implementation of Shape.
Modelica.StateGraph.	
Examples	Introduced "StateGraphRoot" on the top level of all example models.
Modelica.StateGraph.Interfaces.	

StateGraphRoot PartialCompositeStep CompositeStepState	Replaced the wrong Modelica code "flow output Real xxx" by "Real dummy; flow Real xxx;". As a side effect, several "blocks" had to be changed to "models".
PartialStep	Changed model by packing the protected outer connector in to a model. Otherwise, there might be differences in the sign of the flow variable in Modelica 3.0 and 3.1.
Modelica.Utilities.Examples.	
expression	Changed local variable "operator" to "opString" since "operator" is a reserved keyword in Modelica 3.1

The following **critical errors** have been fixed (i.e. errors that can lead to wrong simulation results):

Mechanics.Translational.Components	
ElastoGap	The ElastoGap component was changed in a non backwards compatible way. This was fixed in the <code>versionBuild=3</code> version of Modelica Standard Library 3.1 (see also Ticket #203).

The following **uncritical errors** have been fixed (i.e. errors that do **not** lead to wrong simulation results, but, e.g., units are wrong or errors in documentation):

Modelica.	
Many models	Removed wrong usages of annotations <code>fillColor</code> and <code>fillPattern</code> in text annotations (#155, #185).
Modelica.Electrical.Machines	
All machine models	The conditional heatports of the instantiated resistors (which are new in <code>Modelica.Electrical.Analog</code> and <code>Modelica.Electrical.MultiPhase</code>) are finally switched off until a thermal connector design for machines is implemented.
Modelica.Media.Air.MoistAir	
<code>saturationPressureLiquid</code> <code>sublimationPressureIce</code> <code>saturationPressure</code>	For these three functions, an error in the <code>derivative</code> annotation was corrected. However, the effect of this bug was minor, as a Modelica tool was allowed to compute derivatives automatically via the <code>smoothOrder</code> annotation.
Modelica.Math.Matrices.	
<code>eigenValues</code>	Wrong documentation corrected (#162)

Modelica® is a registered trademark of the Modelica Association.