

CONCORDIA UNIVERSITY



SOEN-6011  
Software Engineering Processes

---

# SCIENTIFIC CALCULATOR

## Function 9: Power Function

DELIVERABLE 1 (D1)

---

*Author: Sanchit Kumar(40081187)*

July 18, 2019

# 1 Function 9 : Power Function

## 1.1 Description

A power function is of the form:

$$f(x) = x^y \quad (1)$$

where  $y$  is a real number.

## 1.2 Domain [1]

1. When  $y$  is a non-negative integer, the domain is all real numbers:  $(-\infty, \infty)$
2. When  $y$  is a negative integer, the domain is all real numbers excluding zero  $((-\infty, 0) \cup (0, \infty))$
3. When  $y$  is a irrational number and  $y > 0$ , the domain is all non-negative real numbers.
4. When  $y$  is a irrational number and  $y < 0$ , the domain is all positive real numbers.

## 1.3 Characteristics of Power Function.

1. The behaviour of power function depends on whether the  $y$  is a positive or a negative number.
2. The behaviour of power function depends on whether the  $y$  is even or odd.
3. Also, the power function behaves differently for fractional powers and specifically for negative or positive fractional powers.

# 2 Requirements Specification

## 2.1 Definitions and abbreviations

Table 1: Definitions and abbreviations.

Terms	Definition
FR	Functional Requirement
NFR	Non-Functional Requirement
User	Someone who interacts with the system.
System	Software Program for calculation of Power Function.

## 2.2 Constraints and Assumptions

1. User should provide input for both "x" and "y". No default values to be used.
2. Based on function characteristics, value of "x" and "y" should be a real number.
3. If input value for "x" is less than 0, then "y" is a whole number.
4. The output is contrained by Hardware.
5. The maximum value program could calculate is 3.40282346638528860e+38.
6. The minimum value program could calculate is -3.40282346638528860e+38.

## 3 Requirements

### 3.1 Functional Requirements

- **ID** :FR1  
**TYPE** :Functional  
**PRIORITY** :1  
**DESCRIPTION** :System should prompt the user to enter the value of x and y.  
**RATIONALE** :In order to get user input and start calculation.
- **ID** :FR2  
**TYPE** :Functional  
**PRIORITY** :1  
**DESCRIPTION** :System should display an error message when value entered by user is not a number.  
**RATIONALE** :For calculations, input should be numbers only.
- **ID** :FR3  
**TYPE** :Functional  
**PRIORITY** :2  
**DESCRIPTION** :In case the input entered is not valid system should prompt the user to input values again.  
**RATIONALE** :User should have the flexiblity to do calculations without exiting the program.
- **ID** :FR4  
**TYPE** :Functional  
**PRIORITY** :2  
**DESCRIPTION** :User should have the option to exit the program anytime during

the use.

**RATIONALE** :If user is done with the use of program.

- **ID** :FR5  
**TYPE** :Functional  
**PRIORITY** :1  
**DESCRIPTION** :System should display an error message when user enter value of x and y both as 0.  
**RATIONALE** :0 raised to the power 0 is undefined.
- **ID** :FR6  
**TYPE** :Functional  
**PRIORITY** :1  
**DESCRIPTION** :System should display an error message when user enter value of x as 0 and y as a negative number.  
**RATIONALE** :0 raised to the power of a negative number is undefined.

### 3.2 Non-Functional Requirements

- **ID** :NFR1  
**TYPE** :Non-Functional  
**PRIORITY** :3  
**DESCRIPTION** :The error message displayed should be appropriate and helpful for the user.  
**RATIONALE** :User should be able to know what went wrong.
- **ID** :NFR2  
**TYPE** :Non-Functional  
**PRIORITY** :3  
**DESCRIPTION** :The text-based interface should be user friendly.  
**RATIONALE** :It should be easy for the user to use the system.
- **ID** :NFR3  
**TYPE** :Non-Functional  
**PRIORITY** :2  
**DESCRIPTION** :The result displayed should be as accurate as possible.  
**RATIONALE** :Incorrect output should not be displayed.

- **ID** :NFR4
- TYPE** :Non-Functional
- PRIORITY** :3
- DESCRIPTION** :Calculation time should be less than 1 second.
- RATIONALE** :Waiting a long time for the output might not be desirable for the user.

### 3.3 Difficulty and Prioritization

Table 2: Difficulty and Prioritization

Requirement ID	Priority	Difficulty
FR1	High	Easy
FR2	High	Easy
FR3	Normal	Easy
FR4	Normal	Normal
FR5	High	Easy
FR6	High	Normal
NFR1	Low	Easy
NFR2	Low	Normal
NFR3	Normal	Difficult
NFR4	Low	Normal

## References

- [1] “Power Functions Algebraic Representation” <http://wmueller.com/prec calculus/families/1\textunderscore41.html>
- [2] “Power Functions” <http://www.biology.arizona.edu/biomath/tutorials/Power/Powerbasics.html>