





# EXPERIMENT-8



# EXPERIMENT-8





```
root@ip-10-48-191-226:~# sudo nmap -PU53 10.48.191.35
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-10-06 11:15 UTC
Nmap scan report for ip-10-48-191-35.ap-south-1.compute.internal (10.48.191.35)
Host is up (0.00034s latency).
Not shown: 995 filtered tcp ports (no-response)
PORT      STATE SERVICE
21/tcp    open  ftp
53/tcp    open  domain
80/tcp    open  http
135/tcp   open  msrpc
3389/tcp  open  ms-wbt-server
MAC Address: 02:FF:CE:65:78:AD (Unknown)

Nmap done: 1 IP address (1 host up) scanned in 4.79 seconds
root@ip-10-48-191-226:~#
```

```
root@ip-10-48-191-226:~# nmap 10.48.191.226
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-10-06 11:15 UTC
Nmap scan report for ip-10-48-191-226.ap-south-1.compute.internal (10.48.191.226)
Host is up (0.000013s latency).
Not shown: 995 closed tcp ports (reset)
PORT      STATE SERVICE
22/tcp    open  ssh
53/tcp    open  domain
7777/tcp  filtered cbt
7778/tcp  filtered interwise
8443/tcp  open  https-alt

Nmap done: 1 IP address (1 host up) scanned in 1.32 seconds
root@ip-10-48-191-226:~#
```