

Khalta: app tour (English)

One screenshot per page and main state, taken with SYNTHETIC data. Names, numbers and prices are made up; the screens show how the app works, not real plant values.

25 screens: 1. Sign in · 2. Dashboard · 3. Design Studio: requirements · 4. Design Studio: candidates · 5. Design Studio: inspect and validate · 6. Mix Library · 7. A design: details · 8. A design: evaluation · 9. Library: portfolio · 10. Library: data quality · 11. Library: strength models · 12. Library: in trial · 13. Library: awaiting approval · 14. Profiles · 15. Insights · 16. Savings · 17. Materials · 18. A material: tests and history · 19. Prices · 20. Rules · 21. A rule · 22. Imports · 23. Plants · 24. Settings: general · 25. Settings: users

1. Sign in

Every user signs in with an email and password. There is no self-registration: an admin creates accounts.

العربية ⌵

☰

خلطة · Khalta

Ready-mix mix design

Sign in

Use the account your administrator created for you.


Email

Password

Sign in

2. Dashboard

The home screen. The sidebar lists only what your role may use; the top bar has the plant switcher, search/command palette, language, theme and your account.



3. Design Studio: requirements

Stage 1 of 4. Choose a plant and code (ACI, JS or both), the strength, slump and exposure, and what the optimizer may use. Candidates are trial proposals, never approved mixes.

Abhis - KShiba

Dashboard

Design Studio

My Library

History

Designs

Settings

Portfolio

Plans

Reports

Abhis - KShiba

3 virtual pc's under 10 GB disk space

Go to File Manager

Search or type in a command

100%

🔍

🔧

📄

📁

📂

Abhis - KShiba

3 virtual pc's under 10 GB disk space

Go to File Manager

Search or type in a command

100%

🔍

🔧

📄

📁

📂

Design Studio

Feature working on

Generate a 1st, 2nd, 3rd, 4th, 5th, 6th, 7th, 8th, 9th, 10th, 11th, 12th, 13th, 14th, 15th, 16th, 17th, 18th, 19th, 20th, 21st, 22nd, 23rd, 24th, 25th, 26th, 27th, 28th, 29th, 30th, 31st, 32nd, 33rd, 34th, 35th, 36th, 37th, 38th, 39th, 40th, 41st, 42nd, 43rd, 44th, 45th, 46th, 47th, 48th, 49th, 50th, 51st, 52nd, 53rd, 54th, 55th, 56th, 57th, 58th, 59th, 60th, 61st, 62nd, 63rd, 64th, 65th, 66th, 67th, 68th, 69th, 70th, 71st, 72nd, 73rd, 74th, 75th, 76th, 77th, 78th, 79th, 80th, 81st, 82nd, 83rd, 84th, 85th, 86th, 87th, 88th, 89th, 90th, 91st, 92nd, 93rd, 94th, 95th, 96th, 97th, 98th, 99th, 100th

1. Requirements

2. Concepts

3. Design & Validation

4. Design (Required first)

5. Implementation

6. Testing & Deployment

7. Maintenance & Support

8. Documentation

9. Evaluation

10. Reflection

11. Conclusion

12. Acknowledgment

13. References

14. Appendix

15. Glossary

16. Index

17. Table of Contents

18. List of Figures

19. List of Tables

20. List of Equations

21. List of Symbols

22. List of Abbreviations

23. List of Acronyms

24. List of Initials

25. List of Footnotes

26. List of Endnotes

27. List of Bibliography

28. List of References

29. List of Sources

30. List of Materials

31. List of Equipment

32. List of Software

33. List of Hardware

34. List of Tools

35. List of Instruments

36. List of Apparatus

37. List of Components

38. List of Parts

39. List of Sub-components

40. List of Modules

41. List of Systems

42. List of Networks

43. List of Databases

44. List of Servers

45. List of Clients

46. List of Users

47. List of Roles

48. List of Permissions

49. List of Policies

50. List of Procedures

51. List of Processes

52. List of Algorithms

53. List of Algorithms

54. List of Algorithms

55. List of Algorithms

56. List of Algorithms

57. List of Algorithms

58. List of Algorithms

59. List of Algorithms

60. List of Algorithms

61. List of Algorithms

62. List of Algorithms

63. List of Algorithms

64. List of Algorithms

65. List of Algorithms

66. List of Algorithms

67. List of Algorithms

68. List of Algorithms

69. List of Algorithms

70. List of Algorithms

71. List of Algorithms

72. List of Algorithms

73. List of Algorithms

74. List of Algorithms

75. List of Algorithms

76. List of Algorithms

77. List of Algorithms

78. List of Algorithms

79. List of Algorithms

80. List of Algorithms

81. List of Algorithms

82. List of Algorithms

83. List of Algorithms

84. List of Algorithms

85. List of Algorithms

86. List of Algorithms

87. List of Algorithms

88. List of Algorithms

89. List of Algorithms

90. List of Algorithms

91. List of Algorithms

92. List of Algorithms

93. List of Algorithms

94. List of Algorithms

95. List of Algorithms

96. List of Algorithms

97. List of Algorithms

98. List of Algorithms

99. List of Algorithms

100. List of Algorithms

Conditions are met for 2 approvals. 3. Design & Validation. 4. Design (Required first). 5. Implementation. 6. Testing & Deployment. 7. Maintenance & Support. 8. Documentation. 9. Evaluation. 10. Reflection. 11. Conclusion. 12. Acknowledgment. 13. References. 14. Appendix. 15. Glossary. 16. Index. 17. Table of Contents. 18. List of Figures. 19. List of Tables. 20. List of Equations. 21. List of Symbols. 22. List of Abbreviations. 23. List of Acronyms. 24. List of Initials. 25. List of Footnotes. 26. List of Endnotes. 27. List of Bibliography. 28. List of References. 29. List of Sources. 30. List of Materials. 31. List of Equipment. 32. List of Software. 33. List of Hardware. 34. List of Tools. 35. List of Instruments. 36. List of Apparatus. 37. List of Components. 38. List of Parts. 39. List of Sub-components. 40. List of Modules. 41. List of Systems. 42. List of Networks. 43. List of Databases. 44. List of Servers. 45. List of Clients. 46. List of Users. 47. List of Roles. 48. List of Permissions. 49. List of Policies. 50. List of Procedures. 51. List of Processes. 52. List of Algorithms. 53. List of Algorithms. 54. List of Algorithms. 55. List of Algorithms. 56. List of Algorithms. 57. List of Algorithms. 58. List of Algorithms. 59. List of Algorithms. 60. List of Algorithms. 61. List of Algorithms. 62. List of Algorithms. 63. List of Algorithms. 64. List of Algorithms. 65. List of Algorithms. 66. List of Algorithms. 67. List of Algorithms. 68. List of Algorithms. 69. List of Algorithms. 70. List of Algorithms. 71. List of Algorithms. 72. List of Algorithms. 73. List of Algorithms. 74. List of Algorithms. 75. List of Algorithms. 76. List of Algorithms. 77. List of Algorithms. 78. List of Algorithms. 79. List of Algorithms. 80. List of Algorithms. 81. List of Algorithms. 82. List of Algorithms. 83. List of Algorithms. 84. List of Algorithms. 85. List of Algorithms. 86. List of Algorithms. 87. List of Algorithms. 88. List of Algorithms. 89. List of Algorithms. 90. List of Algorithms. 91. List of Algorithms. 92. List of Algorithms. 93. List of Algorithms. 94. List of Algorithms. 95. List of Algorithms. 96. List of Algorithms. 97. List of Algorithms. 98. List of Algorithms. 99. List of Algorithms. 100. List of Algorithms.

Plan

Plan ID: 1234567890

Cost

100

Specify host strength (20%)

100

Options

100

Host for compute

100

What will this concrete be?

Plan ID: 1234567890. The following are the code segments of this request.

1. Requirements

2. Concepts

3. Design & Validation

4. Design (Required first)

5. Implementation

6. Testing & Deployment

7. Maintenance & Support

8. Documentation

9. Evaluation

10. Reflection

11. Conclusion

12. Acknowledgment

13. References

14. Appendix

15. Glossary

16. Index

17. Table of Contents

18. List of Figures

19. List of Tables

20. List of Equations

21. List of Symbols

22. List of Abbreviations

23. List of Acronyms

24. List of Initials

25. List of Footnotes

26. List of Endnotes

27. List of Bibliography

28. List of References

29. List of Sources

30. List of Materials

31. List of Equipment

32. List of Software

33. List of Hardware

34. List of Tools

35. List of Instruments

36. List of Apparatus

37. List of Components

38. List of Parts

39. List of Sub-components

40. List of Modules

41. List of Systems

42. List of Networks

43. List of Databases

44. List of Servers

45. List of Clients

46. List of Users

47. List of Roles

48. List of Permissions

49. List of Policies

50. List of Procedures

51. List of Processes

52. List of Algorithms

53. List of Algorithms

54. List of Algorithms

55. List of Algorithms

56. List of Algorithms

57. List of Algorithms

58. List of Algorithms

59. List of Algorithms

60. List of Algorithms

61. List of Algorithms

62. List of Algorithms

63. List of Algorithms

64. List of Algorithms

65. List of Algorithms

66. List of Algorithms

67. List of Algorithms

68. List of Algorithms

69. List of Algorithms

70. List of Algorithms

71. List of Algorithms

72. List of Algorithms

73. List of Algorithms

74. List of Algorithms

75. List of Algorithms

76. List of Algorithms

77. List of Algorithms

78. List of Algorithms

79. List of Algorithms

80. List of Algorithms

81. List of Algorithms

82. List of Algorithms

83. List of Algorithms

84. List of Algorithms

85. List of Algorithms

86. List of Algorithms

87. List of Algorithms

88. List of Algorithms

89. List of Algorithms

90. List of Algorithms

91. List of Algorithms

92. List of Algorithms

93. List of Algorithms

94. List of Algorithms

95. List of Algorithms

96. List of Algorithms

97. List of Algorithms

98. List of Algorithms

99. List of Algorithms

100. List of Algorithms

Plan

Plan ID: 1234567890

Cost

100

Specify host strength (20%)

100

Options

100

Host for compute

100

What will this concrete be?

Plan ID: 1234567890. The following are the code segments of this request.

1. Requirements

2. Concepts

3. Design & Validation

4. Design Studio: candidates

Stage 2. Ranked trial candidates with cost per m³, the evidence behind each and what governs it. Pin two to compare.

خريطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

1 critical alert needs a QC decision. Open the inbox

All plants

Search or run a command Ctrl K

العربية

Design Studio

Evaluate existing mixGenerate trial recommendation

1. Requirements2. Candidates3. Inspect & Validate4. Save / Request trial

Candidates are trial proposals, not approved mixes. Every one needs a trial and QC approval.

5 quantities left for the optimizer136 of 136 configurations solved

Candidate 1

43.520 JOD/m³

☐ Compare

Binder460 kg/m³

w/cm0.409

Cementcem-i

SCMfly · 40%

Admixturesp · 0.4%

w/cm headroom0.028

Coarseness factor14.24

Workability factor8.273

Fines3.062 %

Grading band0.304 pts

Code verified

Model baseline

Trial required

Inspect

Candidate 2

43.617 JOD/m³

☐ Compare

+0.097 vs best

Binder495 kg/m³

w/cm0.414

Cementcem-i

SCMfly · 40%

Admixturenone

w/cm headroom0.023

Coarseness factor6.729

Workability factor0.051

Fines3.987 %

Grading band0.255 pts

Code verified

Model baseline

Trial required

Inspect

Candidate 3

43.715 JOD/m³

☐ Compare

+0.195 vs best

Binder425 kg/m³

w/cm0.414

Cementcem-i

SCMfly · 40%

Admixturesp · 0.8%

w/cm headroom0.023

Coarseness factor14.349

Workability factor6.601

Fines3.054 %

Grading band0.164 pts

Code verified

Model baseline

Trial required

Inspect

Candidate 4

44.138 JOD/m³

☐ Compare

+0.618 vs best

Binder455 kg/m³

w/cm0.416

Cementcem-i

SCMfly · 35%

Admixturesp · 0.4%

w/cm headroom0.021

Coarseness factor14.22

Workability factor8.07

Fines3.063 %

Grading band0.329 pts

Code verified

Model baseline

Trial required

Inspect

Candidate 5

44.529 JOD/m³

☐ Compare

+1.009 vs best

Binder425 kg/m³

w/cm0.414

Cementcem-i

SCMfly · 35%

Admixturesp · 0.8%

w/cm headroom0.023

Coarseness factor14.261

Workability factor6.689

Fines3.061 %

Grading band0.277 pts

Code verified


Model baseline

Trial required

Inspect

5. Design Studio: inspect and validate

Stage 3. Every figure with its trace, the combined grading, and the independent validator's verdict. From here you request a trial, which saves the design as TRIAL CANDIDATE.



6. Mix Library

All designs with their lifecycle state (draft, evaluated, trial, approved, in production, suspended, retired). Tabs below filter by what needs attention. Admin-only actions are hidden for roles that cannot use them.

خطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

1 critical alert needs a QC decision. [Open the inbox](#)

All plants

Search or run a command Ctrl K

العربية

Mix Library

Your mix designs. Open one and press Evaluate to calculate compliance, cost and data quality; every result is rechecked by an independent validator. Until then a design shows exactly what your file said.

Export approved designs (CSV)

Import designs

The file is a copy of the approved designs for your batching system. It is not an approval, it holds no prices or costs, and a design that is suspended, retired or not yet approved is never in it.

All designs

Portfolio

Data quality

Strength models

Needs revalidation

In trial

Awaiting approval

Awaiting attestation

Search by code or name

All statuses

Code	Name	Plant	Status	Average monthly volume
TOUR-APPROVED	Lifecycle TOUR-APPROVED	Studio STU-01	In production Every evaluated check passes	–
TOUR-LEGACY-1	Imported TOUR-LEGACY-1	Amman	Draft	1,500 m³
TOUR-LEGACY-2	Imported TOUR-LEGACY-2	Amman	Draft	1,500 m³
TOUR-MODEL	Lifecycle TOUR-MODEL	Studio STU-01	In production Every evaluated check passes	–
TOUR-MODEL	Lifecycle TOUR-MODEL	Studio STU-01	Evaluated At least one check fails	–
TOUR-MODEL	Lifecycle TOUR-MODEL	Studio STU-01	Evaluated Every evaluated check passes	–
TOUR-MODEL	Lifecycle TOUR-MODEL	Studio STU-01	Evaluated At least one check fails	–
TOUR-TRIAL	Lifecycle TOUR-TRIAL	Studio STU-01	Trial candidate Every evaluated check passes	–

7. A design: details

The design sheet: proportions, the author and approval, lifecycle actions (suspend, release, retire), trial batches and strength results, batch weights (with the independent check), production volumes and the PDF submittal.

خطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

All plants

Mix Library

Your mix designs. Open one and press Evaluate to calculate compliance, compare with an independent validator. Until then a design shows exactly what your file says.

Export approved designs (CSV)

Import designs

The file is a copy of the approved designs for your batching system. It is not an approval, suspended, retired or not yet approved is never in it.

All designs

Portfolio

Data quality

Strength models

Needs

Search by code or name

All statuses

Code	Name	Plant
TOUR-APPROVED	Lifecycle TOUR-APPROVED	Studio STU-
TOUR-LEGACY-1	Imported TOUR-LEGACY-1	Amman
TOUR-LEGACY-2	Imported TOUR-LEGACY-2	Amman
TOUR-MODEL	Lifecycle TOUR-MODEL	Studio STU-
TOUR-MODEL	Lifecycle TOUR-MODEL	Studio STU-
TOUR-MODEL	Lifecycle TOUR-MODEL	Studio STU-
TOUR-MODEL	Lifecycle TOUR-MODEL	Studio STU-
TOUR-TRIAL	Lifecycle TOUR-TRIAL	Studio STU-

TOUR-APPROVED

Lifecycle TOUR-APPROVED

In production

Every evaluated check passes

Details

Evaluation

Edit as new version

Lifecycle

Suspend this design

Suspend...

Retire this design

Retire...

Trial batches

Batch date	Slump (mm)	Air (%)	Temperature (°C)	Fresh density (kg/m³)	Yield (m³)	Specimens at 28 days (MPa)
2026-10-01	105	2	28	2,309.8	1.002	41.3, 42.3

Strength results against f'c and f'cr

MPa

42.4

42.2

42

41.8

41.6

41.4

41.2

1

2

Specimen

8. A design: evaluation

Compliance checks with clause references and evidence chips, the fcr derivation, strength adequacy, cost per m³, data quality, and the validator result. Nothing here approves a design.

خطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

All plants

Mix Library

Your mix designs. Open one and press Evaluate to calculate compliance, cost, and strength. Once approved, you can export the design to an independent validator. Until then a design shows exactly what your file says.

Export approved designs (CSV)

Import designs

The file is a copy of the approved designs for your batching system. It is not an approval, a design that is suspended, retired or not yet approved is never in it.

All designs

Portfolio

Data quality

Strength models

Needs

Search by code or name

All statuses

Code	Name	Plant
TOUR-APPROVED	Lifecycle TOUR-APPROVED	Studio STU-
TOUR-LEGACY-1	Imported TOUR-LEGACY-1	Amman
TOUR-LEGACY-2	Imported TOUR-LEGACY-2	Amman
TOUR-MODEL	Lifecycle TOUR-MODEL	Studio STU-
TOUR-MODEL	Lifecycle TOUR-MODEL	Studio STU-
TOUR-MODEL	Lifecycle TOUR-MODEL	Studio STU-
TOUR-MODEL	Lifecycle TOUR-MODEL	Studio STU-
TOUR-MODEL	Lifecycle TOUR-MODEL	Studio STU-
TOUR-TRIAL	Lifecycle TOUR-TRIAL	Studio STU-

1 critical

TOUR-APPROVED

Lifecycle TOUR-APPROVED

In production

Every evaluated check passes

Details

Evaluation

Ruleset

Air content in the design (%)

Both (strictest of eac...

Evaluate again

Leave the air content empty to use the ACI 211.1 entrapped-air estimate for the aggregate size (a published estimate, not a measurement).

Earlier evaluations

Oct 3, 2026, 7:00 PM · BOTH · Every eval...

Every evaluated check passes

Independently verified

Input missing

Model baseline

Rule unverified

Trial required

BOTH · Oct 3, 2026, 7:00 PM · price date 2026-10-03 · Provisional: rules in use are not yet verified by a QC manager

Key figures

Absolute volume incl. air	Yield difference from 1.000 m³	w/cm	Cementitious content
0.9999 m³	-0.0001 m³	0.409	460 kg/m³
SCM share of cementitious	Free water	Fresh density	Required average strength f'cr
40.217 %	188.104 kg/m³	2,309.84 kg/m³	38.3 MPa

Compliance checks

Result

Source

Class

All

All

All

Showing 5 of 5 checks

Check	Result	Value	Limit	Source
Admixture dosage · sp	✓	5.10.4 %		Engineering check
Product range 0.4–1.5 %.	✓			

9. Library: portfolio

Every design at a glance: verdict counts, filters, evaluate all, and export of the portfolio (prices and costs, logged).

خطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

1 critical alert needs a QC decision. [Open the inbox](#)

All plants

Search or run a command Ctrl K

العربية

Mix Library

Your mix designs. Open one and press Evaluate to calculate compliance, cost and data quality; every result is rechecked by an independent validator. Until then a design shows exactly what your file said.

Export approved designs (CSV)

Import designs

The file is a copy of the approved designs for your batching system. It is not an approval, it holds no prices or costs, and a design that is suspended, retired or not yet approved is never in it.

All designs

Portfolio

Data quality

Strength models

Needs revalidation

In trial

Awaiting approval

Awaiting attestation

Every live design with its latest evaluation. Evaluate them all at once; failing and incomplete designs and designs whose inputs changed are listed first-class, not hidden.

Show

All designs

Evaluate all

Export CSV

Designs 8 Failing 2 Incomplete 0 Not evaluated 2 Needs revalidation 0 Inputs changed 0

Code	Plant	Status	Result	Checks	Cost per m³	Evidence
TOUR-APPROVED v1	Studio STU-01	In production	Every evaluated check passes	0 failing · 0 open	43.52 JOD/m³	Input missing Rule unverified
TOUR-LEGACY-1 v1	Amman	Draft	Not evaluated	–	–	
TOUR-LEGACY-2 v1	Amman	Draft	Not evaluated	–	–	
TOUR-MODEL v4	Studio STU-01	Evaluated	At least one check fails	1 failing · 0 open	43.542 JOD/m³	
TOUR-MODEL v3	Studio STU-01	Evaluated	Every evaluated check passes	0 failing · 0 open	43.52 JOD/m³	
TOUR-MODEL v2	Studio STU-01	Evaluated	At least one check fails	1 failing · 0 open	43.497 JOD/m³	
TOUR-MODEL v1	Studio STU-01	In production	Every evaluated check passes	0 failing · 0 open	43.52 JOD/m³	
TOUR-TRIAL v1	Studio STU-01	Trial candidate	Every evaluated check passes	0 failing · 0 open	43.52 JOD/m³	

10. Library: data quality

What is blocking or weakening designs: missing tests, stale prices, unverified rules, grouped by cause.

خريطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

1 critical alert needs a QC decision. [Open the inbox](#)

All plants

Search or run a command

Ctrl K

العربية

Mix Library

Your mix designs. Open one and press Evaluate to calculate compliance, cost and data quality; every result is rechecked by an independent validator. Until then a design shows exactly what your file said.

Export approved designs (CSV)

Import designs

The file is a copy of the approved designs for your batching system. It is not an approval, it holds no prices or costs, and a design that is suspended, retired or not yet approved is never in it.

All designs

Portfolio

Data quality

Strength models

Needs revalidation

In trial

Awaiting approval

Awaiting attestation

Every material, test, price and rule gap behind the latest evaluations, grouped by cause, with the designs each one affects. Fixing one cause can unblock many designs.

2 designs have not been evaluated yet and are not covered here.

Warning · Applicable rule values are not on file

Affects 1 design

TOUR-APPROVED

11. Library: strength models

Plant strength models fitted from your own results: proposals with their evidence, approved by a QC manager with an e-signature. Also the proposals for s and β .

خطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

1 critical alert needs a QC decision. [Open the inbox](#)

All plants

Search or run a command

Ctrl K

العربية

Mix Library

Your mix designs. Open one and press Evaluate to calculate compliance, cost and data quality; every result is rechecked by an independent validator. Until then a design shows exactly what your file said.

Export approved designs (CSV)

Import designs

The file is a copy of the approved designs for your batching system. It is not an approval, it holds no prices or costs, and a design that is suspended, retired or not yet approved is never in it.

All designs

Portfolio

Data quality

Strength models

Needs revalidation

In trial

Awaiting approval

Awaiting attestation

A plant strength model is fitted from your own results for one group of materials. It is a proposal: nothing uses it until a QC manager approves it, and only inside its own w/cm range. It is never a compliance result and a trial is still required.

Refit now

Valid, awaiting approval

28-day, cylinders

Cement: cem-i · SCM: fly · Admixture: sp

Tests

38

w/cm levels

3

w/cm range

0.35 – 0.47

Standard deviation s

0.65 MPa

Not a compliance result. The durability and code limits still apply.

Show evidence

Approve...

Proposals

These are proposals for a person to decide. Khalta never changes a standard deviation or a calibration value by itself.

Standard deviation s from recorded tests

No design has enough recorded tests yet.

Water-demand calibration (β)

Choose a plant to see this proposal.

A proposal only: a QC manager enters a value on the Rules screen if they accept it.

Refit finished for 1 group.

12. Library: in trial

Designs at TRIAL CANDIDATE or TRIAL IN PROGRESS.

خطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

1 critical alert needs a QC decision. [Open the inbox](#)

All plants

Search or run a command

Ctrl K

العربية

Mix Library

Your mix designs. Open one and press Evaluate to calculate compliance, cost and data quality; every result is rechecked by an independent validator. Until then a design shows exactly what your file said.

Export approved designs (CSV)

Import designs

The file is a copy of the approved designs for your batching system. It is not an approval, it holds no prices or costs, and a design that is suspended, retired or not yet approved is never in it.

All designs

Portfolio

Data quality

Strength models

Needs revalidation

In trial

Awaiting approval

Awaiting attestation

Search by code or name

Trial candidates and designs in a trial. A trial is required before approval.

Code	Name	Plant	Status	Average monthly volume
TOUR-TRIAL	Lifecycle TOUR-TRIAL	Studio STU-01	Trial candidate Every evaluated check passes	-

Refit finished for 1 group.

13. Library: awaiting approval

Designs whose trial passed. A different QC manager than the author approves them (four-eyes).

خطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

1 critical alert needs a QC decision. [Open the inbox](#)

All plants

Search or run a command

Ctrl K

العربية

Mix Library

Your mix designs. Open one and press Evaluate to calculate compliance, cost and data quality; every result is rechecked by an independent validator. Until then a design shows exactly what your file said.

Export approved designs (CSV)

Import designs

The file is a copy of the approved designs for your batching system. It is not an approval, it holds no prices or costs, and a design that is suspended, retired or not yet approved is never in it.

All designs

Portfolio

Data quality

Strength models

Needs revalidation

In trial

Awaiting approval

Awaiting attestation

Search by code or name

Trial passed; waiting for a QC manager other than the author to approve.

Nothing awaiting approval

Designs that passed their trial appear here.

Refit finished for 1 group.

14. Profiles

Characteristic profiles: reusable sets of your own preferences (sand ratio, minimum binder, admixture choices, material preferences) that tighten, and never loosen, code limits. Versioned and approved by a QC manager.

خطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

1 critical alert needs a QC decision. [Open the inbox](#)

All plants

Search or run a command

Ctrl K

العربية

Profiles

A characteristic profile is a reusable set of mix preferences for a plant, a product family, or the whole company. A profile tightens a request and never loosens a code or project limit. A draft can be used for evaluation; only an approved profile can drive trial-candidate generation.

All scopes

All plants

Filter by product family

Name	Scope	Applies to	Status	Latest
SYNTHETIC C30 family	Product family · C30	f'c 25–35	Approved	v1
SYNTHETIC company defaults	Company	Any request	Approved	v1

New profile

15. Insights

The proactive inbox: cost opportunities (theoretical, trial-only), expired tests, stale prices, drift, rule changes and strength alerts. Accept creates a trial draft; snooze and dismiss need no code change. Critical alerts also show a banner at the top.

خطا • Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

1 critical alert needs a QC decision. [Open the inbox](#)

All plants

Search or run a command Ctrl K

العربية

Insights

Proactive findings: cheaper options at today's prices, expiring tests, stale prices, drift in material tests, rule changes and strength results. An insight never changes a design; accepting an opportunity only creates a trial draft.

Daily digest

No digest yet. The first one is taken by the nightly check.

Severity

All

Type

All

Critical

Strength below target

TOUR-APPROVED: the average strength 31.2 MPa is below the required 38.5 MPa.

Studio STU-01 · Oct 3, 2026, 7:00 PM

Open the design

Snooze 1 day

Snooze 1 week

Dismiss

High

Material test drift

SYNTHETIC cement: 1 value moved; 2 designs are affected.

Studio STU-01 · Oct 3, 2026, 7:00 PM

Snooze 1 day

Snooze 1 week

Dismiss

Medium

Cost opportunity

A cheaper candidate exists for TOUR-APPROVED at current prices.

Studio STU-01 · Oct 3, 2026, 7:00 PM

Theoretical

1.25 JOD/m³ · 15,000 JOD/year estimate

Theoretical: at current prices, before any trial or approval. It is not a saving yet.

Provisional: rules in use are not yet verified by a QC manager

Open the design

Accept as a trial draft

Snooze 1 day

Snooze 1 week

Dismiss

Accepting re-runs the optimizer now and creates a trial-only draft at TRIAL CANDIDATE. It needs a trial and QC approval like any other design.

Info

Prices are stale

3 prices are older than the stale-price limit.

Studio STU-01 · Oct 3, 2026, 7:00 PM

Snooze 1 day

Snooze 1 week

Dismiss

16. Savings

Cost baselines at a named price snapshot, then savings in three separate states: theoretical, approved and realized. They are never added together. Months that cannot be measured yet are listed with the reason.

خطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

1 critical alert needs a QC decision. [Open the inbox](#)

All plants

Search or run a command Ctrl K

العربية

Savings

Cost baselines and theoretical opportunities. Nothing here is approved or realized: opportunities are estimates that need a trial and approval, and they are never added together.

Cost baselines

A baseline fixes what an attested design costs per m³ at one named price snapshot. It is never re-priced; later comparisons use the same snapshot, so price movements are never credited to a change.

Code	Plant	Price snapshot	Cost per m³	Monthly volume	Per year
TOUR-APPROVED v1	Studio STU-01	Tour baseline 2026-10-03	43.52 JOD/m³	–	–

Savings by state

Three states, never added together. Theoretical is an estimate at current prices; approved is the saving of an approved replacement at one price snapshot; realized is the measured month, both costs at that month's snapshot times the volume produced.

No opportunities yet

Edit a baselined design as a new version, evaluate it, and press “Price as an opportunity”.

Months that cannot be measured yet

A month is measured only when its volume and its price snapshot exist. Nothing is estimated in their place.

No month is waiting.

17. Materials

Every material with its current test and price freshness. Tests are versioned; a new test never overwrites an old one.

ملحة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

1 critical alert needs a QC decision. [Open the inbox](#)

All plants

Search or run a command **Ctrl K**

العربية

Materials

The materials you design with, their characteristics and where each value came from. Every value keeps its source: lab report, supplier datasheet, or declared by a person.

Search materials

All categories

Material	Category	Plant	Fineness modulus	Tested	Source	Test age	Usable for
sp Priced at 1 of 4 plants	Admixture	Studio STU-01	–	2026-10-03	Supplier datasheet	⌚ Age limit not set	Can evaluate Can design
sp B Priced at 1 of 4 plants	Admixture	Studio STU-02	–	2026-10-03	Supplier datasheet	⌚ Age limit not set	Can evaluate Can design
Demo cement Priced at 2 of 4 plants	Cement	All plants	–	2026-10-03	Input declared by user	⌚ Age limit not set	Can evaluate Can design
cem-1 Priced at 1 of 4 plants	Cement	Studio STU-01	–	2026-10-03	Supplier datasheet	⌚ Age limit not set	Can evaluate Can design
cem-1 B Priced at 1 of 4 plants	Cement	Studio STU-02	–	2026-10-03	Supplier datasheet	⌚ Age limit not set	Can evaluate Can design
cem-sr Priced at 1 of 4 plants	Cement	Studio STU-01	–	2026-10-03	Supplier datasheet	⌚ Age limit not set	Can evaluate Can design
cem-sr B Priced at 1 of 4 plants	Cement	Studio STU-02	–	2026-10-03	Supplier datasheet	⌚ Age limit not set	Can evaluate Can design
Demo coarse 20 mm Priced at 2 of 4 plants	Coarse aggregate	All plants	–	2026-10-03	Input declared by user	⌚ Age limit not set	Can evaluate ⚠ Cannot design yet
c10 Priced at 1 of 4 plants	Coarse aggregate	Studio STU-01	5.92	2026-08-01	Supplier datasheet	⌚ Age limit not set	Can evaluate ⚠ Cannot design yet
c10 B Priced at 1 of 4 plants	Coarse aggregate	Studio STU-02	5.92	2026-08-01	Supplier datasheet	⌚ Age limit not set	Can evaluate ⚠ Cannot design yet
c20 Priced at 1 of 4 plants	Coarse aggregate	Studio STU-01	6.87	2026-08-01	Supplier datasheet	⌚ Age limit not set	Can evaluate ⚠ Cannot design yet
c20 B Priced at 1 of 4 plants	Coarse aggregate	Studio STU-02	6.87	2026-08-01	Supplier datasheet	⌚ Age limit not set	Can evaluate ⚠ Cannot design yet
Demo crushed sand Priced at 2 of 4 plants	Fine aggregate	All plants	–	2026-10-03	Input declared by user	⌚ Age limit not set	Can evaluate ⚠ Cannot design yet
Demo washed sand Priced at 2 of 4 plants	Fine aggregate	Amman	3.05	2026-10-03	Input declared by user	⌚ Age limit not set	Can evaluate Can design
crusher Priced at 1 of 4 plants	Fine aggregate	Studio STU-01	3.23	2026-08-01	Supplier datasheet	⌚ Age limit not set	Can evaluate ⚠ Cannot design yet
crusher B Priced at 1 of 4 plants	Fine aggregate	Studio STU-02	3.23	2026-08-01	Supplier datasheet	⌚ Age limit not set	Can evaluate ⚠ Cannot design yet
sand Priced at 1 of 4 plants	Fine aggregate	Studio STU-01	2.76	2026-08-01	Supplier datasheet	⌚ Age limit not set	Can evaluate ⚠ Cannot design yet
sand B Priced at 1 of 4 plants	Fine aggregate	Studio STU-02	2.76	2026-08-01	Supplier datasheet	⌚ Age limit not set	Can evaluate ⚠ Cannot design yet
fly Priced at 1 of 4 plants	Supplementary cementitious	Studio STU-01	–	2026-10-03	Supplier datasheet	⌚ Age limit not set	Can evaluate Can design
fly B Priced at 1 of 4 plants	Supplementary cementitious	Studio STU-02	–	2026-10-03	Supplier datasheet	⌚ Age limit not set	Can evaluate Can design
ggbfs Priced at 1 of 4 plants	Supplementary cementitious	Studio STU-01	–	2026-10-03	Supplier datasheet	⌚ Age limit not set	Can evaluate Can design
ggbfs B Priced at 1 of 4 plants	Supplementary cementitious	Studio STU-02	–	2026-10-03	Supplier datasheet	⌚ Age limit not set	Can evaluate Can design
water Priced at 1 of 4 plants	Water	Studio STU-01	–	2026-10-03	Supplier datasheet	⌚ Age limit not set	⚠ Cannot evaluate yet ⚠ Cannot design yet
water B Priced at 1 of 4 plants	Water	Studio STU-02	–	2026-10-03	Supplier datasheet	⌚ Age limit not set	⚠ Cannot evaluate yet ⚠ Cannot design yet
⬇️ TOUR-LEGACY-1 Priced at 0 of 4 plants	Water	All plants	–	–	No test yet	–	⚠ Cannot evaluate yet ⚠ Cannot design yet
⬇️ TOUR-LEGACY-2 Priced at 0 of 4 plants	Water	All plants	–	–	No test yet	–	⚠ Cannot evaluate yet ⚠ Cannot design yet

18. A material: tests and history

The latest test values with their source (lab report, supplier datasheet, or declared by a user), the grading chart and the version history.

خطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

All plants

Materials

The materials you design with, their characteristics and where each va report, supplier datasheet, or declared by a person.

Search materials

All categories

Material	Category	Plant	Fineness modulus
sp Priced at 1 of 4 plants	Admixture	Studio STU-01	–
sp B Priced at 1 of 4 plants	Admixture	Studio STU-02	–
Demo cement Priced at 2 of 4 plants	Cement	All plants	–
cem-i Priced at 1 of 4 plants	Cement	Studio STU-01	–
cem-i B Priced at 1 of 4 plants	Cement	Studio STU-02	–
cem-sr Priced at 1 of 4 plants	Cement	Studio STU-01	–
cem-sr B Priced at 1 of 4 plants	Cement	Studio STU-02	–
Demo coarse 20 mm Priced at 2 of 4 plants	Coarse aggregate	All plants	–
c10 Priced at 1 of 4 plants	Coarse aggregate	Studio STU-01	5.92
c10 B Priced at 1 of 4 plants	Coarse aggregate	Studio STU-02	5.92
c20 Priced at 1 of 4 plants	Coarse aggregate	Studio STU-01	6.87

sp

Admixture · sp ع

Supplier datasheet

Age limit not set

Can evaluate

Can design

Version 1

Record a new test

Attach a report to declared values

Properties

Test history

Plant

Studio STU-01

Admixture type (ASTM C494)

Type F

Supplier datasheet

Solids content

40 %

Supplier datasheet

Minimum dosage

0.4 % cementitious

Supplier datasheet

Water convention

Liquid counts as mixing water

Supplier datasheet

Test date

2026-10-03

Specific gravity

1.08

Supplier datasheet

Chloride content (Cl⁻)

0.05 %

Supplier datasheet

Maximum dosage

1.5 % cementitious

Supplier datasheet

19. Prices

The price matrix: materials by plant, edited like a spreadsheet and saved with a reason. Tools: bulk change, copy between plants, import, snapshots and export.

خطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

1 critical alert needs a QC decision. [Open the inbox](#)

All plants

Search or run a command Ctrl K

العربية

Prices

What each material costs delivered to each plant. Every change is kept: a new price closes the old one, nothing is overwritten. A missing price means “not available here”, never zero.

28 of 104 material–plant prices on file · stale-price limit not set

Prices as of

Search materials

10/03/2026

Compare with the plants’ median

Material	AMM-01 Amman	AQB-01 Aqaba	STU-01 Studio STU-01	STU-02 Studio STU-02
sp Admixture JOD/kg	-	-	1.200 /kg	-
sp B Admixture JOD/kg	-	-	-	1.200 /kg
Demo cement Cement JOD/ton	78.000 /ton	78.500 /ton	-	-
cem-i Cement JOD/ton	-	-	78.000 /ton	-
cem-i B Cement JOD/ton	-	-	-	78.000 /ton
cem-sr Cement JOD/ton	-	-	92.000 /ton	-
cem-sr B Cement JOD/ton	-	-	-	92.000 /ton
Demo coarse 20 mm Coarse aggregate JOD/ton	7.800 /ton	8.300 /ton	-	-
c10 Coarse aggregate JOD/ton	-	-	8.500 /ton	-
c10 B Coarse aggregate JOD/ton	-	-	-	8.500 /ton
c20 Coarse aggregate JOD/ton	-	-	8.000 /ton	-

sp · AMM-01

History

Keys: arrows move, Shift+arrows select a range, Enter or typing edits, Ctrl+V pastes from Excel, Ctrl+Z undoes, Delete drops a pending change.

20. Rules

Every code value (ACI 318, ACI 211.1, JS) and engineering parameter, with its clause, class and verification state. Unverified rules make results provisional until a QC manager checks them against the licensed document.

21. A rule

One rule: value or table, applicability, source clause, version history and the verify action with a signed note.

خطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

1 critical alert needs a QC decision

All plants

Rules

Code values and engineering parameters with their clause references. Every value starts as an unverified candidate until a QC manager checks it against the licensed document.

88 rule values are unverified and 77 are not on file (0 verified).
Designs cannot be approved on unverified or missing values. Open a rule to verify it against the

Code rules

Engineering parameters

Import Jordanian values

Search key, clause or note

All rulesets

All classes

ACI (American)

Rule	Value
Acceptance	
accept.avg3.min_ratio_fc Every average of 3 consecutive tests must be at least f'c (ratio to f'c)	1
accept.fc.threshold_mpa Strength at which the single-test criterion changes	35 MPa
accept.single.max_deficit_mpa No single test may fall below f'c by more than this (f'c ≤ 35 MPa)	3.5 MPa
accept.single.min_ratio_fc No single test may fall below this ratio of f'c (f'c > 35 MPa)	0.9
Air content	
air.F1.target_pct Target air content for F1 by nominal maximum aggregate size	Table 1×5
air.F2_F3.target_pct Target air content for F2 and F3 by nominal maximum aggregate size	Table 1×5
air.tolerance_pct Air content tolerance (plus or minus)	1.5 %
Durability	
durability.C0.max_cl_nonprestressed Maximum water-soluble chloride (% of cementitious), non-prestres...	1 %

accept.avg3.min_ratio_fc

×

Every average of 3 consecutive tests must be at least f'c (ratio to f'c)

Unverified

Version 1

Value

Units

1

ratio

Requirement class

Kind

Code limit

limit_min

Clause

Requirement

ACI 318-19 §26.12.3.1

accept.avg3.min_ratio_fc

Applies when

Always

Note (Arabic)

f'c (نسبة إلى) يجب ألا يقل متوسط كل ثلاثة فحوص متتالية عن

Used by designs

0 (no designs yet)

Verify this value

Correct value

History

Version 1

Unverified

Seed file · Oct 3, 2026, 6:59 PM

22. Imports

Bring in legacy mix designs (a CSV or Excel file) or JS rule values. You map columns, confirm material matches (Arabic names first) and see a validation preview before anything is created. Imported designs are legacy and need attestation.

خطة · Khalta

Dashboard

Design Studio

Mix Library

Profiles

Insights

Savings

Materials

Prices

Rules

Imports

1 critical alert needs a QC decision. [Open the inbox](#)

All plants

Search or run a command Ctrl K

العربية

Imports

Bring in existing mix designs from Excel or CSV. The file is checked before anything is saved; nothing is half-imported.

Step 1: choose the file

One row per material line (see templates/legacy-mix-designs.csv). Headers in English or Arabic are recognised.

Choose File

No file chosen

23. Plants

Create and edit plants (Arabic and English names, code). Users are assigned to plants; most roles only see their own.

خطة · Khalta

Dashboard

Mix Library

Savings

Materials

Prices

Plants

Rules

Imports

Settings

All plants

Search or run a command

Ctrl K

العربية

Plants

+ New plant

Your batching plants. Prices, materials and designs are scoped to a plant.

4 of 20 plants

Code	Name	City	Climate	Status	
AMM-01	Amman	–	Moderate	Active	
AQB-01	Aqaba	–	Moderate	Active	
STU-01	Studio STU-01	–	Moderate	Active	
STU-02	Studio STU-02	–	Moderate	Active	

24. Settings: general

Organisation settings: number format, whether sales may see cost, stale-price and near-limit thresholds, production and letterhead settings, insight thresholds.

خطة · Khalta

Dashboard

Mix Library

Savings

Materials

Prices

Plants

Rules

Imports

Settings

All plants

Q

Search or run a command

Ctrl K

العربية

Settings

Organisation-wide settings and users. Engineering parameters live in the rules library, not here.

General

Users

Maximum plants

20

Price age limit (empty = not set)

days

Near-limit warning (% of the limit; empty = no warnings)

%

f'cr safety margin (empty = none)

MPa

Yield tolerance (± around 1.000)

0.005

m³

Minimum saving worth an insight

0.25

JOD/m³

Minimum annual saving worth an insight

1000

JOD

Digits

Western (0–9)

☐ Sales can see cost figures

Materials

Typed values outside these ranges are flagged but never blocked. Leave a field empty for no limit.

Aggregate SG, minimum

2.3

Aggregate SG, maximum

3.1

Aggregate absorption, minimum

0

%

Aggregate absorption, maximum

6

%

☒ Approval requires lab-report sources

When on, a design that relies on user-declared key values cannot be approved. Enforced when approvals arrive.

Production and submittals

Used by batch weights and the PDF submittal.

☐ Subtract admixture solution water from batch water

Off by default: the convention differs per product. When on, solution water (mass × (1 – solids %)) is subtracted and named in the conversion.

Letterhead for the PDF submittal

Leave the names empty to print a plain header with the plant name. Both names are needed.

Company name (English)

Company name (Arabic)

Address (English)

Address (Arabic)

Save settings

25. Settings: users

Create users, set their role and plants, deactivate them. Every change is audited.

خطة · Khalta

Dashboard

Mix Library

Savings

Materials

Prices

Plants

Rules

Imports

Settings

All plants

Q Search or run a command

Ctrl K

العربية

Settings

Organisation-wide settings and users. Engineering parameters live in the rules library, not here.

General

Users

Create users, set their role and plants, reset a password or deactivate. Every change is recorded in the audit log.

+ New user

Name	Email	Role	Plants
admin	admin@khalta.test	Administrator	2
plant_manager	plant.manager@khalta.test	Plant manager	1
procurement	procurement@khalta.test	Procurement	2
qc_engineer	qc.engineer@khalta.test	QC engineer	2
QC Manager Two	qc.manager2@khalta.test	QC manager	0
qc_manager	qc.manager@khalta.test	QC manager	2
sales	sales@khalta.test	Sales engineer	2
viewer	viewer@khalta.test	Viewer	2