

Overhead Blanket Storage



Blanket storage sits above the conveyor: strong wall/ceiling-supported rack, frosted blanket bags, visible labels and safe front guard rail.

FEATURES

-  High capacity Bulk blanket storage
-  Safe & Secure Front guard rail prevents falling
-  Easy Access Open front for quick handling
-  Organized System Labeled bags for clear tracking
-  Strong Structure Wall-mounted steel frame & brackets
-  LED Lighting Improved visibility & premium look

OVERHEAD BLANKET STORAGE SYST


SIDE VIEW (END)



DETAIL VIEW



FRONT ELEVATION



CORE RULES

- Storage is above the conveyor, not on the floor.
- Each blanket goes into a frosted semi-transparent bag.
- Every bag has order/customer/phone/barcode/quantity label.
- Front guard rail prevents bags from falling.
- Do not block conveyor movement or maintenance.

QUANTITY LOGIC

- Label must show quantity from total: e.g. 2 OF 3.
- Barcode links to order ID.
- Shelf code starts with BL for blankets, e.g. BL-A02.

Visual Direction Above Conveyor



OVERHEAD BLANKET STORAGE SYSTEM


SIDE VIEW (END)



DETAIL VIEW



FRONT ELEVATION



Use this as the target visual: overhead blanket cubbies above the conveyor, royal plum structure, brushed-silver brackets, LED task strip and labeled bags.

Blanket Bag & Label System

BLANKET BAG



BARCODE LABEL CLOSE-UP

ORDER NO : 100568
 CUSTOMER NAME : Omar Ali
 CUSTOMER PHONE : 050-123-4567
 SERVICE : Blanket Cleaning
 BLANKET QTY : 2
 TOTAL : 3
 SHELF : BL-A02
 DATE : AUTO

2 OF 3



STACKED STORAGE



QTY 2 OF 3

2 OF 3



BAG SPECIFICATION

- Large frosted semi-transparent zipper bag.
- Logo printed in royal purple/plum on front.
- Label fixed top-right for scanning while stacked.
- Material should resist dust, moisture and handling.
- Use soft rectangular shape so bags stack safely.

RECOMMENDED SIZES

- Single blanket: 600 x 450 x 180 mm.
- Large blanket/duvet: 750 x 550 x 220 mm.
- Use same label template across sizes.
- Do not overfill; bag must close flat.

Barcode Label Template

REQUIRED LABEL FIELDS

BLANKET STORAGE LABEL

ORDER NO : 100568
CUSTOMER NAME : Omar Ali
CUSTOMER PHONE : 050-123-4567
SERVICE : Blanket Cleaning
BLANKET QTY : 2
TOTAL : 3

2 OF 3




DATA REQUIREMENTS

- ORDER NO: unique order number from the system.
- CUSTOMER NAME: customer display name.
- CUSTOMER PHONE: primary mobile number.
- SERVICE: Blanket Cleaning / Blanket Packing.
- BLANKET QTY and TOTAL: displayed as X OF Y.
- SHELF: exact physical blanket shelf code.
- BARCODE: links to order detail and pickup status.

LABEL SIZE

- Minimum: 100 x 70 mm.
- Preferred for blankets: 120 x 80 mm.
- Use water-resistant matte sticker.

Footprint, Elevation & Safety



DIMENSION BASIS

- Overall run: approx. 3800 mm above conveyor.
- Shelf depth: 600-650 mm.
- Shelf height: 700-800 mm storage opening.
- Bottom of rack should clear conveyor hooks and maintenance path.
- Final size follows site ceiling and wall conditions.

STRUCTURAL SAFETY

- Wall/ceiling brackets must be engineer-approved.
- Do not load on conveyor frame.
- Use front guard rail and side stops.
- Define max kg per bay before fabrication.

Supplier & Engineer Handover

WHAT TO CONFIRM BEFORE FABRICATION

- Measure the exact wall/ceiling above the conveyor and check columns, AC, sprinklers and lights.
- Confirm conveyor maintenance clearance and hanger movement before fixing the overhead rack.
- Confirm structural fixing method, anchors, maximum load per bay and safety guard rail detail.
- Approve blanket bag size, frosted material, logo size and label placement.
- Connect label fields to the order system so quantity appears as X OF Y automatically.
- Prototype one blanket bag and one label before bulk ordering.

APPROVAL POINTS

- Approve overhead location above conveyor.
- Approve rack dimensions and bay count.
- Approve bag opacity and logo size.
- Approve label fields and barcode/QR format.

OPERATIONS NOTES

- Blanket bags should scan without removing from shelf.
- Place heavier blankets on lower overhead level only.
- Keep a step/ladder policy for safe access if needed.
- Shelf codes must match the sorting/LED shelf system.