Curriculum Vitae

Personal Information:

Full Name	Alexandr Ivanov
Birth date	04.01.1977
Work experience	10+ years
Phone	+7 985 2773462
Location	Moscow, Russia
E-mail	sanami77@gmail.com
Code samples	https://github.com/sanami/code-samples

Qualifications Summary / Motivation

Use **Ruby** for web development (Ruby on Rails), command line tools/scripting. Do understand/use advanced Ruby features (metaprogramming, functional programming). Able to implement ordinary SQL based server side (MySQL, **PostgreSQL**) as well as NoSQL based solutions (**MongoDB**)

Use JavaScript/**CoffeeScript**/jQuery/**Backbone.js** for web frontend. See **Node.js** as next web platform. Experienced in modern style SPA ("Single" Page Application): Ruby on Rails backend + rich JS frontend (Backbone.js, Marionette.js) + websockets.

Use Linux(Ubuntu, CentOS, RHEL) for development and web servers deployment.

Software development with **C++** (10+ years of experience) for Windows/Linux. Cross-platform development with Qt framework.

Skills

Operating Systems	Windows / Linux
Programming languages	C/C++ Ruby JavaScript / CoffeeScript SQL Java (Android SDK) VBScript/Microsoft Office VBA
Databases	MySQL, PostgreSQL, SQLite MongoDB
Tools	RubyMine Microsoft Visual Studio Eclipse Unix/GNU tool chain, bash, vim, tmux,
Team development	Git SVN; CVS; Microsoft SourceSafe
Libraries / Technologies	Qt framework 3 / 4 STL, boost; Win32 API; MFC, ATL/WTL; GDI, DirectX; COM/ActiveX controls, Microsoft Office Automation; databases (ODBC, OLE DB) XML, XQuery/XPath/XSLT; Sockets/networking; Multithreading; Regular expressions; UML; Design patterns;
Other	Agile (Scrum)

Web

Generic web development: Understand Web 2.0 / AJAX / OAuth; RESTful services; Scalability; Behavior/Test Driven Development

Rubv

- · Ruby on Rails 2, 3, 4 / Sinatra
- · Ruby Core/Standard library
- · Various Ruby gems/libraries

JavaScript:

- · Node.js / npm / bower / grunt / packages
- · jQuery / jQueryUI / jQueryMobile / Bootstrap / plugins
- · Underscore.js / Backbone.js / Marionette.js / plugins
- · Various JS libraries

Testing: RSpec, Cucumber, Jasmine, Mocha, Chai.js

Deployment platform: any VPS, AWS/EC2/RDS/S3/OpsWorks, Heroku.

Deployment tools: Capistrano, Nginx, Apache Web servers: Thin, Unicorn, Puma, Passenger

Integration: Facebook, Twitter, Google+, Paypal, Stripe

Work Experience

Lead developer / Complete projects

Project: http://oncology-dev.herokuapp.com/ (doctor1@example.com/ / 12345678) **Project description**: Management system for hospitals and clinics specialized in Oncology (activity tracking, invoicing of costs to clinical trials promoters, ...) **Technologies**: Ruby on Rails, PostgreSQL, RSpec, Capybara, Devise, Globalize, HAML, SASS, Bootstrap, ¡Query, Undercore.js

Project: http://getinclusive.com

Project description: E-learning platform for diversity and inclusion training **Technologies**: Ruby on Rails, PostgreSQL, RSpec, Capybara, Devise, DelayedJob CoffeeScript, HAML, SASS, Bootstrap, jQuery, Undercore.js, Backbone.js, Marionette.js, Jasmine

Project: https://whiteboard7.com

Project description: Multiuser Whiteboard SPA, frontend is JS driven (e.g. no page reloading), backend is a non-trivial Rails

Technologies: Ruby on Rails, MySQL, Sqlite, Redis, RSpec, Capybara, Devise, Capistrano, DelayedJob, CoffeeScript, HAML, SASS, Bootstrap, jQuery, Undercore.js, Backbone.js, Marionette.js, Fabric.js, Mocha, Chai.js, Node.js, Grunt, Paypal, Stripe

Project: http://edutainment7.com

Project description: Marketplace for online video courses similar to udemy.com Video uploading / encoding with pandastream.com / S3

Technologies: Ruby on Rails, PostgreSQL, RSpec, Capybara, Devise, ActiveAdmin, Capistrano, CoffeeScript, HAML, SASS, Bootstrap, jQuery, jQueryUI, Undercore.js, Backbone.js, Marionette.js, Mocha, Chai.js, Bower

Project: http://wearedotdotdot.com

Project description: Platform to give young people access to local opportunities to learn digital skills and find work opportunities

Technologies: Ruby on Rails, PostgreSQL, RSpec, Capybara, Devise, ActiveAdmin, Capistrano, CoffeeScript, HAML, SASS, Bootstrap, jQuery, Undercore.js

Project: http://tieto-ams.herokuapp.com (ivanpale / 123456)

Project description: The main purpose of the Audit Management System is to support planning, execution and follow up of internal and external audits and assessments in Tieto.

Technologies: Ruby on Rails, MySQL, Capistrano JavaScript/CoffeeScript, HAML, SASS, jQuery, jQueryUI, Backbone.js RSpec, Cucumber, Continuous Integration

Project: http://hipscout.co Project description: Fashion related MVP Technologies: Ruby on Rails, PostgreSQL, OmniAuth, RSpec, Capybara, Backbone.js, Marionette.is Project: http://rosvostok.ru Project description: News portal Technologies: Ruby on Rails, MongoDB, Devise, RSpec Project: http://e-ege.ru Project description: Online testing based on imported Moodle guizzes Technologies: Ruby on Rails, MySQL, Backbone.js, Devise, RSpec Project: http://f-map.ru Project description: Google Maps with MongoDB backend Technologies: Ruby on Rails, MongoDB, Backbone.js, RSpec Partial projects Project: http://ability.ge Project description: Ability.ge is a place for people to submit and view information about the accessibility of public places Technologies: Ruby on Rails, MySQL Project: http://videopage7.com Project description: Promotional video hosting Technologies: Ruby on Rails, PostgreSQL Project: http://videomail7.com Project description: Record and send webcam video via e-mail Technologies: Ruby on Rails, PostgreSQL Project: https://www.fanwars.com Project description: Fantasy sports management tool Technologies: Ruby on Rails, MySQL Project: http://galleass.com Project description: Forex trading Technologies: Ruby on Rails, MySQL 11.2002 - 10.2010 Various companies/positions as C++/Qt/Ruby developer. In early days created open source project http://sourceforge.net/projects/ufo2000/ (>300,000 downloads)

Examples of actual Gemfiles (libraries used in Rails application)

```
source 'https://rubygems.org'
                                                    source 'https://rubygems.org'
gem 'rails', '3.2.18'
                                                    ruby '2.2.2'
                                                    gem 'rails', '4.2.5'
# server
gem 'thin', :group => :development
                                                   # deployment
gem 'whenever', :require => false
                                                   gem 'thin'
                                                   gem 'airbrake'
gem 'delayed_job_active_record'
gem 'daemons'
                                                   gem 'figaro'
                                                   gem 'rails 12factor', group: :production
gem 'unicorn', :group => [:staging, :production]
# logging and minitoring
                                                    # data
gem 'newrelic_rpm'
                                                   gem 'pg'
                                                   gem 'acts as commentable'
gem 'airbrake'
                                                   gem 'acts_as_list', '~> 0.7'
gem 'le', '2.2.2' #logentries.com for production
log aggregation and live tailing
                                                   gem 'default_value_for', '~> 3.0'
                                                   gem 'state machines-activerecord'
                                                   gem 'simple enum', '~> 2.0'
# data
gem 'pg'
                                                   gem 'money-rails'
gem 'activerecord-postgres-hstore'
                                                   gem 'attribute normalizer'
                                                   gem 'paper trail'
gem 'pg search'
                                                   gem 'will paginate-bootstrap'
                                                   gem 'filterrific'
# Cache
gem 'dalli-elasticache'
                                                   gem 'countries', '~> 1.0'
```

```
gem 'cache digests'
                                                    gem 'groupdate'
                                                    gem 'adhoq', github: 'esminc/adhoq'
# Use foreginer and immigrant to handle
                                                    gem 'randumb'
                                                    gem 'email validator'
auto-indexing of foreign keys
# postgresql doesn't generate fk index
                                                    gem 'pg search', '~> 1.0'
gem 'foreigner'
gem 'immigrant'
                                                    # i18n
gem 'paper_trail', '>= 3.0.0.beta1'
gem 'simple_enum', '~> 1.6'
                                                    gem 'globalize', '~> 5.0'
                                                    gem 'rails-i18n'
gem 'has scope'
                                                    gem 'devise-i18n'
                                                    gem 'will-paginate-i18n'
gem 'attribute normalizer'
                                                    gem 'i18n-tasks', '~> 0.7.13'
gem 'email validator'
gem 'acts_as_list'
                                                    gem 'i18n-js', '>= 3.0.0.rc11'
gem 'role model'
gem 'state machine'
                                                    # users
gem 'carrierwave'
                                                    gem 'devise'
gem 'rabl'
                                                    gem 'cancancan', '~> 1.10'
gem 'acts as commentable with threading'
                                                    gem 'role model'
gem 'awesome nested set', '~> 2.1'
gem 'paranoia', '~> 1.0'
                                                    # ui+
                                                    gem 'bootstrap-sass', '~> 3.3.1.0'
                                                    gem 'font-awesome-rails'
# user
gem 'cancancan', '~> 1.7'
                                                    gem 'sass-rails', '~> 5.0'
gem 'devise', '~> 3.0.0'
                                                    gem 'autoprefixer-rails'
gem 'omniauth'
                                                    gem 'uglifier', '~> 2.0'
                                                    gem 'coffee-rails', '~> 4.1.0'
gem 'omniauth-google-oauth2'
                                                    gem 'jquery-rails'
                                                    gem 'jbuilder', '~> 2.0'
# views
gem 'haml-rails'
                                                    gem 'simple form'
                                                    gem 'country_select'
gem 'backbone-on-rails'
                                                    gem 'haml-rails', '~> 0.8'
gem 'marionette-rails'
                                                    gem 'select2-rails'
gem 'chartkick'
gem 'haml coffee_assets'
gem 'js-routes'
gem 'simple form
                                                    gem 'is-routes'
                                                    gem 'cocoon'
gem 'bootstrap-sass'
                                                    gem 'simple calendar', "~> 2.0"
gem 'font-awesome-rails'
                                                    gem 'datetimepicker-rails', github:
gem 'kaminari'
gem 'bootstrap-kaminari-views'
                                                    'zpaulovics/datetimepicker-rails', branch:
gem 'redactor-rails'
                                                    'master', submodules: true
gem 'wice grid'
                                                    gem 'gretel'
gem 'jcrop-rails'
                                                    gem 'flutie'
                                                    gem 'tinymce-rails'
gem 'fancybox-rails'
gem 'select2-rails', '~> 3.4.8'
                                                    gem 'tinymce-rails-langs'
gem 'swf fu'
gem 'flash cookie_session'
                                                    source 'https://rails-assets.org' do
gem 'google-analytics-rails'
                                                      gem 'rails-assets-datatables'
gem 'nested form'
                                                      gem 'rails-assets-datatables-buttons'
gem 'chart-js-rails'
                                                      gem 'rails-assets-datatables-plugins'
                                                      gem 'rails-assets-jszip'
# misc
                                                     gem 'rails-assets-moment'
gem 'wkhtmltopdf-binary'
                                                      gem 'rails-assets-underscore'
gem 'wicked pdf'
                                                      gem 'rails-assets-json2-js'
gem 'mini magick'
                                                      gem 'rails-assets-store.js'
gem 'redcarpet'
                                                      gem 'rails-assets-animate.css'
gem 'nokogiri'
                                                      gem 'rails-assets-metisMenu'
gem 'rubyzip'
                                                      gem 'rails-assets-pace'
gem 'standard_deviation'
                                                      gem 'rails-assets-slimscroll'
gem 'roadie', '~> 2.4'
                                                      gem 'rails-assets-jquery.kinetic'
gem 'letter opener'
                                                     end
gem 'oj'
gem 'fast blank'
                                                    # general
gem 'inherited_resources'
                                                    gem 'wicked pdf'
gem 'figaro'
                                                    gem 'wkhtmltopdf-binary-edge', '~> 0.12.2.1',
gem 'fog', '~> 1.22'
                                                    group: [:development, :test]
                                                    gem 'wkhtmltopdf-heroku', group: :production
                                                    gem 'axlsx', '~> 2.0', github: 'randym/axlsx'
# dev
gem 'awesome print'
                                                    gem 'axlsx rails'
group :development, :test do
                                                    gem 'roo', '~> 2.1'
                                                    gem 'seedbank'
 #gem 'debugger'
 gem "rspec-rails", '~> 2.14.0'
 gem 'simplecov', :require => false
                                                    # dev
 gem "capybara"
                                                    gem 'awesome print'
                                                    gem 'factory_girl_rails'
 gem 'cucumber-rails', :require => false
 gem 'capybara-screenshot'
 gem 'capybara-webkit'
                                                    group :development, :test do
 gem 'launchy'
                                                     # gem 'jazz hands', github: 'nixme/jazz hands',
                                                    branch: 'bring-your-own-debugger'
  gem 'poltergeist'
  gem 'selenium-webdriver'
                                                      # gem 'byebug'
                                                      # gem 'web-console', '~> 2.0'
                                                      # gem 'rails-erd'
  gem "factory_girl_rails"
 gem "ffaker"
                                                      gem 'better errors'
```

```
gem 'binding of caller'
 gem "database cleaner"
 #gem 'better errors'
                                                      gem 'spring'
                                                      gem 'spring-commands-rspec'
 gem 'capistrano', '~> 3.2.0'
 gem 'quiet_assets'
                                                      gem 'rspec-rails'
 gem 'mail_view', '~> 2.0.4'
                                                      gem 'quiet_assets'
                                                     gem 'letter opener'
end
                                                    end
group :staging do
# gem 'ruby-prof'
                                                    group :test do
end
                                                     gem 'capybara'
                                                      gem 'database_cleaner'
                                                     gem 'simplecov', require: false
# Gems used only for assets and not required
                                                     gem 'poltergeist'
# in production environments by default.
group :assets do
                                                     gem 'phantomjs', require:
 gem 'sass-rails', '~> 3.2.3' gem 'coffee-rails', '~> 3.2.1'
                                                    'phantomjs/poltergeist'
 gem 'turbo-sprockets-rails3'
 gem 'jquery-rails'
 gem 'jquery-ui-rails'
 # See
https://github.com/sstephenson/execjs#readme for
more supported runtimes
 gem 'therubyracer' #, :platforms => :ruby
 gem 'uglifier', '>= 1.0.3'
end
```