



PMDM 23/24

Conselleria d'Educació, Universitats i Ocupació

<u>Val</u> / <u>Cas</u> / <u>Eng</u> / <u>Fra</u>

Q (Busca) Busca

Eixir

Començat el dimarts, 28 novembre 2023, 15:15

Estat Acabat

Completat el dimarts, 28 novembre 2023, 15:35

Temps emprat 19 minuts 56 segons Punts 4,75/15,00

Qualificació 3,17 sobre 10,00 (**31,67**%)

_	-
	ta
	JII
	β
	Pre

Correcte

Puntuació 1,00 sobre 1,00

The first generation to provide digital voice and data was ...

- a. Generation 0
- b. 1G technology
- ⊚ c. 2G technology •
- od. 3G technology

La resposta és correcta.

La resposta correcta és: 2G technology

Pregunta **2**

Parcialment correcte

Puntuació 0,75 sobre 1,00

Match collection with its characteristic

Collections that associate keys with values

Мар

Fixed-size collections that can store elements of the same type

Collection that has no order and no duplicate values

Ordered collections that can store elements of the same or different types $|\;\;$ $|\;$



La resposta és parcialment correcta.

Heu seleccionat correctament 3.

La resposta correcta és:

Collections that associate keys with values \rightarrow Map,

Fixed-size collections that can store elements of the same type \rightarrow Array,

Collection that has no order and no duplicate values \rightarrow Set,

Ordered collections that can store elements of the same or different types \rightarrow List.

Pregunta 3	
Incorrecte	
Puntuació -0,50 sobre 1,00	

What will be the terminal output of the following code:



a. [Pear, Apple, Kiwi, Orange][Pear, Kiwi, Orange]

b. [Pear, Apple, Kiwi, Orange]*[Pear, Apple, Orange]

c. [Pear, Apple, Kiwi, Orange][Pear, Apple]

od. ERROR: Unresolved reference

La resposta és incorrecta.

La resposta correcta és:

EKKUK; UNITESOIVEG FEIEFENCE

Incorrects The following diagram shows an example of the high-order function: ■ a. map() □ b. filter() □ c. groupBy() □ d. fold()**	Pregunta 4
The following diagram shows an example of the high-order function: The following diagram shows an example of the high-order function:	Incorrecte
The following diagram shows an example of the high-order function: a. map() b. filter() c. a. groupBy() d. c. groupBy() d. d. fold() **	Puntuació -0,50 sobre 1,00
The following diagram shows an example of the high-order function: a. map() b. filter() c. groubBy() d. fold(0,**)	
 a. map() b. filter() c. groupby() ⊚ d. fold() ⊚ d. fold() 	The following diagram shows an example of the high-order function:
 ○ a. map() ○ b. filter() ○ c. groupBy() ○ d. fold() 	
 a. map() b. filter() c. groupBy() ∅ d. fold()* 	
 a. map() b. filter() c. groupBy() d. fold()★ 	
 a. map() b. filter() c. groupBy() d. fold()* 	
 ○ a. map() ○ b. filter() ○ c. groupBy() ○ d. fold()* 	
 ○ a. map() ○ b. filter() ○ c. groupBy() ○ d. fold()* 	
 ○ a. map() ○ b. filter() ○ c. groupBy() ○ d. fold()* 	
 ○ a. map() ○ b. filter() ○ c. groupBy() ○ d. fold() 	
 ○ a. map() ○ b. filter() ○ c. groupBy() ○ d. fold() 	
<pre>○ c. groupBy()</pre>	o a. map() ob. filter()
● d. fold() ×	○ c. groupBy()
	◎ d. fold()★

recta.
incori
és
oosta
resi
Гa

La resposta correcta és: groupBy()

Pregunta 5

Correcte Puntuació 1,00 sobre 1,00 A Toast message in an Android APP will disappear ...

- a. when the user taps on the Toast
- Ob. automatically after a fixed timeout period
- c. when the user taps outside the Toast
- d. automatically after a configurable timeout period

La resposta és correcta.

La resposta correcta és:

automatically after a configurable timeout period

Pregunta 6
No s'ha respost
Puntuat sobre 1,00
Which sentence is correct about the "calculate" function
O a. returns another function
\odot b. has as input parameters: 2 Integers (a and b) and an array of Integers (operation)
Oc. has another function as input parameter
Od. is an anonymous function

La resposta és incorrecta.

La resposta correcta és: has another function as input parameter

Pregunta **7**

Incorrecte

Puntuació -0,50 sobre 1,00

Choose the right option Java-Kotlin:

- a. Both options are incorrect
- b. Kotlin code can be used in projects that are already written in Java
- ◎ c. Java code can be used in projects that are already written in Kotlin🗙
- O d. Both options are correct

La resposta és incorrecta.

La resposta correcta és: Both options are correct

Pregunta **8**

Correcte

Puntuació 1,00 sobre 1,00

The purpose of the @Preview annotation is to ...

- a. show the composable in the Preview panel
- b. show the composable in the USB-connected mobile
- c. show the composable in the mobile emulator screen
- od. All are correct

La resposta és correcta.

La resposta correcta és: show the composable in the Preview panel

Pregunta 9	
Incorrecte	
Puntuació 0,00 sobre 1,00	
Kotlin allows variable values to be <i>null</i> by default	
Trieu-ne una:	
○ Vertader ★	
○ Fals	

La resposta correcta és 'Fals'.

Pregunta 1U
No s'ha respost
Puntuat sobre 1,00
The Kotlin acces modifiers are:
O a. private, public, final and protected
Ob. private, public, internal and protected
Oc. private, public, final and package
Od. private, public, internal and final

La resposta és incorrecta.

La resposta correcta és: private, public, internal and protected

T	=
•	ā
	nn,
	reg
	Д

Correcte

Puntuació 1,00 sobre 1,00

The pictures that we will use in our Android Studio project must be saved in the folder:

- o a. Photos
- Ob. Themes
- c. Drawable
- od. Images

La resposta és correcta.

La resposta correcta és: Drawable

Pregunta 12
Correcte
Puntuació 1,00 sobre 1,00
The following snapshot corresponds to:
o a. build.gradle.kts (Module)
Ob. build.gradle.kts (Project)
○ c. AndroidManifest.xml
Od. MainActivity.kt

La resposta és correcta.

La resposta correcta és: AndroidManifest.xml

Pregunta 13	
Incorrecte	
Puntuació -0,50 sobre 1,00	

First communications between mobile devices was implemented using _____

- a. infrared waves
- b. microwaves
- c. audio waves
- d. radio waves

La resposta és incorrecta.

La resposta correcta és: radio waves

	t 1,00	A composable Column() has the following placement parameters:	O a. horizontalAlignment and verticalArrangement	Ob. horizontalAlignment and horizontalArrangement	oc. verticalAlignment and verticalArrangement	Od. verticalAlignment and horizontalArrangement	
Pregunta 14	No s'ha respost Puntuat sobre 1,00	A composable Colum	🔘 a. horizontalAlig	○ b. <i>horizontalAli</i> g	🔘 c. verticalAlignn	📗 🗀 d. <i>verticalAlignn</i>	

La resposta és incorrecta.

La resposta correcta és: horizontalAlignment and verticalArrangement

Correcte Puntuació 1,00 sobre 1,00 ENUM classes are used to force a given set of values to be the only accepted ones Trieu-ne una: ◎ Vertader ❤ ○ Fals La resposta correcta és 'Vertader'.	Pregunta 15
sed to force a given set of values to be the only accepted ones a és 'Vertader'.	Correcte
given set of values to be the only accepted ones	Puntuació 1,00 sobre 1,00
given set of values to be the only accepted ones	
	ENUM classes are used to force a given set of values to be the only accepted ones
	Trieu-ne una:
	○ Vertader
	○ Fals
	La resposta correcta és 'Vertader'.