Syntax Child: > nav>ul>li <nav> <111> </nav> Sibling: + div+p+bq <div></div> <blook
quote></blockquote> Climb-up: ^ div+div>p>span+em^bq div+div>p>span+em^^bq <div></div> <div></div> <div> <div> <blook
quote></blockquote> </div> </div> <blook
quote></blockquote> Grouping: () div>(header>ul>li*2>a)+footer>p (div>dl>(dt+dd)*3)+footer>p <div> <div> <header> <dl> <dt></dt> <dd></dd> <dt></dt> <dd></dd></header> <dt></dt> <dd></dd> <footer> </dl> </div> </footer> </div> <footer> </footer> Multiplication: * ul>li*5 <111> Item numbering: \$ ul>li.item\$*5 h\$[title=item\$]{Header \$}*3 ul>li.item\$\$\$*5 <h1 title="item1">Header 1</h1> <l class="item1"> <h2 title="item2">Header 2</h2> class="item001"> class="item2"> <h3 title="item3">Header 3</h3> class="item002"> class="item3"> class="item003"> class="item4"> class="item004"> class="item5"> class="item005"> ul>li.item\$@-*5 ul>li.item\$@3*5 <l class="item5"> class="item3"> class="item4"> class="item4"> class="item3"> class="item5"> class="item2"> class="item6"> class="item1"> class="item7"> ID and CLASS attributes #header .title form#search.wide

<div class="title"></div>

<form id="search" class="wide">

</form>

Custom attributes

p.class1.class2.class3

<div id="header"></div>

```
p[title="Hello world"]
                                            td[rowspan=2 colspan=3 title]
                                                                                        [a='value1' b="value2"]
   <td rowspan="2" colspan="3"
                                                                                            <div a="value1" b="value2"></div>
                                                title="">
Text: {}
a{Click me}
                                            p>{Click }+a{here}+{ to continue}
   <a href="">Click me</a>
                                                Click <a href="">here</a> to
                                                continue
Implicit tag names
.class
                                            em>.class
                                                                                        ul>.class
   <div class="class"></div>
                                                <em><span class="class"></span></em>
                                                                                            <l
                                                                                                class="class">
                                                                                            table>.row>.col
   HTML
All unknown abbreviations will be transformed to tag, e.g. foo \rightarrow <foo></foo>.
                                                                                        a:link
                                                <a href=" "> </a>
                                                                                            <a href="http://|">|</a>
   Alias of html:5
   <!doctype html>
                                                <a href="mailto:|">|</a>
                                                                                            <abbr title=" "> </abbr>
   <html lang="en">
   <head>
                                            acronym
                                                                                        base
       <meta charset="UTF-8" />
                                                                                            <base href="|" />
                                                <acronym title="|">|</acronym>
       <title> Document </title>
                                            basefont
                                                                                        br
   </head>
                                                <base>font />
                                                                                            <br />
   <body>
                                            frame
   </body>
                                                <frame />
                                                                                            <hr />
   </html>
                                            bdo
                                                                                        hdo:r
                                                <bdo dir=" "> </bdo>
                                                                                            <bdo dir="rtl"> </bdo>
bdo:l
                                            col
   <bdo dir="ltr"> </bdo>
                                                <col />
                                                                                            <link rel="stylesheet" href=" | " />
link:css
                                            link:print
                                                                                        link:favicon
                                                                                            <link rel="shortcut icon"</pre>
   <link rel="stylesheet" href="</pre>
                                                <link rel="stylesheet" href="</pre>
                                                print .css" media="print" />
                                                                                            type="image/x-icon" href="
    style .css" />
                                                                                            favicon.ico " />
link:touch
                                            link:rss
                                                                                        link:atom
   <link rel="apple-touch-icon" href="</pre>
                                                k rel="alternate"
                                                                                            <link rel="alternate"</pre>
                                                type="application/rss+xml"
                                                                                            type="application/atom+xml"
   favicon.png " />
                                                title="RSS" href=" rss.xml " />
                                                                                            title="Atom" href=" atom.xml " />
                                            meta:utf
                                                                                        meta:win
meta
   <meta />
                                                <meta http-equiv="Content-Type"</pre>
                                                                                            <meta http-equiv="Content-Type"</pre>
                                                content="text/html;charset=UTF-8" />
                                                                                            content="text/html;
                                                                                            charset=windows-1251" />
meta:vp
                                            meta:compat
                                                                                        style
   <meta name="viewport"
                                                <meta http-equiv="X-UA-Compatible"</pre>
                                                                                            <style> </style>
   content="width= device-width,
                                                content="IE=7" />
                                                                                        script
   user-scalable= no , initial-scale=
                                                                                            <script> </script>
   [1.0], maximum-scale=[1.0],
                                            script:src
                                                                                        img
   minimum-scale=[1.0]" />
                                                <script src="|">|</script>
                                                                                            <img src="|" alt="|" />
iframe
                                                                                        object
   <iframe src=" " frameborder="0">
                                                <embed src="|" type="|" />
                                                                                            <object data="|" type="|">|</object>
   </iframe>
                                            param
                                                                                        map
                                                <param name="|" value="|" />
                                                                                            <map name=" | "> | </map>
area
   <area shape="|" coords="|" href="|"
                                                <area shape="default" href="|" alt="</pre>
                                                                                            <area shape="circle" coords="|"</pre>
   alt=" " />
                                                " />
                                                                                            href=" " alt=" " />
```

```
area:r
                                             area:p
                                                 <area shape="poly" coords="|" href="
    <area shape="rect" coords="|" href="
                                                                                               <form action="|">|</form>
    " alt=" " />
                                                 " alt=" " />
                                                                                           form:aet
                                                                                              <form action=" " method="get"> |
form:post
                                             label
                                                                                           input
   <form action=" " method="post">
                                                 <label for=" "> </label>
                                                                                               <input type="[ text ]" />
   </form>
                                                                                           input:hidden
                                                 <input type=" text " name=" " id=" |</pre>
                                                                                              Alias of input[type=hidden name]
                                                 " />
                                                                                               <input type="hidden" name="|" />
input:h
                                             input:text, input:t
                                                                                           input:search
   Alias of input:hidden
                                                 Alias of inp
                                                                                              Alias of inp[type=search]
   <input type="hidden" name="|" />
                                                 <input type=" text " name=" | " id=" |</pre>
                                                                                               <input type="search" name="|" id="|</pre>
                                                                                           input:email
                                                                                              Alias of inp[type=email]
                                                                                               <input type="email" name="|" id="|"</pre>
input:url
                                             input:password
                                                                                           input:p
   Alias of inp[type=url]
                                                 Alias of inp[type=password]
                                                                                              Alias of input:password
   <input type="url" name=" " id=" " />
                                                 <input type="password" name=" " id="</pre>
                                                                                               <input type="password" name=" " id="</pre>
                                                 " />
                                                                                               " />
                                             input:date
input:datetime
                                                                                           input:datetime-local
   Alias of inp[type=datetime]
                                                 Alias of inp[type=date]
                                                                                              Alias of inp[type=datetime-
                                                                                              locall
    <input type="datetime" name="|" id="</pre>
                                                 <input type="date" name=" | " id=" | "</pre>
    " />
                                                                                               <input type="datetime-local" name="|</pre>
                                                                                               input:week
input:month
                                                                                           input:time
   Alias of inp[type=month]
                                                 Alias of inp[type=week]
                                                                                              Alias of inp[type=time]
   <input type="month" name="|" id="|"</pre>
                                                                                               <input type="time" name="|" id="|"</pre>
                                                 <input type="week" name=" " id=" "</pre>
input:number
                                             input:color
                                                                                           input:checkbox
   Alias of inp[type=number]
                                                 Alias of inp[type=color]
                                                                                              Alias of inp[type=checkbox]
                                                 <input type="color" name="|" id="|"</pre>
   <input type="number" name=" " id=" |</pre>
                                                                                               <input type="checkbox" name=" " id="</pre>
    " />
                                                                                               " />
input:c
                                             input:radio
                                                                                           input:r
   Alias of input:checkbox
                                                 Alias of inp[type=radio]
                                                                                              Alias of input:radio
                                                 <input type="radio" name="|" id="|"</pre>
    <input type="checkbox" name="|" id="</pre>
                                                                                              <input type="radio" name="|" id="|"</pre>
    " />
                                                                                              />
                                             input:file
input:range
                                                                                           input:f
   Alias of inp[type=range]
                                                 Alias of inp[type=file]
                                                                                              Alias of input:file
   <input type="range" name="|" id="|"</pre>
                                                 <input type="file" name="|" id="|"</pre>
                                                                                              <input type="file" name="|" id="|"</pre>
input:submit
                                             input:s
                                                                                           input:image
   <input type="submit" value="|" />
                                                                                              <input type="image" src="|" alt="|"</pre>
                                                 Alias of input:submit
                                                                                              />
                                                 <input type="submit" value="|" />
                                                                                           input:i
                                                                                              Alias of input:image
                                                                                               <input type="image" src="|" alt="|"</pre>
input:button
                                             input:b
                                                                                           isindex
    <isindex />
                                                 Alias of input:button
                                                                                           input:reset
                                                 <input type="button" value=" | " />
                                                                                               Alias of
                                                                                               input:button[type=reset]
                                                                                               <input type="reset" value="| " />
```

select	option	textarea
<pre><select id=" " name=" "> </select></pre>	<pre><option value=" "> </option></pre>	<textarea cols=" 30" id=" " name=" " rows="10"> </textarea>
menu:context	menu:c	menu:toolbar
Alias of menu[type=context]>	Alias of menu:context	Alias of menu[type=toolbar]>
<pre><menu type="context"> </menu></pre>	<pre><menu type="context"> </menu></pre>	<menu type="toolbar"> </menu>
menu:t	video	audio
Alias of menu:toolbar	<video src=" "> </video>	<audio src=" "> </audio>
<menu type="toolbar"> </menu>	<pre>html:xml</pre>	keygen <keygen/>
	/1999/xhtml">	command
		<pre><command/></pre>
bq	acr	fig
Alias of blockquote	Alias of acronym	Alias of figure
<blockquote> </blockquote>	<pre><acronym title=" "> </acronym></pre>	<figure> </figure>
figc	ifr	emb
Alias of figcaption	Alias of iframe	Alias of embed
<figcaption> </figcaption>	<iframe frameborder="0" src=" "> </iframe>	<pre><embed src=" " type=" "/></pre>
		obj
		Alias of object
		<pre><object data=" " type=" "> </object></pre>
src	cap	colg
Alias of source	Alias of caption	Alias of colgroup
<source/>	<caption> </caption>	<colgroup> </colgroup>
fst, fset	btn	btn:b
Alias of fieldset	Alias of button	Alias of button[type=button]
<fieldset> </fieldset>	<button> </button>	<pre><button type="button"> </button></pre>
btn:r	btn:s	optg
Alias of button[type=reset]	Alias of button[type=submit]	Alias of optgroup
<button type="reset"> </button>	<pre><button type="submit"> </button></pre>	<pre><optgroup> </optgroup></pre>
opt	tarea	leg
Alias of option	Alias of textarea	Alias of legend
<pre><option value=" "> </option></pre>		

Alias of command <command />

<map name="|">

</map>

href="|" alt="|" />

<area shape="|" coords="|"

```
select+
                                             optgroup+, optg+
                                                                                          !!!
                                                                                              <!doctype html>
   Alias of select>option
                                                 Alias of optgroup>option
                                                                                          !!!4t
    <select name="|" id="|">
                                                 <optgroup>
                                                                                              <!DOCTYPE HTML PUBLIC "-//W3C//DTD
        <option value="|">|</option>
                                                     <option value="|"> |</option>
                                                                                              HTML 4.01 Transitional//EN"
    </select>
                                                 </optgroup>
                                                                                              "http://www.w3.org/TR/html4
                                                                                              /loose.dtd">
!!!4s
                                             !!!xt
    <!DOCTYPE HTML PUBLIC "-//W3C//DTD</pre>
                                                 <!DOCTYPE html PUBLIC "-//W3C//DTD</pre>
                                                                                              <!DOCTYPE html PUBLIC "-//W3C//DTD</pre>
   HTML 4.01//EN" "http://www.w3.org
                                                 XHTML 1.0 Transitional//EN"
                                                                                              XHTML 1.0 Strict//EN"
   /TR/html4/strict.dtd">
                                                 "http://www.w3.org/TR/xhtml1
                                                                                              "http://www.w3.org/TR/xhtml1
                                                                                              /DTD/xhtml1-strict.dtd">
                                                 /DTD/xhtml1-transitional.dtd">
!!!xxs
                                                                                          cc:ie6
    <!DOCTYPE html PUBLIC "-//W3C//DTD</pre>
                                                 <!-- |${child} -->
                                                                                              <!--[if lte IE 6]>
   XHTML 1.1//EN" "http://www.w3.org
                                                                                                  ${child}
                                                                                              <![endif]-->
   /TR/xhtml11/DTD/xhtml11.dtd">
cc:ie
                                             cc:noie
    <!--[if IE]>
                                                 <!--[if !IE]><!-->
        ${child}
                                                     ${child}
    <![endif]-->
                                                 <!--<![endif]-->
```

CSS

CSS module uses fuzzy search to find unknown abbreviations, e.g. ov:h == ov-h == oh.

If abbreviation wasn't found, it is transformed into property name: foo-bar ightarrow foo-bar: I;

You can prefix abbreviations with hyphen to produce vendor-prefixed properties: -foo

Visual Formatting

pos	position: relative;	pos:s	position:static;	pos:a	position:absolute;
		pos:r	position:relative;	pos:f	<pre>position:fixed;</pre>
t	top: ;	t:a	top:auto;	r	right: ;
r:a	right:auto;	b	bottom: ;	b:a	bottom:auto;
l	left: ;	l:a	left:auto;	z	<pre>z-index: ;</pre>
z:a	z-index:auto;	fl	float: left;	fl:n	float:none;
				fl:l	float:left;
fl:r	float:right;	cl	clear: both;	cl:n	clear:none;
				cl:l	clear:left;
cl:r	clear:right;	cl:b	clear:both;	d	<pre>display: block;</pre>
d:n	display:none;	d:b	display:block;	d:i	display:inline;
d:ib	display:inline-block;	d:li	<pre>display:list-item;</pre>	d:ri	display:run-in;
d:cp	display:compact;	d:tb	display:table;	d:itb	<pre>display:inline-table;</pre>
d:tbcp	display:table- caption;	d:tbcl	display:table-column;	d:tbclg	<pre>display:table-column- group;</pre>
d:tbhg	display:table-header-	d:tbfg	display:table-footer-	d:tbr	display:table-row;
	group;		group;	d:tbrg	<pre>display:table- row-group;</pre>
d:tbc	<pre>display:table-cell;</pre>	d:rb	display:ruby;	d:rbb	display:ruby-base;
d:rbbg	display:ruby- base-group;	d:rbt	display:ruby-text;	d:rbtg	<pre>display:ruby- text-group;</pre>
v	visibility: hidden;	v:v	visibility:visible;	v:h	visibility:hidden;
		v:c	visibility:collapse;	ov	overflow: hidden;
ov:v	overflow:visible;	ov:h	overflow:hidden;	ov:s	overflow:scroll;
ov:a	overflow:auto;	ovx	overflow-x: hidden;	ovx:v	overflow-x:visible;
				ovx:h	overflow-x:hidden;
ovx:s	overflow-x:scroll;	ovx:a	overflow-x:auto;	ovy	overflow-y: hidden;
ovy:v	overflow-y:visible;	ovy:h	overflow-y:hidden;	ovy:s	overflow-y:scroll;
ovy:a	overflow-y:auto;				

ovs	overflow-style: scrollbar;	ovs:a	overflow-style:auto;	ovs:s	<pre>overflow- style:scrollbar;</pre>
		ovs:p	overflow-	ovs:m	overflow-style:move;
			style:panner;	ovs:mq	overflow- style:marquee;
z00, zm	zoom:1;	ср	clip: ;	ср:а	clip:auto;
cp:r	clip:rect(top	rsz	resize: ;	rsz:n	resize:none;
	right bottom	rsz:b	resize:both;	rsz:h	resize:horizontal;
	left);	rsz:v	resize:vertical;	cur	<pre>cursor:\${pointer};</pre>
cur:a	cursor:auto;	cur:d	cursor:default;	cur:c	cursor:crosshair;
cur:ha	cursor:hand;	cur:he	cursor:help;	cur:m	cursor:move;
cur:p	cursor:pointer;	cur:t	cursor:text;		
Margin & Padding					
m	margin: ;	m:a	margin:auto;	mt	margin-top: ;
mt:a	margin-top:auto;	mr	margin-right: ;	mr:a	margin-right:auto;
mb	margin-bottom: ;	mb:a	margin-bottom:auto;	ml	margin-left: ;
ml:a	margin-left:auto;	р	padding: ;	pt	padding-top: ;
pr	padding-right: ;	pb	padding-bottom: ;	pl	padding-left: ;
Box Sizing	lano adadaa	hvz.ch	han aisina ann an la	byz · bb	hav afafaanhaadaa hav
bxz	<pre>box-sizing: border-box;</pre>	bxz:cb	<pre>box-sizing:content-bo x;</pre>	bxz:bb	<pre>box-sizing:border-box ;</pre>
		bxsh	box-shadow: inset hoff voff blur color;	bxsh:r	box-shadow: inset hoff voff blur spread rgb(0, 0, 0);
bxsh:ra	box-shadow: inset	bxsh:n	box-shadow:none;	w	width: ;
	(h) (v) (blur) (spread rgba(0),	w:a	width:auto;	h	height: ;
	0, 0, .(5);	h:a	height:auto;	maw	<pre>max-width: ;</pre>
		maw:n	<pre>max-width:none;</pre>	mah	<pre>max-height: ;</pre>
mah:n	max-height:none;	miw	min-width: ;	mih	<pre>min-height: ;</pre>
Font					
f	font: ;	f+	font: 1em	fw	font-weight: ;
			<pre>Arial,sans-serif);</pre>	fw:n	<pre>font-weight:normal;</pre>
fw:b	<pre>font-weight:bold;</pre>	fw:br	font-weight:bolder;	fw:lr	<pre>font-weight:lighter;</pre>
fs	<pre>font-style:\${italic};</pre>	fs:n	<pre>font-style:normal;</pre>	fs:i	font-style:italic;
fs:o	font-style:oblique;	fv	font-variant: ;	fv:n	<pre>font-variant:normal;</pre>
fv:sc	<pre>font-variant:small-ca ps;</pre>	fz	<pre>font-size: ;</pre>	fza	font-size-adjust: ;
	,	fza:n	<pre>font-size- adjust:none;</pre>	ff	font-family: ;
			aujuse.none,	ff:s	<pre>font-family:serif;</pre>
ff:ss	<pre>font-family:sans- serif;</pre>	ff:c	font-family:cursive;	ff:f	<pre>font-family:fantasy;</pre>
	36.11,	ff:m	<pre>font-family:monospace ;</pre>	ff:a	font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;
fef	<pre>font-effect: ;</pre>	fef:n	<pre>font-effect:none;</pre>	fef:eg	font-effect:engrave;
fef:eb	<pre>font-effect:emboss;</pre>	fef:o	<pre>font-effect:outline;</pre>	fem	<pre>font-emphasize: ;</pre>
femp	<pre>font-emphasize- position: ;</pre>	femp:b	<pre>font-emphasize- position:before;</pre>	femp:a	<pre>font-emphasize- position:after;</pre>
fems	<pre>font-emphasize-style: ;</pre>	fems:n	font-emphasize- style:none;	fems:ac	<pre>font-emphasize- style:accent;</pre>

fems:dt	<pre>font-emphasize- style:dot;</pre>	fems:c	<pre>font-emphasize- style:circle;</pre>	fems:ds	<pre>font-emphasize- style:disc;</pre>
fsm	<pre>font-smooth: ;</pre>	fsm:a	font-smooth:auto;	fsm:n	<pre>font-smooth:never;</pre>
fsm:aw	<pre>font-smooth:always;</pre>	fst	<pre>font-stretch: ;</pre>	fst:n	<pre>font-stretch:normal;</pre>
fst:uc	font-stretch:ultra- condensed;	fst:ec	font-stretch:extra-condensed;	fst:c	<pre>font-stretch:condense d;</pre>
fst:sc	<pre>font-stretch:semi- condensed;</pre>	fst:se	font-stretch:semi- expanded;	fst:e	<pre>font-stretch:expanded ;</pre>
fst:ee	font-stretch:extra- expanded;	fst:ue	font-stretch:ultra- expanded;		
Text					
va	<pre>vertical-align: top;</pre>	va:sup	vertical-align:super;	va:t	<pre>vertical-align:top;</pre>
		va:tt	<pre>vertical- align:text-top;</pre>	va:m	<pre>vertical- align:middle;</pre>
va:bl	vertical- align:baseline;	va:b	vertical- align:bottom;	va:tb	<pre>vertical-align:text- bottom;</pre>
va:sub	vertical-align:sub;	ta	text-align: left;	ta:l	text-align:left;
				ta:c	text-align:center;
ta:r	text-align:right;	ta:j	text-align:justify;	ta-lst	text-align-last: ;
tal:a	text-align-last:auto;	tal:l	text-align-last:left;	tal:c	text-align- last:center;
tal:r	text-align-	td	text-decoration:	td:n	text-decoration:none;
	last:right;		none ;	td:u	text-decoration:under line;
td:o	text-decoration:overl	td:l	text-decoration:line-	te	text-emphasis: ;
	ine;		through;	te:n	text-emphasis:none;
te:ac	text-emphasis:accent;	te:dt	text-emphasis:dot;	te:c	text-emphasis:circle;
te:ds	text-emphasis:disc;	te:b	text-emphasis:before;	te:a	text-emphasis:after;
th	text-height: ;	th:a	text-height:auto;	th:f	<pre>text-height:font-size ;</pre>
th:t	text-height:text-size	th:m	text-height:max-size;	ti	text-indent: ;
	;	ti:-	text-indent:-9999px;	tj	<pre>text-justify: ;</pre>
tj:a	text-justify:auto;	tj:iw	<pre>text-justify:inter-wo rd;</pre>	tj:ii	text-justify:inter- ideograph;
tj:ic	text-justify:inter-	tj:d	text-justify:distribu	tj:k	text-justify:kashida;
	cluster;		te;	tj:t	text-justify:tibetan;
to	<pre>text-outline: ;</pre>	to+	text-outline: 0 0	to:n	text-outline:none;
			(#000);	tr	text-replace: ;
tr:n	text-replace:none;	tt	text-transform:	tt:n	text-transform:none;
			uppercase];	tt:c	text-transform:capita lize;
tt:u	text-transform:upperc	tt:l	text-transform:lowerc	tw	text-wrap: ;
	ase;		ase;	tw:n	<pre>text-wrap:normal;</pre>
tw:no	text-wrap:none;	tw:u	text-wrap:unrestricte	tw:s	text-wrap:suppress;
			d;	tsh	text-shadow: hoff voff blur #000 ;
tsh:r	text-shadow: h v blur rgb(0, 0 , 0);	tsh:ra	text-shadow: h v blur rgba(0, 0 , 0, .5);	tsh+	text-shadow: 0 0 0 0 #000;
	_			tsh:n	text-shadow:none;
lh	line-height: ;	lts	letter-spacing: ;	whs	white-space: ;

whs:n	white-space:normal;	whs:p	white-space:pre;	whs:nw	white-space:nowrap;
whs:pw	white-space:pre-wrap;	whs:pl	white-space:pre-line;	whsc	white-space-collapse:
whsc:n	white-space- collapse:normal;	whsc:k	white-space- collapse:keep-all;	whsc:l	<pre>i; white-space- collapse:loose;</pre>
whsc:bs	white-space-	whsc:ba	white-space-	wob	word-break: ;
misc. vs	collapse:break- strict;	misc.bu	collapse:break-all;	wob:n	word-break:normal;
	50, 100,	wob:k	word-break:keep-all;	wob:l	word-break:loose;
wob:bs	word-break:break-	wob:ba	word-break:break-all;	WOS	word-spacing: ;
	strict;	WOW	word-wrap: ;	wow:nm	word-wrap:normal;
wow:n	word-wrap:none;	wow:u	word-wrap:unrestricte	WOW:S	word-wrap:suppress;
	,		d;	wow:b	word-wrap:break-word;
Background					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
bg	background: ;	bg+	background: #fff	bg:n	background:none;
			url() 0 0 no-repeat;	bgc	<pre>background-color:# fff;</pre>
bgc:t	background- color:transparent;	bgi	<pre>background-image:url();</pre>	bgi:n	background- image:none;
bgr	background-repeat: ;	bgr:n	background-repeat:no- repeat;	bgr:x	background- repeat:repeat-x;
bgr:y	<pre>background- repeat:repeat-y;</pre>	bgr:sp	<pre>background- repeat:space;</pre>	bgr:rd	background- repeat:round;
bga	background- attachment: ;	bga:f	<pre>background- attachment:fixed;</pre>	bga:s	background- attachment:scroll;
bgp	<pre>background-position: 0 0;</pre>	bgpx	<pre>background- position-x: ;</pre>	bgpy	<pre>background- position-y: ;</pre>
		bgbk	background-break: ;	bgbk:bb	background- break:bounding-box;
bgbk:eb	background- break:each-box;	bgbk:c	background- break:continuous;	bgcp	<pre>background-clip: padding-box ;</pre>
bgcp:bb	<pre>background- clip:border-box;</pre>	bgcp:pb	<pre>background- clip:padding-box;</pre>	bgcp:cb	background- clip:content-box;
bgcp:nc	<pre>background- clip:no-clip;</pre>	bgo	background-origin: ;	bgo:pb	background- origin:padding-box;
bgo:bb	background-	bgo:cb	background-	bgsz	background-size: ;
	origin:border-box;		origin:content-box;	bgsz:a	background-size:auto;
bgsz:ct	background- size:contain;	bgsz:cv	background- size:cover;		
Color					
С	color:# 000;	c:r	color:rgb([0], [0], [0]);	c:ra	color:rgba((0), (0), (0), (0), (5);
ор	opacity: ;				
Generated conten					
cnt	content:' ';	cnt:n, ct:n	content:normal;	cnt:oq, ct:oq	content:open-quote;
cnt:noq, ct:noq	<pre>content:no- open-quote;</pre>	cnt:cq, ct:cq	content:close-quote;	cnt:ncq, ct:ncq	<pre>content:no-close- quote;</pre>
cnt:a, ct:a	<pre>content:attr();</pre>	cnt:c, ct:c	<pre>content:counter();</pre>	<pre>cnt:cs, ct:cs</pre>	<pre>content:counters();</pre>
ct	content: ;	q	quotes: ;	q:n	quotes:none;
q:ru	quotes:'\00AB' '\00BB' '\201E' '\201C';	q:en	quotes:'\201C' '\201D' '\2018' '\2019';	coi cor	<pre>counter-increment: ; counter-reset: ;</pre>
Outline					
ol	outline: ;	ol:n	outline:none;	olo	outline-offset: ;

olw	outline-width: ;	ols	outline-style: ;	olc	outline-color:#000;
olc:i	outline-color:invert;				
Tables					
tbl	table-layout: ;	tbl:a	table-layout:auto;	tbl:f	table-layout:fixed;
cps	caption-side: ;	cps:t	caption-side:top;	cps:b	caption-side:bottom;
ec	empty-cells: ;	ec:s	empty-cells:show;	ec:h	empty-cells:hide;
Border bd	border: ;	bd+	handam (1m) (aslid	bd:n	handaninana
Du	border: ;	Бит	border: 1px solid #000;	bdbk	border:none;
Is alle to a		1. 4. 3			border-break: close;
bdbk:c	border-break:close;	bdcl	border-collapse: ;	bdcl:c	<pre>border- collapse:collapse;</pre>
bdcl:s	<pre>border- collapse:separate;</pre>	bdc	border-color:#000;	bdc:t	border- color:transparent;
bdi	<pre>border-image:url();</pre>	bdi:n	border-image:none;	bdti	<pre>border-top-image:url();</pre>
bdti:n	border- top-image:none;	bdri	<pre>border-right- image:url();</pre>	bdri:n	border-right- image:none;
bdbi	<pre>border-bottom- image:url();</pre>	bdbi:n	<pre>border-bottom- image:none;</pre>	bdli	<pre>border- left-image:url();</pre>
bdli:n	border- left-image:none;	bdci	<pre>border-corner- image:url();</pre>	bdci:n	<pre>border-corner- image:none;</pre>
bdci:c	border-corner- image:continue;	bdtli	<pre>border-top-left- image:url();</pre>	bdtli:n	<pre>border-top-left- image:none;</pre>
bdtli:c	<pre>border-top-left- image:continue;</pre>	bdtri	<pre>border-top-right- image:url();</pre>	bdtri:n	<pre>border-top-right- image:none;</pre>
bdtri:c	<pre>border-top-right- image:continue;</pre>	bdbri	<pre>border-bottom-right- image:url();</pre>	bdbri:n	<pre>border-bottom-right- image:none;</pre>
bdbri:c	<pre>border-bottom-right- image:continue;</pre>	bdbli	<pre>border-bottom- left-image:url();</pre>	bdbli:n	<pre>border-bottom- left-image:none;</pre>
bdbri:c	<pre>image:continue; border-bottom-</pre>	bdbli bdf		bdbli:n bdf:c	
	image:continue;		left-image:url();		left-image:none;
	<pre>image:continue; border-bottom-</pre>		left-image:url();	bdf:c	<pre>left-image:none; border-fit:clip;</pre>
bdbli:c	<pre>image:continue; border-bottom- left-image:continue;</pre>	bdf	<pre>left-image:url(); border-fit: repeat;</pre>	bdf:c bdf:r	<pre>left-image:none; border-fit:clip; border-fit:repeat;</pre>
bdbli:c bdf:sc	<pre>image:continue; border-bottom- left-image:continue; border-fit:scale;</pre>	bdf bdf:st	<pre>left-image:url(); border-fit: repeat; border-fit:stretch;</pre>	bdf:c bdf:r bdf:ow	<pre>left-image:none; border-fit:clip; border-fit:repeat; border-fit:overwrite;</pre>
bdbli:c bdf:sc bdf:of	<pre>image:continue; border-bottom- left-image:continue; border-fit:scale; border-fit:overflow;</pre>	bdf bdf:st bdf:sp	<pre>left-image:url(); border-fit: repeat; border-fit:stretch; border-fit:space;</pre>	bdf:c bdf:r bdf:ow bdlen	<pre>left-image:none; border-fit:clip; border-fit:repeat; border-fit:overwrite; border-length: ;</pre>
bdbli:c bdf:sc bdf:of bdlen:a	<pre>image:continue; border-bottom- left-image:continue; border-fit:scale; border-fit:overflow; border-length:auto;</pre>	bdf:st bdf:sp bdsp	<pre>left-image:url(); border-fit: repeat; border-fit:stretch; border-fit:space; border-spacing: ;</pre>	bdf:c bdf:r bdf:ow bdlen bds	<pre>left-image:none; border-fit:clip; border-fit:repeat; border-fit:overwrite; border-length: ; border-style: ;</pre>
bdbli:c bdf:sc bdf:of bdlen:a bds:n	<pre>image:continue; border-bottom- left-image:continue; border-fit:scale; border-fit:overflow; border-length:auto; border-style:none; border-style:dashed; border-</pre>	bdf:st bdf:sp bdsp bds:h	<pre>left-image:url(); border-fit: repeat; border-fit:stretch; border-fit:space; border-spacing: ; border-style:hidden; border-style:solid; border-style:dot-</pre>	bdf:c bdf:r bdf:ow bdlen bds bds:dt	<pre>left-image:none; border-fit:clip; border-fit:repeat; border-fit:overwrite; border-length: ; border-style: ; border-style:dotted;</pre>
bdbli:c bdf:sc bdf:of bdlen:a bds:n bds:ds	<pre>image:continue; border-bottom- left-image:continue; border-fit:scale; border-fit:overflow; border-length:auto; border-style:none; border-style:dashed;</pre>	bdf:st bdf:sp bdsp bds:h bds:s	<pre>left-image:url(); border-fit: repeat; border-fit:stretch; border-fit:space; border-spacing: ; border-style:hidden; border-style:solid;</pre>	bdf:c bdf:r bdf:ow bdlen bds bds:dt bds:db	<pre>left-image:none; border-fit:clip; border-fit:repeat; border-fit:overwrite; border-length: ; border-style: ; border-style:dotted; border-style:double;</pre>
bdbli:c bdf:sc bdf:of bdlen:a bds:n bds:ds	<pre>image:continue; border-bottom- left-image:continue; border-fit:scale; border-fit:overflow; border-length:auto; border-style:none; border-style:dashed; border-</pre>	bdf:st bdf:sp bdsp bds:h bds:s	<pre>left-image:url(); border-fit: repeat; border-fit:stretch; border-fit:space; border-spacing: ; border-style:hidden; border-style:solid; border-style:dot-</pre>	bdf:c bdf:r bdf:ow bdlen bds bds:dt bds:db bds:w	<pre>left-image:none; border-fit:clip; border-fit:repeat; border-fit:overwrite; border-length: ; border-style: ; border-style:dotted; border-style:double; border-style:wave;</pre>
bdbli:c bdf:sc bdf:of bdlen:a bds:n bds:ds bds:dtds	<pre>image:continue; border-bottom- left-image:continue; border-fit:scale; border-fit:overflow; border-length:auto; border-style:none; border-style:dashed; border- style:dot-dash;</pre>	bdf:st bdf:sp bdsp bds:h bds:s	<pre>left-image:url(); border-fit: repeat; border-fit:stretch; border-fit:space; border-spacing: ; border-style:hidden; border-style:solid; border-style:dot-dot-dash;</pre>	bdf:c bdf:r bdf:ow bdlen bds bds:dt bds:db bds:y	<pre>left-image:none; border-fit:clip; border-fit:repeat; border-fit:overwrite; border-length: ; border-style: ; border-style:dotted; border-style:double; border-style:wave; border-style:groove;</pre>
bdbli:c bdf:sc bdf:of bdlen:a bds:n bds:ds bds:dtds	<pre>image:continue; border-bottom- left-image:continue; border-fit:scale; border-fit:overflow; border-length:auto; border-style:none; border-style:dashed; border- style:dot-dash; border-style:ridge;</pre>	bdf:st bdf:sp bds:p bds:h bds:s bds:dtdtds	<pre>left-image:url(); border-fit: repeat; border-fit:stretch; border-fit:space; border-spacing: ; border-style:hidden; border-style:solid; border-style:dot-dot-dash; border-style:inset;</pre>	bdf:c bdf:r bdf:ow bdlen bds bds:dt bds:db bds:w bds:g bds:o	<pre>left-image:none; border-fit:clip; border-fit:repeat; border-fit:overwrite; border-length: ; border-style: ; border-style:dotted; border-style:double; border-style:groove; border-style:outset; border-top: 1px</pre>
bdbli:c bdf:sc bdf:of bdlen:a bds:n bds:ds bds:dtds bds:dtds	<pre>image:continue; border-bottom- left-image:continue; border-fit:scale; border-fit:overflow; border-length:auto; border-style:none; border-style:dashed; border- style:dot-dash; border-style:ridge; border-width: ;</pre>	bdf bdf:st bdf:sp bdsp bds:h bds:s bds:dtdtds bds:i bdt, bt	<pre>left-image:url(); border-fit: repeat; border-fit:stretch; border-fit:space; border-spacing: ; border-style:hidden; border-style:dot-dot-dash; border-style:inset; border-top: ;</pre>	bdf:c bdf:r bdf:ow bdlen bds bds:dt bds:db bds:y bds:g bds:o bdt+	<pre>left-image:none; border-fit:clip; border-fit:repeat; border-fit:overwrite; border-length: ; border-style: ; border-style:dotted; border-style:double; border-style:groove; border-style:outset; border-top: 1px solid #000;</pre>
bdbli:c bdf:sc bdf:of bdlen:a bds:n bds:ds bds:dtds bds:dtds	<pre>image:continue; border-bottom- left-image:continue; border-fit:scale; border-fit:overflow; border-length:auto; border-style:none; border-style:dashed; border- style:dot-dash; border-style:ridge; border-width: ;</pre>	bdf:st bdf:sp bdsp bds:h bds:s bds:dtdtds bds:i bdt, bt	<pre>left-image:url(); border-fit: repeat; border-fit:stretch; border-fit:space; border-spacing: ; border-style:hidden; border-style:dot-dot-dash; border-style:inset; border-top: ;</pre>	bdf:c bdf:r bdf:ow bdlen bds bds:dt bds:db bds:w bds:g bds:o bdt+	<pre>left-image:none; border-fit:clip; border-fit:repeat; border-fit:overwrite; border-length: ; border-style: ; border-style:double; border-style:wave; border-style:groove; border-style:outset; border-top: 1px</pre>
bdbli:c bdf:sc bdf:of bdlen:a bds:n bds:ds bds:dtds bds:r bdw bdt:n bdt:n	<pre>image:continue; border-bottom- left-image:continue; border-fit:scale; border-fit:overflow; border-length:auto; border-style:none; border-style:dashed; border- style:dot-dash; border-style:ridge; border-width: ; border-top:none; border-top:style:none;</pre>	bdf:st bdf:sp bdsp bds:h bds:s bds:dtdtds bds:i bdt, bt bdtw bdtc	<pre>left-image:url(); border-fit: repeat; border-fit:stretch; border-fit:space; border-spacing: ; border-style:hidden; border-style:dot-dot-dash; border-style:inset; border-top-width: ; border-top-color:# 000;</pre>	bdf:c bdf:r bdf:ow bdlen bds bds:dt bds:db bds:w bds:g bds:o bdt+	<pre>left-image:none; border-fit:clip; border-fit:repeat; border-fit:overwrite; border-length: ; border-style: ; border-style:double; border-style:wave; border-style:groove; border-style:outset; border-top: 1px</pre>
bdbli:c bdf:sc bdf:of bdlen:a bds:n bds:ds bds:dtds bds:r bdw bdt:n bdt:n	<pre>image:continue; border-bottom- left-image:continue; border-fit:scale; border-fit:overflow; border-length:auto; border-style:none; border-style:dashed; border- style:dot-dash; border-style:ridge; border-width: ; border-top:none; border-top:style:none;</pre>	bdf:st bdf:sp bdsp bds:h bds:s bds:dtdtds bds:i bdt, bt bdtw bdtc	<pre>left-image:url(); border-fit: repeat; border-fit:stretch; border-fit:space; border-spacing: ; border-style:hidden; border-style:dot-dot-dash; border-style:inset; border-top: ; border-top-width: ; border-top-color:# 000;</pre>	bdf:c bdf:r bdf:ow bdlen bds bds:dt bds:db bds:y bds:g bds:o bdt+	<pre>left-image:none; border-fit:clip; border-fit:repeat; border-fit:overwrite; border-length: ; border-style: ; border-style:dotted; border-style:wave; border-style:groove; border-style:outset; border-top: 1px</pre>
bdbli:c bdf:sc bdf:of bdlen:a bds:n bds:ds bds:dtds bds:r bdw bdt:n bdts:n	<pre>image:continue; border-bottom- left-image:continue; border-fit:scale; border-fit:overflow; border-length:auto; border-style:none; border-style:dashed; border- style:dot-dash; border-style:ridge; border-width: ; border-top:none; border-top-style:none;</pre>	bdf:st bdf:sp bdsp bds:h bds:s bds:dtdtds bds:i bdt, bt bdtw bdtc	<pre>left-image:url(); border-fit: repeat; border-fit:stretch; border-fit:space; border-spacing: ; border-style:hidden; border-style:dot-dot-dash; border-style:inset; border-top: ; border-top-width: ; border-top-color:# 000; border-right: 1px solid #000; border-right-</pre>	bdf:c bdf:r bdf:ow bdlen bds bds:db bds:w bds:g bds:o bdt+ bdts bdtc:t	<pre>left-image:none; border-fit:clip; border-fit:repeat; border-fit:overwrite; border-length: ; border-style: ; border-style:double; border-style:wave; border-style:outset; border-top: 1px</pre>

bdbw	<pre>border-bottom-width: ;</pre>	bdbs	<pre>border-bottom-style: ;</pre>	bdbs:n	border-bottom- style:none;
bdbc	border-bottom-color:#	bdbc:t	border-bottom-	bdl, bl	border-left: ;
	[000];		color:transparent;	bdl+	border-left: 1px solid #000;
bdl:n	border-left:none;	bdlw	border-left-width: ;	bdls	border-left-style: ;
bdls:n	border- left-style:none;	bdlc	<pre>border-left-color:# 000;</pre>	bdlc:t	border- left-color:transparen t;
bdrs	border-radius: ;	bdtrrs	border-top-right- radius: ;	bdtlrs	<pre>border-top-left- radius: ;</pre>
bdbrrs	<pre>border-bottom-right- radius: ;</pre>	bdblrs	border-bottom- left-radius: ;		
Lists					
lis	list-style: ;	lis:n	list-style:none;	lisp	<pre>list-style-position: ;</pre>
lisp:i	list-style-	lisp:o	list-style-	list	list-style-type: ;
	position:inside;		position:outside;	list:n	list-style-type:none;
list:d	list-style-type:disc;	list:c	list-style- type:circle;	list:s	list-style- type:square;
list:dc	<pre>list-style- type:decimal;</pre>	list:dclz	list-style- type:decimal-	list:lr	list-style- type:lower-roman;
			leading-zero;	list:ur	list-style- type:upper-roman;
lisi	list-style-image: ;	lisi:n	list-style- image:none;		
Print					
pgbb	page-break-before: ;	pgbb:au	page-break- before:auto;	pgbb:al	page-break- before:always;
pgbb:l	page-break-	pgbb:r	page-break-	pgbi	page-break-inside: ;
	before:left;		before:right;	pgbi:au	page-break- inside:auto;
pgbi:av	<pre>page-break- inside:avoid;</pre>	pgba	page-break-after: ;	pgba:au	page-break- after:auto;
pgba:al	page-break- after:always;	pgba:l	<pre>page-break- after:left;</pre>	pgba:r	page-break- after:right;
orp	orphans: ;	wid	widows: ;		
Others					
1	!important	@f	<pre>@font-face { font-family: ; src:url(); }</pre>		

```
@f+
                                             @i, @import
                                                                                          @kf
                  @font-face {
                                                                @import url(|);
                                                                                                             @-webkit-keyframes
                      font-family: '
                                                                                                              identifier \{
                   FontName ';
                                                                                                                  from ] { | }
                      src: url('
                                                                                                                  to | { | }
                   FileName .eot');
                      src: url('
                                                                                                             @-o-keyframes
                   FileName
                                                                                                              [identifier] {
                   .eot?#iefix')
                                                                                                                  from | { | }|
                  format('embedded-
                                                                                                                  to { | }
                  opentype'),
                           url(
                                                                                                             @-moz-keyframes
                   FileName ].woff')
                                                                                                              [identifier] {
                  format('woff'),
                                                                                                                  from { }
                           url(
                                                                                                                  to { | }
                   FileName .ttf')
                  format('truetype'),
                                                                                                             @keyframes
                           url(
                                                                                                             identifier {
                   FileName .svg#
                                                                                                                  from | { | } |
                   FontName ')
                                                                                                                  to { | }
                  format('svg');
                      font-style:
                                                                                                             }
                   normal;
                                             @m, @media
                                                                                          anim
                                                                                                             animation: ;
                                                                @media (screen) {
                      font-weight:
                   normal;
                                                                                          anim-
                                                                                                             animation: name
                                                                }
                  }
                                                                                                              duration
                                                                                                              timing-function
                                                                                                              delay
                                                                                                              iteration-count
                                                                                                              direction
                                                                                                              fill-mode ;
animdel
                  animation-delay:
                                             animdir
                                                                animation-direction:
                                                                                          animdir:a
                                                                                                             animation-
                                                                                                             direction:alternate;
                   time];
                                                                 normal);
                                                                                          animdir:ar
                                                                                                             animation-
                                                                                                             direction:alternate-
                                                                                                             reverse;
animdir:n
                                             animdir:r
                                                                                          animdur
                  animation-
                                                                animation-
                                                                                                             animation-duration:
                  direction:normal;
                                                                direction:reverse;
                                                                                                              [ 0 ]s;
animfm
                                             animfm:b
                                                                                          animfm:bt, animfm:bh
                  animation-fill-mode:
                                                                animation-
                                                                                                                      animation-
                   both;
                                                                fill-mode:backwards;
                                                                                                                      fill-mode:bot
                                                                                                                      h:
animfm:f
                                             animic
                                                                animation-iteration-
                                                                                          animic:i
                                                                                                             animation-iteration-
                  animation-
                  fill-mode:forwards;
                                                                count:[1];
                                                                                                             count:infinite;
                                                                                          animn
                                                                                                             animation-name: none
animps
                  animation-play-state:
                                             animps:p
                                                                animation-
                                                                                          animps:r
                                                                                                             animation-
                   running];
                                                                play-state:paused;
                                                                                                             play-state:running;
                                             anim+f
                                                                                          animtf:ch
                                                                animation-timing-
                                                                                                             animation-timing-
                                                                                                             function:cubic-
                                                                function: [linear];
                                                                                                             bezier([0.1], [0.7],
                                                                                                              [1.0], [0.1];
animtf:e
                                             animtf:ei
                                                                                          animtf:eio
                  animation-timing-
                                                                animation-timing-
                                                                                                             animation-timing-
                  function:ease;
                                                                function:ease-in;
                                                                                                             function:ease-in-out;
animtf:eo
                                             animtf:1
                  animation-timing-
                                                                animation-timing-
                                                                                          ар
                                                                                                             appearance:${none};
                  function:ease-out;
                                                                function:linear;
                                                                                          bg:ie
                                                                                                             filter:progid:DXImage
                                                                                                             Transform.Microsoft.A
                                                                                                             lphaImageLoader(src='
                                                                                                              x
                                                                                                              .png',sizingMethod='
                                                                                                              crop ');
                  /* \${child} */
                                             colm
                                                                                          colmc
cm
                                                                columns: |;
                                                                                                             column-count: ;
colmf
                  column-fill: ;
                                                                column-gap: ;
                                                                                          colmr
                                                                                                             column-rule: ;
                                             colmg
                                                                column-rule-style: |;
colmrc
                                             colmrs
                                                                                          colmrw
                  column-rule-color: ;
                                                                                                             column-rule-width: ;
```

1		1	2		
colms	column-span: ;	colmw	column-width: ;	mar	max-resolution: res;
mir	min-resolution:[res];	op:ie	<pre>filter:progid:DXImage Transform.Microsoft.A lpha(Opacity=100);</pre>	op:ms	<pre>-ms-filter:'progid:DX ImageTransform.Micros oft.Alpha(Opacity=100)';</pre>
ori	orientation: ;	ori:l	orientation:landscape	ori:p	orientation:portrait;
			;	tov	<pre>text-overflow:\${ellip sis};</pre>
tov:c	<pre>text-overflow:clip;</pre>	tov:e	text-overflow:ellipsi	trf	transform: ;
			s;	trf:r	<pre>transform: rotate(angle);</pre>
trf:sc	<pre>transform: scale(x , y);</pre>	trf:scx	<pre>transform: scaleX(x);</pre>	trf:scy	<pre>transform: scaleY(y);</pre>
		trf:skx	<pre>transform: skewX(angle);</pre>	trf:sky	<pre>transform: skewY(angle);</pre>
trf:t	<pre>transform: translate(x, y);</pre>	trf:tx	<pre>transform: translateX((x);</pre>	trf:ty	<pre>transform: translateY((y));</pre>
trfo	transform-origin: ;	trfs	<pre>transform-style: preserve-3d;</pre>	trs	<pre>transition: prop time;</pre>
trsde	<pre>transition-delay: time ;</pre>	trsdu	transition-duration: time;	trsp	<pre>transition-property: prop;</pre>
trstf	transition-timing-function: tfunc;	us	user-select:\${none};	wfsm	<pre>-webkit- font-smoothing:\${anti aliased};</pre>
wfsm:a	<pre>-webkit- font-smoothing:antial iased;</pre>	wfsm:n	<pre>-webkit- font-smoothing:none;</pre>	wfsm:s, wfsm:sa	-webkit- font-smoothing:sub pixel-antialiased;
XSL					
tm	ala . ala l	tmatch		tn	ala I
<xsl:templat< td=""><td>e match=" " mode=" "> ate></td><td>Alias of tm</td><td></td><td><pre><xsl:template <="" pre="" xsl:template<=""></xsl:template></pre></td><td></td></xsl:templat<>	e match=" " mode=" "> ate>	Alias of tm		<pre><xsl:template <="" pre="" xsl:template<=""></xsl:template></pre>	
		<xsl:templat <td>e match=" " mode=" "> te></td><td>tname</td><td></td></xsl:templat 	e match=" " mode=" "> te>	tname	
				Alias of tn	
				<xsl:template <="" td="" xsl:templat<=""><td></td></xsl:template>	
call		ар		api	
<xsl:call-te< td=""><td>emplate name=" " /></td><td><xsl:apply-t mode="\"/></xsl:apply-t </td><td>emplates select=" "</td><td><xsl:apply-in< td=""><td>nports /></td></xsl:apply-in<></td></xsl:call-te<>	emplate name=" " />	<xsl:apply-t mode="\"/></xsl:apply-t 	emplates select=" "	<xsl:apply-in< td=""><td>nports /></td></xsl:apply-in<>	nports />
				imp <xsl:import h<="" td=""><td>nref=" " /></td></xsl:import>	nref=" " />
inc	. hore carland	ch	I. 61. de	xsl:when	
<pre><xsl:include pre="" wh<=""></xsl:include></pre>	e href=" " />	<xsl:choose></xsl:choose>		<pre><xsl:when if<="" pre="" tes=""></xsl:when></pre>	t=" ">
Alias of xs	-1l		se>		=" ">
<xsl:when td="" te<=""><td>sı:wnen</td><td>XSET OCHE WE</td><td>3C/ \\ X31.0 CHCI W13C/</td><td></td><td></td></xsl:when>	sı:wnen	XSET OCHE WE	3C/ \\ X31.0 CHCI W13C/		
	st:wnen est=" ">	par		pare <xsl:param na<="" td=""><td>nme=" " select=" " /></td></xsl:param>	nme=" " select=" " />
var		par	ame=" ">	<pre><xsl:param no<="" pre=""></xsl:param></pre>	nme=" " select=" " />
	est=" ">	par <xsl:param n<br="">vare</xsl:param>		<pre>. <xsl:param na="" pre="" wp<=""></xsl:param></pre>	name=" " select=" " /> ram name=" " select=" "
<xsl:variabl <="" td="" xsl:variab<=""><td>est=" "> e name=" "> </td><td>par <pre><xsl:param <xsl:variabl="" elem<="" n="" pre="" vare=""></xsl:param></pre></td><td>ame=" "> e name=" " select=" " /></td><td><pre> <xsl:param <xsl:with-par="" no="" wp=""></xsl:param> attr</pre></td><td>ram name=" " select=" "</td></xsl:variabl>	est=" "> e name=" ">	par <pre><xsl:param <xsl:variabl="" elem<="" n="" pre="" vare=""></xsl:param></pre>	ame=" "> e name=" " select=" " />	<pre> <xsl:param <xsl:with-par="" no="" wp=""></xsl:param> attr</pre>	ram name=" " select=" "
<xsl:variabl <="" td="" xsl:variab<=""><td>est=" "> </td><td>par <xsl:param n<br="">vare <xsl:variabl< td=""><td>ame=" "> </td></xsl:variabl<></xsl:param> e name=" " select=" " /></td><td><pre> <xsl:param <xsl:with-par="" no="" wp=""></xsl:param></pre></td><td>ram name=" " select=" " re name=" "> </td></xsl:variabl>	est=" ">	par <xsl:param n<br="">vare <xsl:variabl< td=""><td>ame=" "> </td></xsl:variabl<></xsl:param> e name=" " select=" " />	ame=" ">	<pre> <xsl:param <xsl:with-par="" no="" wp=""></xsl:param></pre>	ram name=" " select=" " re name=" ">
<pre><xsl:variabl <="" <xsl:key="" key="" nam="" xsl:variab=""></xsl:variabl> attrs</pre>	est=" "> e name=" "> le name=" "> ne=" " match=" " use=" "	par <pre></pre>	ame=" "> e name=" " select=" " /> name=" ">	<pre></pre>	ram name=" " select=" " te name=" "> te>
<pre><xsl:variabl <="" <xsl:key="" key="" nam="" xsl:variab=""></xsl:variabl> attrs</pre>	est=" "> de name=" "> de name=" "> de> me=" " match=" " use=" "	par <pre></pre>	ame=" "> e name=" " select=" " /> name=" ">	<pre></pre>	ram name=" " select=" " re name=" ">

```
for
                                                <xsl:text> </xsl:text>
                                                                                             <xsl:comment> </xsl:comment>
   Alias of each
                                                                                         fall
                                            msg
   <xsl:for-each select="|">|
                                                                                             <xsl:fallback> </xsl:fallback>
                                                <xsl:message terminate="no">|
   </xsl:for-each>
                                                </xsl:message>
                                                                                         num
                                                                                             <xsl:number value="" />
nam
                                             pres
                                                                                          strip
                                                <xsl:preserve-space elements="|" />
   <namespace-alias stylesheet-prefix="
                                                                                             <xsl:strip-space elements="\" />
    " result-prefix=" " />
                                            proc
                                                                                         sort
                                                <xsl:processing-instruction name="|</pre>
                                                                                             <xsl:sort select=" " order=" " />
                                                "> </xsl:processing-instruction>
                                                                                          choose+
                                                                                             Alias of
                                                                                             xsl:choose>xsl:when+xsl:otherwis
                                                                                             <xsl:choose>
                                                                                                 <xsl:when test=" "> </xsl:when>
                                                                                                  <xsl:otherwise> |</xsl:otherwise>
                                                                                             </xsl:choose>
xsl
                                             !!!
                                                <?xml version="1.0"</pre>
   Alias of
                                                encoding="UTF-8"?>
   !!!+xsl:stylesheet[version=1.0
   xmlns:xsl=http://www.w3.org
   /1999/XSL/Transform]>{
   1}
   <?xml version="1.0" encoding="UTF-</pre>
   8"?>
   <xsl:stylesheet version="1.0"</pre>
   xmlns:xsl="http://www.w3.org
   /1999/XSL/Transform">
        </xsl:stylesheet>
```