

Startup ID Creation Module

SAN-253

End-to-end functional wireframes — Format Builder, Location Master, Digital ID Card, round & program controls.

TR26 - GOM - UDPR - 000326

SPECIMEN

Reference format, as issued to a recognised startup — each segment independently on/off & reorderable per tenant via the Format Builder (p. 4).

TR	State Code — fixed per tenant
26	Year of Recognition
GOM	District
UDPR	Sub-Division
000326	State-wide serial, never resets

STATUS	DRAFT WIREFRAMES — structural planning aid, not final visual design. Feature spec status is also draft, not approvable pending the one remaining open question (see Appendix, p.14).	
SCOPE LEGEND	PART 1 Startup ID module — grounded in reviewed BRD v1.4 + backend design doc, code-verified · PART 2 Program/round toggles (reapply cooldown, restrict-to-Startup-ID) — resolved via product/dev-lead pass	
SOURCES	BRD_Startup_ID_Creation_Module_v1.4.pdf · Startup-Recognition-ID-Design.pdf (sc-saas-backend) · Tripura/TRISE reference card image · specs/features/SAN-253-startup-id-creation-module.spec.md	
REPOS TOUCHED	sanchiconnect-saas-tenants · sc-saas-backend · sc-saas-admin · sc-saas-frontend 4 REPOS — REVISED 2026-08-08	
LINEAR	SAN-253 (governing issue) → Project "Startup ID Creation Module + Program/Round Configuration Controls" → SAN-254/255/257/258 (SAN-256 cancelled, see Appendix)	
DATE	08 August 2026	

CONTENTS	
01 How to read these wireframes	08 Program creation, step 1 — Reapply + Restrict-to-Startup-ID PART 2
02 End-to-end flow, actor by actor	09 Startup registration form — District & Sub-Division fields PART 1
03 Startup ID Format Builder PART 1	10 Applicant-facing flow — login gate & eligibility message PART 2
04 Location Master PART 1	11 Startup account page — Startup ID display PART 1
05 Digital ID Card Design Builder PART 1	12 Printable Digital ID Card PART 1
06 Tenant Settings — Digital ID Card toggle PART 1	13 Appendix — open questions index
07 Round configuration — Generate Startup ID + Freeze Application PART 1	

01 • Conventions used throughout

These are structural wireframes — layout & logic, not final visual design. Colour/branding in the actual product may differ; the BRD's own high-fidelity comps (indigo/violet, card-based) remain the visual reference.

- img

Dashed box — an image, logo, or photo-panel **asset placeholder**. In the real screen this is an uploaded file, not typed content.
- Segment

Draggable chip — an ID-format segment (Format Builder) or a layer (Card Design Builder). Reorderable by drag in the real screen.
- P oq

Open-question flag — this exact point is **not yet decided**. Full text of the one remaining flagged question is in the Appendix (p. 14), cross-referenced to the feature spec.
- PART 1

Screen is grounded in the reviewed BRD v1.4 and verified against real code by the feature spec — ready to be built.
- Pill toggle — a boolean setting. Filled/indigo = on, grey = off. Used for every module & round/program flag in this feature.
- 1

Numbered annotation — points to a specific piece of behaviour, explained in the numbered list directly beneath that wireframe.
- NEW

Marks a UI element that does not exist in the product today — everything else on that screen is an existing control, shown for context only.
- PART 2


Screen covers a requirement outside the original BRD document. Resolved via a direct product/dev-lead pass — same build-readiness as Part 1, just sourced differently.

ONE APPLICATION, TENANT SELF-SERVICE — REVISED 2026-08-08

Every screen in this deck is **sc-saas-admin** — the tenant's own admin panel. An earlier draft of this feature planned the Format Builder, Location Master, and Digital ID Card Design Builder as platform-operator-only screens in a separate application (`sanchiconnect-saas-tenants-admin` , "the Admin Portal"). That plan was explicitly reversed: those three screens are now tenant self-service, in this same app, gated by a dedicated **"Startup ID Management"** permission module rather than a separate operator tool.


Access within `sc-saas-admin` itself: **Format Builder** and **Digital ID Card Design Builder** are **Developer Admin-only**; **Location Master**, viewing issued IDs, and the manual **Generate ID** action are also available to **Super Admin/Owner**. This reverses the original BRD's statement that Tenant Developer Admin has no access to this configuration "in any form."

02 · End-to-end flow, actor by actor



03 · Startup ID Format Builder

PART 1



SanchiConnect

Admin Console

Dashboard

Application Management

Stakeholders

Startup ID

Certificates & Digital ID Cards

Settings

Startup ID / Format Builder

Developer Admin access · 3,482 Startup IDs issued

AVAILABLE SEGMENTS 1

Country Code

optional

City

optional

Spoke

from Partner

SELECTED FORMAT — DRAG TO REORDER 2

State

Year

District 3

Sub-Division

Serial No. 4

TR26-GOM-UDPR-000326

Live preview — updates instantly on every drag, before saving

FORMAT CHANGE & REGENERATION 5

3,482 Startup IDs will be regenerated under the new format. Source values are preserved — only the assembled string changes.

Confirm & Regenerate All

- 1

Every segment type — including State Code and Serial No. — lives in the same removable palette. Nothing is core or locked.
- 2

Reordering happens live; the preview string below updates on every drag, before anything is saved.
- ✓

Relocated 2026-08-08: this screen is Developer Admin-only within `sc-saas-admin` — no separate Admin Portal, no tenant switcher, no platform operator. This is the tenant's own configuration now.
- 3

District/Sub-Division codes come from the Location Master registry match (p. 5) — never typed here.
- 4


Removing Serial No. from the visible format does not stop its counter running in the background — it's the collision-safe backstop if other segments repeat.
- 5

Regeneration is async, chunked, and fully audited (actor, timestamp, before/after snapshot) — see spec `$Format-change` flow.
- ✓

Resolved (Spoke, corrected 2026-08-08): not a manually-managed segment — it's the tenant's existing ecosystem/partner data (`ecosystem_enabled` + `partnerId` on the startup). Present only when the startup has a partner; omitted otherwise, same as any other empty optional segment.

04 • Location Master

PART 1



SanchiConnect

Admin Console

Dashboard

Application Management

Stakeholders

Startup ID

Certificates & Digital ID Cards

Settings

Startup ID / Location Master

Super Admin + Developer Admin access

District City Sub-Division

NAME	CODE	SOURCE	STATUS	
Gomati 12 Startup IDs issued	GOM	Standard Registry (IN-LGD)	Active	Edit · Deactivate
West Tripura	WTR	Standard Registry (IN-LGD)	Active	Edit · Deactivate
Dhalai	DHL	Standard Registry (IN-LGD)	Inactive	Edit · Deactivate
Sepahijala 1	SEP	Manual entry	Active	Edit · Deactivate

NEW ENTRY — SEARCH "UNAKOTI" 2

Matched in registry: UNK from Standard Geography Registry — not a guess, edit only if no match found

Save Entry

- 1

Districts/Sub-Divisions/Cities with no match in the Standard Geography Registry (e.g. an unseeded region) fall back to a flagged manual entry — distinct from a registry match, not an equally-trusted guess.
- 2


Registry-search-and-match: typing a name checks the Standard Geography Registry first — the code auto-fills and is not editable when matched. Manual entry (row above, "Sepahijala") only applies when no match exists.
- ✓

Resolved (Spoke, corrected 2026-08-08): not managed on this screen at all — Spoke is the tenant's existing ecosystem/partner data (ecosystem_enabled flag + partnerId already on startups + the existing partners table). Its abbreviation is a field on the existing Partner add/edit form (Stakeholders → Partners), not a new Location Master tab. A startup with no partner (Hub-owned) simply has no value here — not a fixed "HUB" placeholder.
- ✓

Resolved (City): a new "City" tab and table (city_master) are added to this hierarchy, nested under District — independent of the pre-existing registration City field elsewhere in the product, which is untouched. City is hideable/showable on the card/ID like every other segment.

05 • Digital ID Card Design Builder

PART 1



SanchiConnect

Admin Console

Dashboard

Application Management

Stakeholders

Startup ID

Certificates & Digital ID Cards

Settings

Startup ID / Card Design Builder

Preview w/ Data Save Template

LAYERS 1

Background

Logo — Left

Logo — Right

Photo Panel

Company Name BOUND

Startup ID BOUND

Recognised Year BOUND

QR Code BOUND

L L QR

{{company_name}}

{{startup_id}}

{{recognised_year}}

PROPERTIES — STARTUP ID

LAYER 2

Data binding

startup_id

Position X / Y

26mm / 34mm

Font size / Colour

14pt / #FFFFFF

CR80 card ratio · 85.6 × 54mm · 300 DPI

- 1

Static layers (background, logos, photo panels) render identically on every card; bound layers resolve to each startup's real data at render time — same template, personalised output.
- 2


No free-form code or markup — every property is set through this panel. Saving applies immediately; unlike a format change, a card redesign never triggers regeneration (it's presentation-only).
- ✓

Resolved (asset constraints): no format, size/resolution, or colour-mode restriction — both RGB and CMYK accepted, deliberately unconstrained this phase.
- ✓

Resolved (Developer Admin-only): this screen, like the Format Builder, is restricted to the tenant's own Developer Admin role — Super Admin/Owner can view issued IDs and trigger Generate ID (p. 7) but not edit the template.

06 • Settings — Digital ID Card toggle

PART 1



SanchiConnect

Admin Console

Dashboard

Application Management

Stakeholders

Startup ID

Certificates & Digital ID Cards

Settings

PLATFORM MODULES — EACH TOGGLE TURNS A MODULE ON/OFF FOR THIS TENANT

Certificates

Issue & publicly verify participation/completion certificates.

Digital ID Card

THIS MODULE

Format, location codes, and the card's visual design are all configured from Startup ID → Format Builder / Location Master / Card Design Builder in this app — see p. 4–6.

Gamification

Points, badges, leaderboards across programs.

Jury Scheduling

Allow jury to request a live call with the applicant.

i This toggle authorises generation to run and unlocks the Startup ID Management module's screens for this tenant's Developer Admin/Super Admin. Turning it off later does not retract Startup IDs already issued.

Startup ID Creation Module – Wireframes

p. 7

07 • Round configuration

PART 1

SanchiConnect

Admin Console

Application Management

Stakeholders

Startup ID

Settings

Application Management / Rounds

Configure Round — Round 2: Shortlisting

ROUND SETTINGS

Round name: Round 2 — Shortlisting

Rating method: Weighted rubric

Opens: 10 Mar 2026 · Closes: 24 Mar 2026

EVALUATION & PROGRESSION CONTROLS

Jury Auto-Allotment

EXISTING

☒

Automatically assign jury on round entry.

Generate Startup ID

NEW

☒

Mint a Startup ID the first time an application enters this round.

Requires the Digital ID Card toggle ON (Settings, p. 7)

Freeze Application

NEW

☐

Once entered, this round locks the application in place — it can no longer move.

Freeze Application has no admin override in Phase 1 — reversing a misrouted freeze needs a direct data correction.

- i

Both new toggles render only when the tenant's Digital ID Card module is on; Generate Startup ID additionally greys out with a tooltip if the module toggle itself is off, so it never silently no-ops. Generation is idempotent — a startup with an existing Startup ID is never re-generated on a later round entry.
- ✓

Resolved: these two columns live only on the Program Management round entity (`ProgramRoundsEntity` / `program_rounds`) — this screen. The separate "Call for Applications" flow (`application_program_rounds`) and the individual-scoped Venture Studio flow are explicitly out of scope for this feature.

08 • Program creation, step 1

PART 2

✓ Design resolved via a direct product/dev-lead pass. Still "Part 2" (no formal BRD document exists for this half), but the mechanics below are confirmed decisions, not illustrative guesses.

SanchiConnect

Admin Console

Application Management

Stakeholders

Startup ID

Settings

Create Program

Step 1 of 4 — Program Basics

BASICS

Program name: [_____]

Category: [Select ▼]

Application window: [__] to [__]

ELIGIBILITY & REAPPLICATION 1

Allow reapplication after rejection NEW

Rejected candidates may apply again after a cooldown.

Cooldown before reapplying: [30] days

SCOPE: PER-PROGRAM

On the reapply screen, the applicant sees: "You can reapply in 12 days" (remaining wait time, not a flat block).

Restrict to Startup ID holders only NEW

Only applicants who already hold an active Startup ID may apply.

Message shown to applicants without a Startup ID: 2

"Only startups with an active Startup ID can apply to this program. Contact your program's nodal office to get recognised first."

1

Resolved: enforced on **both** the frontend (reapply CTA shows remaining wait time) and the backend (rejected at submit-time if the cooldown hasn't elapsed). Existing `rejectedOn` is kept as the baseline timestamp for the original application; every reapply attempt is recorded as its own row in a new `startup_reapplication_history` table (id, startup_id FK, attempt_no, application_date, rejection_date, rejection_reason, status) — not numbered columns, no scalability cap.

2

Resolved: stored in a **new** dedicated column, not the existing `rejectionMessage` columns. The textbox appears inline, directly below the toggle, the instant it's switched on — prompting "Please type the rejection message."

Startup ID Creation Module – Wireframes

p. 9

09 • Registration form — District & Sub-Division fields

PART 1

✓ Resolved: the source brief assumed an existing Country→State→District cascade, but the actual current cascade (verified in `step-one-company-info.component.ts`) was Country→State→City — no District field existed. Decision: introduce a first-class, decoupled District→City→Sub-Division hierarchy (own `state_master` / `district_master` / `city_master` / `subdivision_master` tables), not nested into the existing registration cascade shown below.

STARTUP REGISTRATION

Complete Your Startup Profile

Step 2 of 4 — Location & Registration Details

EXISTING REGISTRATION FIELDS

UNCHANGED

Country: [India ▼]

State: [Tripura ▼]

City

EXISTING

: [Agartala ▼]

NEW — STARTUP ID LOCATION CHAIN

NEW

1

District: [Gomati ▼]

City

2

: [Udaipur ▼]

Sub-Division: [Udaipur ▼]

WHY TWO LOCATION SECTIONS?



This program issues Digital ID Cards — the District/City/Sub-Division chain feeds your code's segments and is matched against the Standard Geography Registry. It's a separate, dedicated hierarchy from the Country/State/City fields above, which serve the platform's general registration purpose and are untouched. Both sections only appear when the tenant's Digital ID Card module is on. Sub-Division is mandatory once your tenant's form includes it.

- 1 This entire chain is new and decoupled — resolved not to nest under the existing City field above, and not to reuse the existing `CitiesEntity`.
- 2 ⚠ Open showing a second "City" field right below the existing one is a real UX overlap risk worth a design pass — whether these should visually merge for tenants with the module on, or stay as two clearly-separated sections as shown here, is not decided. Legacy startups whose profile predates this chain are exempted (segments omitted) rather than blocked.

10 · Application eligibility flow

PART 2

✓ Design resolved. Still Part 2 (no formal BRD), but the sequence below — redirect on logged-out, inline prompt at Apply-click, dual frontend+backend enforcement — is confirmed.



- 1

Resolved: a logged-out applicant on a Restrict-to-Startup-ID program is redirected to the login page — not shown an inline message pre-login.
- 2

Resolved: the check and message only surface the instant the applicant clicks Apply — not pre-emptively on page load. The message text is exactly what the program manager configured at program-creation step 1 (p. 9). Enforced on both the frontend (blocks at the click) and the backend (rejected at submit) — this workspace has a documented precedent of a different flag being bypassable via direct API call when only checked at render time, so frontend-only was never sufficient.

11 • Startup account page

PART 1

My Account

Profile, credentials and platform identity

TR26 - GOM - UDPR - 000326

Acme Robotics Pvt. Ltd.

Issued via Round 2 — Shortlisting · 12 Mar 2026 · Active

Not yet recognised?

Startups without an active Startup ID see this instead: "No Startup ID issued yet — assigned automatically at round entry."

SEGMENT BREAKDOWN

TR	26	GOM	UDPR	000326
State	Year	District	Sub-Div.	Serial

Mirrors the tenant's currently active format — a format change later regenerates this code (p. 4). City is available as a segment too, omitted here since this tenant's format doesn't include it.

Download as PDF

TIMELINE


- Application submitted — 02 Feb 2026
- Entered Round 2 — Shortlisting — 12 Mar 2026
- Startup ID generated — 12 Mar 2026
- Round 3 — Final Pitch — pending

i Stored/assembled as `recognition_id` , not `startup_id` — that name is already the FK-to-startup convention across 30+ existing tables in the backend; reusing it would collide.

12 • Printable Digital ID Card

PART 1

Generic placeholder mock — layout only. The real per-tenant branding/photography is whatever the tenant's Developer Admin configured in the Card Design Builder (p. 6); no real logos, photography, or government branding are reproduced here.



i Exactly 4 data points appear on the card face: Company Name, Startup ID (shown as one opaque string — no segment breakdown), Recognised Year, and a QR code. The QR's destination (assembled code vs. a static URL) is configurable per template; no public verification page exists for it to resolve to in this phase.

13 · Appendix — open questions indexed by wireframe

Full text lives in `specs/features/SAN-253-startup-id-creation-module.spec.md` § Open questions — now empty. Not marked `status: approved` — that's the user's call.

✓ Every open question is resolved as of 2026-08-08. One non-blocking note only: the second "City" field's visual proximity to the existing registration field (p. 10) is worth a quick design pass, not a gap — the data model is already fully decoupled.

— RESOLVED — ARCHITECTURE, ACCESS & HUB/SPOKE (2026-08-08)

- p.4-6 Format Builder/Location Master/Card Builder relocated to `sc-saas-admin`, tenant self-service — reverses the BRD's central premise. Role model: this repo's own Super Admin/Owner + Developer Admin, not the Admin Portal's.
- was highest-risk Cross-app auth — dissolved: no cross-app call exists once everything is in one app.
- general Module confirmed generic per-tenant, not built around Tripura/TRISE — any tenant sets its own segments/locations/card design, zero new code.

— RESOLVED — STARTUP ID MODULE (PART 1) & `STARTUP_ID_CARDS`

- p.4 Serial-counter overflow — extends to a 7th digit, no hard stop.
- p.5 Geography Registry — extends beyond India eventually; unseeded → manual entry, not blocked.
- p.6 Card asset upload constraints — deliberately none this phase.
- p.8 Round entity family — Program Management only.

— RESOLVED — PROGRAM & ROUND CONTROLS (PART 2)

- p.9 Reapply cooldown — per-program, both frontend+backend enforced. Data model: `startup_reapplication_history` table.
- p.9 Dynamic eligibility message — new dedicated column, inline reveal below toggle.

- p.4-5 Hub/Spoke, corrected: not new reference data — the existing ecosystem/partner mechanism (`ecosystem_enabled` + `partnerId` on `startups` + `partners`). No new tables, no new toggle. "Hub" = `partnerId IS NULL`, segment omitted (not a "HUB" literal); collapses to one "Spoke" segment.
- p.5 Spoke abbreviation is a new field on the existing Partner form, not a Location Master tab.
- side-finding SAN-301 filed (not fixed): partner-portal's "add-startup" flow doesn't set `partnerId`.
- p.5 District/City hierarchy — City is its own segment, independently hideable.
- p.9 Legacy startup, no Sub-Division on file — mandatory once field exists; exempted only if genuinely predating it.
- general "Generate ID" — new manual/on-demand action, own idempotency rule.
- p.7 `startup_id_cards` — zero tenants have it on; retired going forward (untouched, never offered again), not migrated.
- p.11 Restrict-to-Startup-ID gate — redirect-on-logged-out, inline-prompt-at-Apply-click, dual enforcement.
- unchanged QR verification, unfreeze override, backfill tooling, delimiter customization — out of scope. Admin Portal roles question moot; SAN-256 cancelled.