
Pattern Arithmetic: Phase-Colored Geometric Framework for High-Density Information via Unit Probability Spheres

Sandeep Lakshminarayan Chiluveru

September 10, 2026

Abstract

Ordinary arithmetic treats the integer 1 as a unit of truth: $1 = 1$ and $1 + 1 = 2$. Counting is only one algebra. Colors and musical notes are also units of truth; combining them yields a hue or a chord, not a larger integer. This paper treats a pattern as a higher-order unit and represents one pattern by one state on a unit probability sphere $\mathcal{S} \subset \mathbb{R}^3$, with magnitude $r \in [0, 1]$, direction (θ, ϕ) , and internal phase-color $\chi \in [0, 2\pi)$. Pattern Arithmetic is the algebra of such units: identical states do not double after normalization ($A \oplus A = A$), and opposite phases cancel ($A - A = 0$). A second operator T acts by rotation and phase shift, allowing the same ingredients to form different ordered expressions. Words and numbers occupy the same sphere under different encodings and meet in a document by order and typed action, not by blending. The aim is a single bounded register that carries overlapping identities, structural paths, and mixed prose without a discrete grid.

1 Introduction

Ordinary arithmetic uses the integer 1 as a unit of truth. The identity $1 = 1$ says that two tokens are of the same kind. The rule $1 + 1 = 2$ says that combining two such tokens produces a larger quantitative state. That algebra answers the question *how many?*

It is not the only algebra. A color and a musical note are also units of truth, but their combination does not enlarge a pile. Under additive light, red and green yield yellow. Two copies of the same yellow, once brightness is normalized, remain yellow. Two notes yield a chord, not a larger integer; a tone plus its opposite phase yields silence. In each case the word “add” names a different rule, and therefore a different kind of unit.

When the object of interest is a structured whole rather than a count, a hue, or a pitch, the natural unit is a *pattern*. This paper represents one pattern by one state on a unit probability sphere $\mathcal{S} \subset \mathbb{R}^3$:

- $r \in [0, 1]$ is the strength of the unit, capped so that a state remains a single unit of truth;
- (θ, ϕ) is the direction of the pattern on the sphere;
- $\chi \in [0, 2\pi)$ is an internal phase-color, so two identities may occupy the same direction without overwriting one another.

Pattern Arithmetic is the algebra of these units. Identical states do not double after normalization ($A \oplus A = A$). Opposite phases cancel ($A - A = 0$). Rotations of the sphere preserve the unit.

A single numerical picture is enough to see the difference from counting. Take two unit states at the same place, one with phase 0° (red) and one with phase 120° (green). Counting would return 2. Phase-aware combination returns a single unit whose blended phase is 60° (yellow). The same two strengths with opposite phase (0° and 180°) return the null state, black. Two units of truth become either one new identity or none.

1.1 The Limitations of Discretized Matrix Grids

A discrete matrix grid is the wrong box for such a unit. Traditional matrix representations of continuous state spaces suffer from two severe structural bottlenecks:

- **Memory Scaling Bottlenecks:** A voxel cube of resolution N stores $O(N^3)$ cells, growing steeply with resolution.
- **Signal Identity Destruction:** Mapping multiple overlapping variables to identical spatial coordinates often results in the destructive overwriting of underlying signal identities.

1.2 The Phase-Colored Unit Probability Sphere Framework

To resolve these grid constraints, the sphere is offered as one bounded object that can carry overlapping identities by direction and phase, without enlarging a lattice.

- **Spatial Orientation** (θ, ϕ) : Defines continuous directional coordinates across the spherical surface.
- **Magnitude Likelihood** $(0 \leq r \leq 1)$: Represents bounded probability density within the sphere.
- **Internal Color Phase** $(\chi \in [0, 2\pi))$: Serves as an independent phase degree of freedom.

1.3 Core Contributions & High-Level Intuition

The principal contributions of Pattern Arithmetic are:

- **High-Density Superposition:** Storing overlapping state vectors concurrently within a single bounded spatial manifold.
- **Parameter-Efficient Field Storage:** Eliminating discrete voxel bounds by treating states as continuous probability distributions.

Later sections distinguish a numeric encoding from a lexical encoding on the same sphere, so that a report may carry words and numbers together without forcing them through $\oplus$.

The next section turns these definitions into formal mathematical axioms.

2 Axiomatic Foundations Of Pattern Arithmetic

2.1 Axiom 1: The Normalized Unit Truth State ($\mathcal{S} = 1$)

To ensure stability across multi-variable operations, every state vector field $\vec{v} = (r, \theta, \phi, \chi)$ on the Unit Probability Sphere $\mathcal{S} \subset \mathbb{R}^3$ represents an immutable unit of truth ($\mathcal{S} = 1$). Global likelihood integrates strictly to unity:

$$\iiint_{\mathcal{S}} P(r, \theta, \phi) dV = 1.0 \quad (1)$$

2.2 Axiom 2: The Absolute Null State ($\mathcal{S} = 0$, Black)

The state $\mathcal{S} = 0$ defines the absolute lower bound of the state space, corresponding to complete destructive interference, total phase cancellation, or zero-state equilibrium:

$$\|\vec{v}\| = 0 \quad \forall (\theta, \phi, \chi) \implies \mathcal{S} = 0 \quad (\text{Black}) \quad (2)$$

Physically and visually, $\mathcal{S} = 0$ represents an empty probability field devoid of active signal energy or directional orientation.

2.3 Axiom 3: The Infinite Superposition State ($\mathcal{S} = \infty$, White)

The state $\mathcal{S} = \infty$ defines the theoretical upper bound of maximal entropy, representing total spectral superposition across all continuous orientations (θ, ϕ) and internal color-phase frequencies $\chi \in [0, 2\pi)$:

$$\mathcal{S} = \lim_{N \rightarrow \infty} \bigoplus_{i=1}^N A_i \implies \mathcal{S} = \infty \quad (\text{White}) \quad (3)$$

Physically and visually, $\mathcal{S} = \infty$ corresponds to full-spectrum white light, where all possible state vectors co-exist simultaneously without spatial exclusion.

2.4 Axiom 4: Information Idempotence ($1 \oplus 1 = 1$)

Combining identical information states yields no expansion of likelihood volume. Upon intensity normalization:

$$A \oplus A = \frac{A + A}{\|A + A\|} = A \quad (4)$$

2.5 Axiom 5: Phase-Aware Superposition & Interference

The combination of two truth states A and B is governed by relative phase difference $\Delta\chi$:

$$A \pm B = \sqrt{\|A\|^2 + \|B\|^2 + 2\|A\|\|B\|\cos(\Delta\chi)} \quad (5)$$

Destructive anti-phase interference ($\Delta\chi = 180^\circ$) collapses composite states directly into the Null State ($A - A = 0$, Black) defined in Axiom 2.2.

2.6 Axiom 6: Rotational Conservation ($\times \mathbf{R}$)

Multiplication operates as a Lie group rotation $\mathbf{R} \in \text{SO}(3)$ in continuous spherical space, preserving total truth volume:

$$\|\mathbf{R} \cdot A\| = \|A\| = 1.0 \quad (6)$$

3 Transformation Algebra: From Identity to Expression

3.1 Motivation: Two Layers of Meaning

The operators established so far ($\oplus, \pm$) answer the question *what is this state?* Combining Sky, Sun, and Wind under $\oplus$ yields a single, order-independent resultant — a new composite unit of truth, a bag of ingredients. This is a *lexical* operation: it mints blended identities, the way a palette mints a hue from pigments. Analogies such as ruler-man-king are *not* blends; they are deferred to the offset operator of Section 4. Blend $\oplus$ does not, and structurally cannot, distinguish a poem in which the sun rises through a wind-blown sky from a poem in which wind extinguishes a darkening sun — both share the identical resultant $R = \text{Sky} \oplus \text{Sun} \oplus \text{Wind}$, since $\oplus$ is commutative and idempotent by Axiom 2.4.

The distinction between these two poems is not a difference in *ingredients*; it is a difference in *how one state acts upon another, and in what order*. This is a *relational* operation, and it requires a second operator, T , layered on top of $\oplus$: where $\oplus$ builds nouns, T builds sentences. A poem is not the resultant R itself, but a specific trajectory traced across $\mathcal{S}$ by successive transformations applied to R .

3.2 Formal Definition of the Transformation Operator

Rather than introduce T as an unrelated new primitive, it is defined using the same rotational machinery already given in Axiom 2.6: every state $w \in \mathcal{S}$ acts on another

state $x \in \mathcal{S}$ by rotating x 's direction about w 's own axis, by an angle proportional to w 's strength, while additively shifting x 's phase by w 's phase:

$$T_w(x) = \left(r_x, \text{Rot}_{\hat{n}(\theta_w, \phi_w)}(\alpha(r_w)) \cdot (\theta_x, \phi_x), (\chi_x + \chi_w) \bmod 2\pi \right) \quad (7)$$

where $\hat{n}(\theta_w, \phi_w)$ is the unit axis defined by w 's direction, $\text{Rot}_{\hat{n}}(\alpha) \in \text{SO}(3)$ is the rotation of Axiom 2.6 about that axis by angle α , and $\alpha(r_w) = \pi r_w$ is the simplest monotonic choice mapping strength to rotation angle (a full-strength unit, $r_w = 1$, rotates by the maximal 180°). Magnitude r_x is left invariant: a transformation reorients and recolors a state, it does not strengthen or weaken it — that remains the role of $\oplus$.

3.3 Derived Properties

The following properties follow from Equation (7) rather than being separately postulated.

Identity. If $w = \mathbf{0}$ (the Null State of Axiom 2.2), then $\alpha(0) = 0$ and the phase shift is 0, so $T_{\mathbf{0}} = \text{id}$.

Invertibility. Define the inverse state $w^* = (r_w, \pi - \theta_w, \phi_w + \pi, -\chi_w \bmod 2\pi)$. Then $T_{w^*}(T_w(x)) = x$ for all x . Because the magnitude r_w remains strictly positive, reversing the transformation requires rotating by the same angle α around the antipodal axis $-\hat{n}(\pi - \theta_w, \phi_w + \pi)$, while the inverse phase cancels the internal color shift. Every transformation has a well-defined inverse. Note that this is distinct from anti-phase interference ($A - A = 0$, Axiom 2.2), which annihilates a state; T_{w^*} instead *undoes a transformation* on a state that persists.

Associativity. Since each T_w is a function $\mathcal{S} \rightarrow \mathcal{S}$, composition of transformations is associative automatically, by the associativity of function composition; no additional axiom is required.

Non-commutativity. Rotations about distinct axes in $\text{SO}(3)$ generically do not commute: for a, b with distinct directions (θ, ϕ) ,

$$T_a(T_b(x)) \neq T_b(T_a(x)). \quad (8)$$

This is not an additional assumption; it is inherited directly from the well-established non-commutativity of $\text{SO}(3)$, already invoked by Axiom 2.6. It is this property, and only this property, that allows two poems built from the same resultant R to diverge: order of application is meaningful even though the underlying identity is not.

3.4 Poems as Transformation Trajectories

A poem π built from resultant R and an ordered sequence of transforming states $w_1, w_2, \dots, w_n$ is the trajectory

$$\pi = (R; w_1, \dots, w_n) : R \longrightarrow T_{w_1}(R) \longrightarrow T_{w_2}T_{w_1}(R) \longrightarrow \dots \longrightarrow T_{w_n} \dots T_{w_1}(R). \quad (9)$$

Two poems may share an identical resultant R (the same theme, the same “ingredients”) while tracing entirely different trajectories — this is the formal sense in which many poems arise from the same units of truth. Conversely, because rotation composition is many-to-one, two distinct trajectories may terminate at the same endpoint; a poem’s identity is therefore carried by its full path through $\mathcal{S}$, not by its final state alone.

3.5 Worked Numerical Example: Sun, Wind, and Sky

Let Sky be the state acted upon, with direction $(\theta, \phi) = (45^\circ, 45^\circ)$, i.e. Cartesian axis $(0.500, 0.500, 0.707)$. Let Sun define an axis along $(\theta, \phi) = (90^\circ, 0^\circ)$, i.e. $(1, 0, 0)$, with strength $r_{\text{Sun}} = 1.0$, giving rotation angle $\alpha_{\text{Sun}} = 180^\circ$. Let Wind define an axis along $(\theta, \phi) = (90^\circ, 90^\circ)$, i.e. $(0, 1, 0)$, with strength $r_{\text{Wind}} = 0.7$, giving $\alpha_{\text{Wind}} = 126^\circ$.

Order 1 — Sun acts first, then Wind (the sun rising through a wind-blown sky):

$$T_{\text{Wind}}(T_{\text{Sun}}(\text{Sky})) \approx (-0.866, -0.500, 0.011) \quad (10)$$

Order 2 — Wind acts first, then Sun (wind extinguishing a darkening sun):

$$T_{\text{Sun}}(T_{\text{Wind}}(\text{Sky})) \approx (0.278, -0.500, 0.820) \quad (11)$$

The two endpoints are clearly distinct, confirming Equation (8): identical primitives, identical resultant R , opposite structural readings. Notably, if $\chi_{\text{Sun}} = 0^\circ$ and $\chi_{\text{Wind}} = 90^\circ$, the accumulated phase shift is 270° in *both* orderings, since phase addition is commutative. The two poems therefore share the same blended color/mood even as their spatial — structural — meaning diverges. This asymmetry (shared affect, divergent structure) is a direct and testable prediction of the model.

3.6 Scope

T is deliberately left unconstrained beyond Equation (7): any sequence of any transforming states is a formally valid trajectory. Pattern Arithmetic in this form supplies the substrate on which expression is built — the combinatorial space of possible trajectories — and does not yet supply a grammar constraining which trajectories are coherent, well-formed, or meaningful to a human reader. Whether such constraints belong inside this framework (as further axioms on admissible sequences of T) or outside it (as a learned or externally specified grammar layered on top) is left open.

4 Analogical Arithmetic: The Offset Operator

The $\oplus$ operator mints composite nouns, and the T operator mints ordered sentences. However, analogical reasoning requires a third, distinct mathematical operation: the offset. By mapping the dictionary onto our framework such that each word is a labeled state on a single shared globe, relationships between concepts are captured by their relative spatial differences.

To assert that “man is to king as woman is to queen,” we do not average the vectors (which $\oplus$ handles), nor do we spin one around the other (which T handles). Instead, we extract the relational offset between the first pair and apply it to the target:

$$\text{king} - \text{man} + \text{woman} \approx \text{queen} \quad (12)$$

This operation reuses the geometric translation that turned man into king, demonstrating that the algebra handles analogical equivalence through vector differences. It is an analogical reuse of choreography, rather than a blending of paint. To visualize this offset on a 2D planar cross-section of $\mathcal{S}$, let man = 0° , woman = 90° , and king = 30° . The translational offset from man to king is $+30^\circ$. Applying this exact relational offset to woman yields $90^\circ + 30^\circ = 120^\circ$, which defines the spatial coordinate for queen.

5 Encodings, Sorts, and Mixed Documents

The unit probability sphere is a single bounded *register*. Numbers, words, and colors are not three different globes; they are three encodings of a token onto the same globe. A scientific paragraph already mixes those alphabets on one page. Pattern Arithmetic may do the same, provided each loaded state carries a *sort* and the operators respect that sort.

5.1 Two primary sorts

A state $x \in \mathcal{S}$ is always a 4-tuple (r, θ, ϕ, χ) . What the tuple *means* depends on the encoding used to write it:

- **Numeric sort (num).** The state represents a scalar. One toy encoding stores an integer n on a marked circle as $\chi = 2\pi n/N$ (arithmetic modulo N). Another, stereo-style, sends $x \rightarrow \pm\infty$ toward the poles so that unbounded reals still occupy the globe.
- **Lexical sort (word).** The state is a labeled point in a toy dictionary living on the same globe. Similarity is the angle between points (cosine similarity). A bag of words is formed by $\oplus$. A sentence or poem is formed by T .

Schoolbook addition lives only in **num** mode:

$$1 + 1 = 2, \quad 7 + 5 = 12. \quad (13)$$

Pattern blend lives only in **word** (or color) mode:

$$A \oplus A = A. \quad (14)$$

The two equations may share a sphere. They may not share an operator. Pressing $\oplus$ on the encodings of 7 and 5 does not yield 12; pressing schoolbook $+$ on sun and wind does not yield a chord.

5.2 A document is a sequence, not a blend

Words and numbers coexist in reports because a document is an ordered tape of tokens, not one mixed arrow. Write a paragraph as a trajectory of sorted states

$$\pi = ((x_1, \tau_1), \dots, (x_m, \tau_m)), \quad \tau_i \in \{\mathbf{num}, \mathbf{word}\}, \quad (15)$$

exactly as a poem was a trajectory in Section 3.4. The sphere holds one current occupant of the register; the paragraph is the history of loads and actions.

They may meet in only three honest ways.

Juxtaposition. The default. Tokens sit in order and no algebra is applied between them. In “the sample reached 37.4°C at dawn,” the number 37.4 is not blended with the word dawn.

Typed action. The operator $T_w(x)$ is allowed across sorts only with an explicit output sort. Two useful conventions, which the rest of this paper adopts, are:

- a word acting on a number yields a number-in-context (still **num**);
- a number acting on a word yields a refined word (still **word**).

A number may also set a numeric dial of T — for example the rotation angle $\alpha(r)$ — because that dial is already a scalar. That is how “wind of 12 m/s” can strengthen a turn without becoming a synonym of wind.

Cast. Rare and named. The map $E_{\text{num} \rightarrow \text{word}}(2) = \text{two}$ turns a digit into a spoken numeral; the inverse is parsing. Casts are dictionary maps, not $\oplus$.

The illegal meeting is an untyped blend

$$\text{dawn} \oplus 37.4, \tag{16}$$

which has no meaning until one side is first cast into the other’s sort.

5.3 Operator legality

Table 1 records which buttons accept which pairs. Here $+$ is schoolbook addition on the numeric encoding, $\oplus$ is idempotent blend, T is typed action, and $x - a + b$ is the analogical offset of Section 4.

Pair	$+$	$\oplus$	$T_w(x)$	$x - a + b$
(word , word)	no	yes	yes	yes
(num , num)	yes	no	no*	no*
(word , num)	no	no	typed	no
(num , word)	no	no	typed	no

Table 1: Sort discipline on a single sphere. *Numeric T and numeric offset may be defined later as maps of the chosen numeric encoding; they are not the lexical operators of Sections 3 and 4.

5.4 Worked mixed sentence

Take the report line *Wind of 12 m/s darkened the sun.* The register is used as follows.

1. Load wind, sort **word**.
2. Load 12, sort **num**. Juxtapose; do not form $\text{wind} \oplus 12$.
3. Load m/s as a unit-name (lexical qualifier of the number).
4. Load sun, sort **word**.

5. Let the number cap a strength, $\sigma(12) \in [0, 1]$, and set $r_{\text{wind}} = \sigma(12)$ so that $\alpha = \pi\sigma(12)$ in Equation (7).
6. Apply $T_{\text{wind}}(\text{sun})$. Output sort: **word**.

The scalar never became a hue. It turned a dial of an action whose actors remained words. That is the same division of labor a printed paper already uses: digits set magnitudes; words name what the magnitudes belong to.

5.5 Several lexicons, one concept sphere

Surface tokens are not meanings. Two dictionaries may write the same pair of concepts with unrelated strings:

$$\begin{aligned} L_1 : \quad & \mathbf{xyz} \mapsto \text{man}, \quad \mathbf{qyz} \mapsto \text{woman}, \\ L_2 : \quad & \mathbf{fgh} \mapsto \text{man}, \quad \mathbf{hgf} \mapsto \text{woman}. \end{aligned} \tag{17}$$

In the usual pipeline each lexicon is tokenized, encoded, and *embedded separately*. The geometry that makes man near king is then learned twice, and a further alignment step is required before L_1 and L_2 can share an analogy. The token-to-embedding map is doing two jobs at once: naming a string, and inventing a place for its meaning.

The unit probability sphere is offered as a shared *concept register*, not as a replacement for a lexicon table. A token is a surface form. A state on $\mathcal{S}$ is a meaning. Each lexicon is only a cast

$$E_L(\text{token}) = x \in \mathcal{S}, \tag{18}$$

the same kind of map as $E_{\text{num} \rightarrow \text{word}}$ above. Under that discipline both **xyz** and **fgh** load the *same* state man. The offset king – man of Section 4 is then computed once, on the globe, and reused by every lexicon that points at those two points.

Embeddings therefore stay. They do not disappear. What changes is that they are no longer private vector spaces, one per lexicon. They are embeddings *into the same unit* $\mathcal{S}$. Once $E_{L_1}(\mathbf{xyz}) = E_{L_2}(\mathbf{fgh}) = \text{man}$, the two surface forms occupy one address, and every angle measured from that address is the same angle:

$$\angle(\text{man}, \text{woman}) = \angle(E_{L_1}(\mathbf{xyz}), E_{L_1}(\mathbf{qyz})) = \angle(E_{L_2}(\mathbf{fgh}), E_{L_2}(\mathbf{hgf})). \tag{19}$$

The embeddings are uniform: same globe, same points for the same concepts, same angles for the same relations. A raw string still needs the lexicon map E_L . It no longer needs a new geometry.

5.6 Deferred programme: standardized concept dictionaries

The present section only *names* the shared globe. It does not build the dictionaries. The later refinement, if the idea is pursued, is a pair of catalogues rather than a new operator:

- one *concept dictionary* — a stipulated inventory of unit states on $\mathcal{S}$ (or a higher-dimensional analogue), so that man and woman have standard addresses and therefore standard angles;
- one *language lexicon* E_L per written or spoken system, sending that language's tokens onto those addresses.

Standardization of the first catalogue is what makes embeddings uniform across English, a cipher, or a second natural language. The second catalogue is still a tokenizer-plus-encoding: it is the phone book, not the city. Tokens and encodings have already earned their keep, so they stay. They only have to work *lighter*: look up a standard address instead of inventing one. They disappear as *inventors of geometry*. They do not disappear as *names*. A world in which every language pointed at the same concept dictionary would still print letters on a page; It would no longer need each corpus to learn a private man–woman angle. That programme is recorded here and left open. It is not an axiom, and it is not implied by the existence of $\mathcal{S}$ alone.

5.7 Scope of the register model

This section claims only that one sphere can *host* both alphabets as a workspace, and that several lexicons can point at the same workspace through different casts. It does not claim that the two-dimensional surface S^2 is a realistic embedding space for a full natural-language lexicon: a working word embedding typically needs tens or hundreds of dimensions. The construction here is a typed register and a toy dictionary on one globe. Scaling the lexical encoding is a later choice — a higher-dimensional sphere, a spherical-harmonic field, or an external lookup table that writes states into the register. The lookup tables E_L may still be learned; the claim is only that they should write into one geometry rather than each minting a private one.

6 Operational Algebra & Numerical Demonstration

6.1 Vector Addition & Phase Blending

Using Equation (5) from Axiom 2.5, combining Red Vector (0°) and Blue Vector (120°) at coordinate $(0.6, 0.8)$ results in deterministic phase blending ($\chi = 66.6^\circ$).

6.2 Rotational Transposition (Multiplication) & Unmixing (Division)

- **Multiplication ($\times$):** State transformation via Lie group rotation matrix $\mathbf{R} \in \text{SO}(3)$.
- **Division ($\div$):** Deconvolution and signal unmixing via inverse transformation $\mathbf{R}^{-1}$ or anti-phase isolation.

6.3 Computational Efficiency & Spectral Compression

- Mitigating $O(N^3)$ voxel grid costs using Spherical Harmonics (Y_l^m) coefficient arrays $O(L^2)$.

7 Real-World Physical & Biological Models

7.1 Forest Ecosystem Dynamics

- Modeling flora, fauna, soil, and moisture resource completion via vector addition ($A + B = AB$).

7.2 Targeted Viral/Pathogen Cancellation (Selective Subtraction)

- Isolating disease signatures and applying 180° anti-phase mirror vectors to achieve zero-state equilibrium ($A - B = 0$).

7.3 Atmospheric Storm Systems (Phase Shifts and Shear Turbulence)

- In-phase wave coherence vs. minor phase shift (0.01) driving localized vortices and trajectory shifts.

8 Discussion & Related Work

8.1 Comparison to Quantum Bloch Spheres and Hilbert Spaces

8.2 Integration with machine learning latent embeddings (Cosine Similarity)

8.3 Hardware Realization: Optical Phase Computing vs. Digital GPUs

9 Conclusion & Future Directions

This paper has sketched a single pipeline: collapse many sorted units into one state on a unit probability sphere, then derive results by ordered transformation of that state. Embeddings, on this view, are not abolished. They are embeddings into one geometry, so that a concept such as man may keep the same angles under every lexicon that points at it.

What remains to be built, and is only filed here, is a standardized concept dictionary together with per-language lexica E_L (Section 5.6). Until those catalogues exist, tokenization and encoding remain the handles by which a paragraph finds its points. They may continue; they will only have to work lighter. The open bet is that they need not also remain the architects of a new space of meanings.