28/11/24 Write a program which creates two threeds,
one thread displaying "BMS College of Engrineering"
once every 10 sees and other displaying "SE"
every two seconds. Class threads extends Thread String S; String s, int time;

Hureads (String s, int time)

Hus S = S.

His time = time; fublic void lun() of
try of while (true) System. out plintly(s);
Thread. sleep (Home * 1000). Catch (Exception e) S System. Our puns ln(e);

fublic class Main of fublic Static Void main (String [] ays) Hereads t, = new threads (
"BMS College of Engineering", · threads tz = new threads ("CSE", 2). t. Start(1;

t. Start(1; BMS college of Engineeling CSE -CSE CSE? CSG C SE College of Engineering BMS CCE CSE MALLON A DAME CSE (SE ESE BMS Collège of Engineering

```
class threads extends Thread{
    String s; int time;
    threads(String s, int time){
        this.s = s;
        this.time = time;
    public void run(){
        try{
            while(true){
                System.out.println(s);
                Thread.sleep(time * 1000);
        catch(Exception e){
            System.out.println(e);
        }
    }
public class lab8{
    public static void main(String[] args) {
        threads t1 = new threads("BMS College of Engineering", 10);
        threads t2 = new threads("CSE", 2);
        t1.start();
        t2.start();
    }
```

C:\1bm23cs299>java lab8			
CSE			
BMS College of Engineering			
CSE			
BMS College of Engineering			
CSE			
BMS College of Engineering			
CSE			
BMS College of Engineering			
CSE			
BMS College of Engineering			
CSE			