



Real-time multilingual live event translation

Technical Handover & Knowledge Base

Everything you need to understand, manage, and grow the Jabber platform
— from live site access to database credentials, admin controls, and
deployment workflow.



Prepared: May 2026



jabber-production.up.railway.app



v1.0 — Early Access

What is Jabber?

Jabber is a real-time multilingual live-event translation platform. Event organisers connect their existing OBS/RTMP stream to Jabber and their audience can instantly listen in any of 10+ languages with sub-2-second latency — no interpreters, no hardware, no downloads.



Real-Time Translation

Audio translated and synthesised live with <2s end-to-end latency across 10+ languages.



Works with Any Stream

Plug in any OBS or RTMP source. Setup takes under 10 minutes — no SDK needed.



Viewer App Included

Attendees pick their language in-browser. No app download. Works on any device.



Usage-Based Billing

\$0 idle cost. Billed per minute of active streaming. Free \$100 starter credits.



PII Redaction

Pro plan includes automatic personally-identifiable information filtering from transcripts.



REST & WebSocket API

Full API access on Pro/Enterprise for custom integrations and white-label deployments.

Live URLs & Login Credentials

All public and admin access points for the Jabber platform.

LIVE WEBSITE

`https://jabber-production.up.railway.app`

Primary production domain. Public-facing marketing site.

RAILWAY URL (FALLBACK)

`https://jabber-production.up.railway.app`

Direct Railway deployment URL. Always live even before DNS propagates.

ADMIN DASHBOARD

`https://jabber-production.up.railway.app/admin`

Password-protected backend for managing all data and content.

ADMIN PASSWORD

`jabber@2026`

Change this in `src/pages/Admin.jsx` — look for `ADMIN_PASS`.

 **Security note:** The admin uses a simple password stored in the frontend code. For a production-grade launch, replace this with a proper authentication provider (e.g. Supabase Auth or Clerk). The current setup is suitable for early-access / MVP stage.

Tech Stack

All services used to build, host, and operate Jabber.

LAYER	SERVICE / TOOL	WHAT IT DOES
Frontend	React + Vite	SPA built with React 18 and Vite 5. JavaScript CSS React Router v6
Hosting	Railway	Deploys the Vite build via Nixpacks (Node 20). Auto-serves static files via serve. Free → Hobby plan
Database	Supabase (PostgreSQL)	Stores all leads, signups, and support tickets in real-time. Free tier (500MB). Live ✓
Analytics	PostHog	Privacy-first product analytics. Tracks pageviews, lead captures, signups, and custom events. Live ✓
SEO	react-helmet-async	Per-page meta tags, canonical URLs, Open Graph, JSON-LD structured data (FAQPage, BlogPosting, Organization).
Version Control	GitHub	Full commit history. All source code lives at github.com/sanchitkakkar099/jabber .
Blog & Plans	localStorage (browser)	Blog posts and pricing plans are admin-editable and stored locally. Easily migrated to Supabase when needed.

Supabase PostgreSQL

All user-submitted data (leads, signups, support tickets) is stored in Supabase and accessible from the admin dashboard in real time.

PROJECT URL

https://kjjfkniksxtvmydlzvdn.supabase.co

Supabase project endpoint

PROJECT ID

kjjfkniksxtvmydlzvdn

Used with Supabase CLI commands

ANON / PUBLIC KEY

sb_publishable_ClDf0Y2Gt...

Write-only frontend key. Safe to expose in client code.

TABLES

leads · signups · tickets

All with Row Level Security enabled. Migration SQL in [supabase/migrations/](#)

 **Row Level Security (RLS)** is enabled on all tables. The anon key can INSERT and SELECT, but cannot DELETE or access other users' data. This is the correct pattern for a public-facing SaaS frontend.

Railway Deployment

Railway hosts and serves the production build. Every deploy is triggered manually via CLI or can be automated via GitHub.

PROJECT ID

e459b18e-bc32-4303-9097-2e65613eb697

Railway project reference

SERVICE ID

029d2228-3c5c-4dd8-a32b-c526c02efbe7

Jabber service within the project

ENVIRONMENT VARIABLES SET IN RAILWAY

VARIABLE	VALUE	PURPOSE
VITE_SUPABASE_URL	https://kjjfkniksxtvmydlzvdn.supabase.co	Supabase project endpoint
VITE_SUPABASE_ANON_KEY	sb_publishable_CLDf0Y2Gt...	Public Supabase key
VITE_POSTHOG_KEY	phc_wvm263qSNtNnj...	PostHog project token



To deploy a new version: run `railway up --service jabber --detach` from the project directory. All VITE_ env vars are baked into the bundle at build time by Vite.

PostHog Analytics

Privacy-first analytics with manual event tracking — no cookie banner required. All events are fired explicitly in code.

 PROJECT ID

445562

Used to build deep-link URLs to dashboards from within Admin

 REGION

US Cloud · us.posthog.com

PostHog US data residency

EVENTS TRACKED

EVENT	TRIGGERED WHEN
\$pageview	Every route change (all pages)
lead_captured	Email submitted in any CTA form
signup_completed	Full signup form submitted
blog_post_viewed	Any blog post opened
pricing_page_viewed	Pricing page loaded
support_ticket_submitted	Support ticket form submitted

Admin Dashboard Guide

Access the admin at **jabber-production.up.railway.app/admin** with password **jabber@2026**.

The sidebar shows a green ● *PostgreSQL* chip when Supabase is connected.



Overview

Live KPIs: total leads, this week, signups, conversion rate. Real funnel + recent activity feed.



Leads

Every email captured from CTAs across the site. Filter, search, update status, export CSV.



Signups

Full signup form submissions with name, company, role, UTM source. Status management + CSV export.



Analytics

Real UTM campaign attribution from Supabase. Deep-links to PostHog for pageviews and funnels.



Blog Management

Create, edit, delete posts. Built-in Claude AI prompt generator — paste JSON response to auto-fill all fields.



Plans & Revenue

Edit pricing plans (name, price, features, CTA). Changes reflect live on the /pricing page instantly.



Support Tickets

View, triage, and respond to support tickets. Add internal notes, change priority/status.

GitHub Repository

Full version history and source code on GitHub.



REPOSITORY

github.com/sanchitkakar099/jabber

All commits, branches, and history. Private by default — share access via Settings → Collaborators.



MAIN BRANCH

main

Production branch. All deployments go from here.

KEY FILES & FOLDERS

PATH	WHAT'S INSIDE
src/pages/	All page components — Home, Pricing, Blog, Admin, Signup, Login, Contact, etc.
src/components/	Shared UI — Nav, Footer, SEO, AdminSupport, AdminBlogEditor
src/utills/	supabase.js, leads.js, tickets.js, posthog.js, utm.js, plans.js, blogStorage.js
src/data/posts.js	Default blog post content (seed data)
src/style.css	All CSS — site + admin dashboard styles
supabase/migrations/	SQL schema for leads, signups, tickets tables
nixpacks.toml	Tells Railway how to build (Node 20 + Vite)

PATH	WHAT'S INSIDE
<code>.env.example</code>	Template for required environment variables

09 — WORKFLOW

How to Deploy Changes

Step-by-step to update and push the site.

1

Make your changes

Edit files in `src/`. The dev server runs with `npm run dev` (port 5173).

2

Test locally

Run `npm run build` to make sure there are no build errors before pushing.

3

Commit to GitHub

```
git add . && git commit -m "your message" && git push origin main
```

4

Deploy to Railway

`railway up --service jabber --detach` — builds and deploys in ~2 minutes. Or connect GitHub for auto-deploy on push.

5

Verify

Visit jabber-production.up.railway.app and check Railway dashboard for "Online" status.

Suggested Next Steps

What to build or set up after this handover.



Proper Admin Auth

Replace the hardcoded password with Supabase Auth or Clerk for secure multi-user admin access.



Payments (Stripe)

Wire up Stripe for Pro plan billing. Admin Plans section already shows MRR tracking placeholder.



Email Sequences

Connect Mailchimp or ConvertKit to auto-enrol leads and signups into onboarding sequences.



Connect GitHub → Railway

Enable auto-deploy on push so every `git push main` deploys automatically with zero CLI needed.



Slack Notifications

Zapier webhook → Slack channel ping every time a new lead or signup comes in.



Custom Domain on Railway

Add jabber.live as a custom domain (when ready) in Railway Settings → Domain, then update DNS CNAME.