HTML Template: pending_tutors.html

1. Executive Summary

Defines the structural layout and content for a specific web page view.

2. Code Logic & Functionality

Uses the Jinja2 templating engine. The file allows for dynamic data insertion using `{{ variable }}` syntax and control structures like `{% if %}` loops within standard HTML markup.

3. Key Concepts & Definitions

- **Jinja2**: A modern and designer-friendly templating language for Python.
- **Template Inheritance**: The ability to extend a base layout (`base.html`) to avoid code duplication.
- **DOM**: Document Object Model, the data representation of the objects that comprise the structure and content of a document on the web.

4. Location Details

Path: `templates\admin\pending_tutors.html` **Type**: .HTML File

5. Source Code Preview (Snippet)

Running typical software analysis on this file:

```
{% extends 'base.html' %}

{% block title %}Pending Tutor Applications - Admin{% endblock %}

{% block content %}
<div class="container mt-4">
    <div class="row">
        <div class="col-md-12">
            <h2 class="mb-4"><i class="fas fa-users"></i> Tutor Applica

            <!-- Tabs -->
            <ul class="nav nav-tabs mb-4" role="tablist">
                <li class="nav-item">
                    <a class="nav-link active" data-bs-toggle="tab" hre
                        <i class="fas fa-clock"></i> Pending
                        {% if pending|length > 0 %}
                        <span class="badge bg-warning">{{ pending|lengt
                        {% endif %}
                    </a>
                </li>
```

```html
        <li class="nav-item">
            <a class="nav-link" data-bs-toggle="tab" href="#app
                <i class="fas fa-check-circle"></i> Approved ({
            </a>
        </li>
        <li class="nav-item">
            <a class="nav-link" data-bs-toggle="tab" href="#rej
                <i class="fas fa-times-circle"></i> Rejected ({
            </a>
        </li>
    </ul>

    <!-- Tab Content -->
    <div class="tab-content">
        <!-- Pending Tab -->
        <div id="pending" class="tab-pane active">
            <h4 class="mb-3">Pending Applications</h4>

            {% if pending|length == 0 %}
            <div class="alert alert-info">
                <i class="fas fa-info-circle"></i> No pending a
            </div>
            {% else %}
            <div class="row">
                {% for tutor in pending %}
                <div class="col-md-6 mb-4">
                    <div class="card shadow-sm">
                        <div class="card-header bg-warning text
                            <h5 class="mb-0"><i class="fas fa-u
                        </div>
                        <div class="card-body">
                            <p><strong><i class="fas fa-envelop
                            <p><strong><i class="fas fa-star"><
                                tutor.specialization }}</p>
                            <p><strong><i class="fas fa-graduat
                            <div class="border-start border-pri
                                style="max-height: 100px; overf
                                {{ tutor.qualifications }}
                            </div>

                            {% if tutor.bio %}
                            <p><strong><i class="fas fa-info-ci
                            <div class="border-start border-sec
                                style="max-height: 100px; overf
                                {{ tutor.bio }}
                            </div>
                            {% endif %}

                            <p class="text-muted small">
                                <i class="fas fa-calendar"></i>
                                %d, %Y %I:%M %p') }}
                            </p>
```

```
                    <div class="d-grid gap-2">
                        <form method="POST" action="{{
                            class="d-inline">
                            <input type="hidden" name="
                            <button type="submit" class
                                onclick="return confirm
                                <i class="fas fa-check"
                            </button>
                        </form>
                        <form method="POST" action="{{
                            class="d-inline">
                            <input type="hidden" name="
                            <button type="submit" class
                                onclick="return confirm
                                <i class="fas fa-times"
                            </button>
                        </form>
                    </div>
                </div>
            </div>
        </div>
        {% endfor %}
    </div>
    {% endif %}
</div>

<!-- Approved Tab -->
<div id="approved" class="tab-pane fade">
    <h4 class="mb-3">Approved Tutors</h4>

    {% if approved|length == 0 %}
    <div class="alert alert-info">No approved tutors</d
    {% else %}
    <div class="table-responsive">
        <table class="table table-striped">
            <thead>
                <tr>
                    <th>Name</th>
                    <th>Email</th>
                    <th>Specialization</th>
                    <th>Approval Date</th>
                </tr>
            </thead>
            <tbody>
                {% for tutor in approved %}
                <tr>
                    <td><i class="fas fa-check-circle t
                    <td>{{ tutor.email }}</td>
                    <td>{{ tutor.specialization }}</td>
                    <td>
                        {% if tutor.approval_date %}
                        {{ tutor.approval_date.strftime
                        {% else %}
```

```html
                                N/A
                                {% endif %}
                            </td>
                        </tr>
                        {% endfor %}
                    </tbody>
                </table>
            </div>
            {% endif %}
        </div>

        <!-- Rejected Tab -->
        <div id="rejected" class="tab-pane fade">
            <h4 class="mb-3">Rejected Applications</h4>

            {% if rejected|length == 0 %}
            <div class="alert alert-info">No rejected applicati
            {% else %}
            <div class="table-responsive">
                <table class="table table-striped">
                    <thead>
                        <tr>
                            <th>Name</th>
                            <th>Email</th>
                            <th>Specialization</th>
                            <th>Rejection Date</th>
                        </tr>
                    </thead>
                    <tbody>
                        {% for tutor in rejected %}
                        <tr>
                            <td><i class="fas fa-times-circle t
                            <td>{{ tutor.email }}</td>
                            <td>{{ tutor.specialization }}</td>
                            <td>
                                {% if tutor.approval_date %}
                                {{ tutor.approval_date.strftime
                                {% else %}
                                N/A
                                {% endif %}
                            </td>
                        </tr>
                        {% endfor %}
                    </tbody>
                </table>
            </div>
            {% endif %}
        </div>
    </div>

    <div class="mt-4">
        <a href="{{ url_for('admin_dashboard') }}" class="btn b
            <i class="fas fa-arrow-left"></i> Back to Dashboard
```

```
                    </a>
                </div>
            </div>
        </div>
    </div>
{% endblock %}
```