



Get **Contributor Access** for SC-200 Exam

No Captcha, Robots Checks, Community Discussions.

Get Contributor Access



Topic 1 - Question Set 1

Question #1

Topic 1

DRAG DROP -

You are investigating an incident by using Microsoft 365 Defender.

You need to create an advanced hunting query to count failed sign-in authentications on three devices named CFOLaptop, CEOLaptop, and COOLaptop.

How should you complete the query? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Select and Place:

Values	Answer Area
project LogonFailures=count()	
summarize LogonFailures=count() by DeviceName, LogonType	
where ActionType == FailureReason	
where DeviceName in ("CFOLaptop", "CEOLaptop", "COOLaptop")	
ActionType == "LogonFailed"	
ActionType == FailureReason	
DeviceEvents	
DeviceLogonEvents	

	Values	Answer Area
Correct Answer:	project LogonFailures=count()	
	summarize LogonFailures=count() by DeviceName, LogonType	
	where ActionType == FailureReason	DeviceLogonEvents
	where DeviceName in ("CFOLaptop", "CEOLaptop", "COOLaptop")	where DeviceName in ("CFOLaptop", "CEOLaptop", "COOLaptop")
	ActionType == "LogonFailed"	ActionType == FailureReason
	ActionType == FailureReason	summarize LogonFailures=count() by DeviceName, LogonType
	DeviceEvents	
	DeviceLogonEvents	

Question #2

Topic 1

You need to receive a security alert when a user attempts to sign in from a location that was never used by the other users in your organization to sign in.

Which anomaly detection policy should you use?

A. Impossible travel

B. Activity from anonymous IP addresses

C. Activity from infrequent country

Most Voted

D. Malware detection

Correct Answer: C

Community vote distribution

C (100%)

Question #3

Topic 1

You have a Microsoft 365 subscription that uses Microsoft Defender for Office 365.

You have Microsoft SharePoint Online sites that contain sensitive documents. The documents contain customer account numbers that each consists of 32 alphanumeric characters.

You need to create a data loss prevention (DLP) policy to protect the sensitive documents.

What should you use to detect which documents are sensitive?

A. SharePoint search

B. a hunting query in Microsoft 365 Defender

C. Azure Information Protection

D. RegEx pattern matching

Most Voted

Correct Answer: D

Community vote distribution

D (60%)

C (40%)

Question #4Topic 1

Your company uses line-of-business apps that contain Microsoft Office VBA macros.

You need to prevent users from downloading and running additional payloads from the Office VBA macros as additional child processes.

Which two commands can you run to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A.

```
Add-MpPreference -AttackSurfaceReductionRules_Ids D4F940AB -401B -4EFC -AADC -AD5F3C50688A -AttackSurfaceReductionRules_Actions Enabled
```

B.

```
Set-MpPreference -AttackSurfaceReductionRules_Ids D4F940AB -401B -4EFC -AADC -AD5F3C50688A -AttackSurfaceReductionRules_Actions AuditMode
```

C.

```
Add-MpPreference -AttackSurfaceReductionRules_Ids D4F940AB -401B -4EFC -AADC -AD5F3C50688A -AttackSurfaceReductionRules_Actions AuditMode
```

D.

```
Set-MpPreference -AttackSurfaceReductionRules_Ids D4F940AB -401B -4EFC -AADC -AD5F3C50688A -AttackSurfaceReductionRules_Actions Enabled
```

Correct Answer: *BC*

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/attack-surface-reduction>

Question #5Topic 1

Your company uses Microsoft Defender for Endpoint.

The company has Microsoft Word documents that contain macros. The documents are used frequently on the devices of the company's accounting team.

You need to hide false positive in the Alerts queue, while maintaining the existing security posture.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Resolve the alert automatically.

B. Hide the alert. **Most Voted**

C. Create a suppression rule scoped to any device.

D. Create a suppression rule scoped to a device group. **Most Voted**

E. Generate the alert. **Most Voted**

Correct Answer: *BDE*

Community vote distribution

BDE (83%)


Other

Question #6

Topic 1

DRAG DROP -

You open the Cloud App Security portal as shown in the following exhibit.



Your environment does NOT have Microsoft Defender for Endpoint enabled.

You need to remediate the risk for the Launchpad app.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Tag the app as **Unsanctioned**.

Run the script on the source appliance.

Run the script in Azure Cloud Shell.

Select the app.

Tag the app as **Sanctioned**.

Generate a block script.

Answer Area

Correct Answer:

Tag the app as **Unsanctioned**.

Run the script on the source appliance.

Run the script in Azure Cloud Shell.

Select the app.

Tag the app as **Sanctioned**.

Generate a block script.

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/governance-discovery>

<https://www.examttopics.com/exams/microsoft/sc-200/view/>

5/8

HOTSPOT -

You have a Microsoft 365 E5 subscription.

You plan to perform cross-domain investigations by using Microsoft 365 Defender.

You need to create an advanced hunting query to identify devices affected by a malicious email attachment.

How should you complete the query? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
EmailAttachmentInfo

| where SenderFromAddress =~ "MaliciousSender@example.com"

| where isnotempty (SHA256)

| 

|         |   |
|---------|---|
|         | ▼ |
| extend  |   |
| join    |   |
| project |   |
| union   |   |

 (

DeviceFileEvents

| 

|         |   |
|---------|---|
|         | ▼ |
| extend  |   |
| join    |   |
| project |   |
| union   |   |

 FileName, SHA256

) on SHA256

| 

|         |   |
|---------|---|
|         | ▼ |
| extend  |   |
| join    |   |
| project |   |
| union   |   |

 Timestamp, FileName, SHA256, DeviceName, DeviceId,

NetworkMessageId, SenderFromAddress, RecipientEmailAddress
```


Answer Area

```
EmailAttachmentInfo

| where SenderFromAddress =~ "MaliciousSender@example.com"

| where isnotempty (SHA256)

| 

|         |   |
|---------|---|
|         | ▼ |
| extend  |   |
| join    |   |
| project |   |
| union   |   |

 (
```

Correct Answer:

```
DeviceFileEvents

| 

|         |   |
|---------|---|
|         | ▼ |
| extend  |   |
| join    |   |
| project |   |
| union   |   |

 FileName, SHA256

) on SHA256

| 

|         |   |
|---------|---|
|         | ▼ |
| extend  |   |
| join    |   |
| project |   |
| union   |   |

 Timestamp, FileName, SHA256, DeviceName, DeviceId,

NetworkMessageId, SenderFromAddress, RecipientEmailAddress
```

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/mtp/advanced-hunting-query-emails-devices?view=o365-worldwide>

Question #8

Topic 1


You have the following advanced hunting query in Microsoft 365 Defender.

```
DeviceProcessEvents
| where Timestamp > ago (24h)
and InitiatingProcessFileName =~ 'runsl132.exe'
and InitiatingProcessCommandLine !contains " " and InitiatingProcessCommandLine != ""
and FileName in~ ('schtasks.exe')
and ProcessCommandLine has 'Change' and ProcessCommandLine has 'SystemRestore'
and ProcessCommandLine has 'disable'
| project Timestamp, AccountName, ProcessCommandLine
```

You need to receive an alert when any process disables System Restore on a device managed by Microsoft Defender during the last 24 hours. Which two actions should you perform? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Create a detection rule. Most Voted
- B. Create a suppression rule.
- C. Add | order by Timestamp to the query.
- D. Replace DeviceProcessEvents with DeviceNetworkEvents.
- E. Add DeviceId and ReportId to the output of the query. Most Voted

Correct Answer: AE



Question #9

Topic 1

You are investigating a potential attack that deploys a new ransomware strain.

You have three custom device groups. The groups contain devices that store highly sensitive information.

You plan to perform automated actions on all devices.

You need to be able to temporarily group the machines to perform actions on the devices.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Assign a tag to the device group.

Most Voted

B. Add the device users to the admin role.

C. Add a tag to the machines.

Most Voted

D. Create a new device group that has a rank of 1.

Most Voted

E. Create a new admin role.

F. Create a new device group that has a rank of 4.

Correct Answer: ACD

Community vote distribution

ACD (98%)

Question #10

Topic 1

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are configuring Microsoft Defender for Identity integration with Active Directory.

From the Microsoft Defender for identity portal, you need to configure several accounts for attackers to exploit.

Solution: From Entity tags, you add the accounts as Honeytoken accounts.

Does this meet the goal?

A. Yes

Most Voted

B. No

Correct Answer: A

Community vote distribution

A (100%)

Next Questions ➔

Browse atleast 50% to increase passing rate 🌞



Viewing page 1 out of 38 pages.

Viewing questions 1-10 out of 377 questions

