



Get **Contributor Access** for SC-200 Exam

No Captcha, Robots Checks, Community Discussions.

Get Contributor Access



Question #5

Topic 2

You provision a Linux virtual machine in a new Azure subscription.

You enable Azure Defender and onboard the virtual machine to Azure Defender.

You need to verify that an attack on the virtual machine triggers an alert in Azure Defender.

Which two Bash commands should you run on the virtual machine? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. `cp /bin/echo ./asc_alerttest_662jfi039n` **Most Voted**
- B. `./alerttest testing eicar pipe`
- C. `cp /bin/echo ./alerttest`
- D. `./asc_alerttest_662jfi039n testing eicar pipe` **Most Voted**

Correct Answer: AD

Community vote distribution

AD (94%)

6%

Question #6

Topic 2

You create an Azure subscription named sub1.

In sub1, you create a Log Analytics workspace named workspace1.

You enable Azure Security Center and configure Security Center to use workspace1.

You need to collect security event logs from the Azure virtual machines that report to workspace1.

What should you do?

- A. From Security Center, enable data collection **Most Voted**
- B. In sub1, register a provider.
- C. From Security Center, create a Workflow automation.
- D. In workspace1, create a workbook.

Correct Answer: A

Community vote distribution

A (95%)

5%

Question #7

Topic 2

DRAG DROP -

You create a new Azure subscription and start collecting logs for Azure Monitor.

You need to configure Azure Security Center to detect possible threats related to sign-ins from suspicious IP addresses to Azure virtual machines.

The solution must validate the configuration.

Which three actions should you perform in a sequence? To answer, move the appropriate actions from the list of action to the answer area and arrange them in the correct order.

Select and Place:

Actions

Change the alert severity threshold for emails to **Medium**.

Copy an executable file on a virtual machine and rename the file as ASC_AlertTest_662jfi039N.exe.

Enable Azure Defender for the subscription.

Change the alert severity threshold for emails to **Low**.

Run the executable file and specify the appropriate arguments.

Rename the executable file as AlertTest.exe.

Answer Area

<

>

↑

↓

Correct Answer:

Actions

Change the alert severity threshold for emails to **Medium**.

Copy an executable file on a virtual machine and rename the file as ASC_AlertTest_662jfi039N.exe.

Enable Azure Defender for the subscription.

Change the alert severity threshold for emails to **Low**.

Run the executable file and specify the appropriate arguments.

Rename the executable file as AlertTest.exe.

Answer Area

Enable Azure Defender for the subscription.

Copy an executable file on a virtual machine and rename the file as ASC_AlertTest_662jfi039N.exe.

Run the executable file and specify the appropriate arguments.

<

>

↑

↓

Reference:

<https://docs.microsoft.com/en-us/azure/security-center/security-center-alert-validation>

<https://www.examtopics.com/exams/microsoft/sc-200/view/8/>

2/8

Question #8

Topic 2

Your company uses Azure Security Center and Azure Defender.

The security operations team at the company informs you that it does NOT receive email notifications for security alerts. What should you configure in Security Center to enable the email notifications?

A. Security solutions

B. Security policy

C. Pricing & settings

Most Voted

D. Security alerts

E. Azure Defender

Correct Answer: C

Community vote distribution

C (100%)

Question #9

Topic 2

DRAG DROP -

You have resources in Azure and Google cloud.

You need to ingest Google Cloud Platform (GCP) data into Azure Defender.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Enable Security Health Analytics.

From Azure Security Center, add cloud connectors.

Configure the GCP Security Command Center.

Create a dedicated service account and a private key.

Enable the GCP Security Command Center API.

Answer Area

Correct Answer:

Actions

Enable Security Health Analytics.

From Azure Security Center, add cloud connectors.

Configure the GCP Security Command Center.

Create a dedicated service account and a private key.

Enable the GCP Security Command Center API.

Answer Area

Configure the GCP Security Command Center.

Enable Security Health Analytics.

Enable the GCP Security Command Center API.

Create a dedicated service account and a private key.

From Azure Security Center, add cloud connectors.

Reference:

<https://docs.microsoft.com/en-us/azure/security-center/quickstart-onboard-gcp>

Question #10

Topic 2

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You use Azure Security Center.

You receive a security alert in Security Center.

You need to view recommendations to resolve the alert in Security Center.

Solution: From Regulatory compliance, you download the report.

Does this meet the goal?

A. Yes

B. No

Most Voted

Correct Answer: B

Community vote distribution

B (100%)

Question #11

Topic 2

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You use Azure Security Center.

You receive a security alert in Security Center.

You need to view recommendations to resolve the alert in Security Center.

Solution: From Security alerts, you select the alert, select Take Action, and then expand the Mitigate the threat section.

Does this meet the goal?

A. Yes

Most Voted

B. No

Correct Answer: A

Community vote distribution

A (100%)

Question #12

Topic 2

You have an Azure subscription that has Azure Defender enabled for all supported resource types.

You need to configure the continuous export of high-severity alerts to enable their retrieval from a third-party security information and event management (SIEM) solution.

To which service should you export the alerts?

A. Azure Cosmos DB

B. Azure Event Grid

C. Azure Event Hubs

Most Voted

D. Azure Data Lake

Correct Answer: C

Community vote distribution

C (100%)

Question #13

Topic 2

You are responsible for responding to Azure Defender for Key Vault alerts.

During an investigation of an alert, you discover unauthorized attempts to access a key vault from a Tor exit node.

What should you configure to mitigate the threat?

A. Key Vault firewalls and virtual networks

Most Voted

B. Azure Active Directory (Azure AD) permissions

C. role-based access control (RBAC) for the key vault

D. the access policy settings of the key vault

Correct Answer: A

Community vote distribution

A (100%)

Question #14

Topic 2

HOTSPOT -

You need to use an Azure Resource Manager template to create a workflow automation that will trigger an automatic remediation when specific security alerts are received by Azure Security Center.

How should you complete the portion of the template that will provision the required Azure resources? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
"resources": [  
  {  
    "type": "

▼

/automations",  
    "apiVersion": "2019-01-01-preview",  
    "name": "[parameters('name')]",  
    "location": "[parameters('location')]",  
    "properties": {  
      "description": "[format(variables('description'), '{0}', parameters  
( 'subscriptionId' ))]",  
      "isEnabled": true,  
      "actions": [  
        {  
          "actionType": "LogicApp",  
          "logicAppResourceId": "[resourceId('ITEM2/workflows', parameters  
( 'appName' ))]",  
          "uri": "[listCallbackURL(resourceId(parameters('subscriptionId'),  
parameters('resourceGroupName'), '

▼

/workflows/triggers',  
Microsoft.Automation  
Microsoft.Logic  
Microsoft.Security  
parameters('appName'), 'manual'), '2019-05-01').value]"  
        }  
      ],  
    }  
  ],  
]
```

Correct Answer:

Answer Area

```
"resources": [  
  {  
    "type": "

▼

/automations",  
    "apiVersion": "2019-01-01-preview",  
    "name": "[parameters('name')]",  
    "location": "[parameters('location')]",  
    "properties": {  
      "description": "[format(variables('description'), '{0}', parameters  
( 'subscriptionId' ))]",  
      "isEnabled": true,  
      "actions": [  
        {  
          "actionType": "LogicApp",  
          "logicAppResourceId": "[resourceId('ITEM2/workflows', parameters  
( 'appName' ))]",  
          "uri": "[listCallbackURL(resourceId(parameters('subscriptionId'),  
parameters('resourceGroupName'), '

▼

/workflows/triggers',  
Microsoft.Automation  
Microsoft.Logic  
Microsoft.Security  
parameters('appName'), 'manual'), '2019-05-01').value]"  
        }  
      ],  
    }  
  ],  
]
```

Reference:

<https://docs.microsoft.com/en-us/azure/security-center/quickstart-automation-alert>



Viewing page 8 out of 38 pages.

Viewing questions **71-80** out of 377 questions

