

OneBridge Grid

UI/UX Design Specification

Design foundations, reference screens and states for the Digital Business Identity and Relationship Infrastructure.

Version
1.0 draft for review

Date
9 October 2026

Companion to
PRD v1.1, Sections 8 and 9

Prepared with
Claude

1. Design idea

The logo is a bridge that carries a person to the other side. The interface repeats that idea in three shapes: the arch holds an identity, the arc joins two parties, and the keystone marks trust.



Arch

Cards, QR frames and avatars sit under an arch. Other card apps use plain rounded rectangles.



Keystone

The verification mark sits at the crown of the arch. Verified businesses and the student badge use it.



Arc

Saves, shares, connections and handovers are drawn as an arc between two points.



Bridge-span progress

Loaders and progress bars draw an arch span instead of a straight bar.

Principles

- **Spend the boldness in one place.** The arch is the memorable element. Everything around it stays quiet.
- **Every screen has a next step.** Save, WhatsApp, share back, connect.
- **Calm for admins, quick for employees, warm for visitors.** Four interface moods, one system.
- **Plain words.** Sentence case, active verbs, errors that say what happened and how to fix it.
- **Motion answers an action.** Nothing animates on its own, and reduced motion is respected.

Four interface moods

User	Mood	Notes
Visitor	Warm, light, expressive	Thumb-zone actions, no login, fast on low-end phones
Employee and student	Quick, compact, dark-mode aware	Opens straight to the QR, one-hand use
Company admin	Calm, charcoal-led, data-dense	Orange only for the primary action and key numbers
Platform ops	Utilitarian	Queues, document viewers, audit trails, desktop only

2. Colour

Bridge Orange and Charcoal are sampled from the supplied logo file. The rest are supporting tokens. Confirm against the logo source file and lock them in ob-ui-kit.

Bridge Orange
#F68713
Primary action fills, the arch, key numbers

Charcoal
#393536
Text on orange, structure, headers, dark surfaces

Charcoal Deep
#1E1E1E
Dark-mode surfaces

Warm Paper
#FAF7F2
Page background

Sand
#EFE8DC
Cards, dividers, subtle fills

Deep Orange
#A04E08
Orange as text or icon on light backgrounds

Success
#27704A
Verified, synced, saved

Warning
#C99700
Untouched leads, pending sync

Error
#C2362B
Failures, destructive actions

Info
#3B6EA8
Neutral notices

Contrast, computed

Pair	Sample	Ratio	AA text	Use
Charcoal text on Bridge Orange	Aa	4.8:1	Pass	Buttons, chips
White text on Bridge Orange	Aa	2.5:1	Fail	Never use
Bridge Orange text on Warm Paper	Aa	2.3:1	Fail	Never use for text
Deep Orange text on Warm Paper	Aa	5.5:1	Pass	Orange text and icons
Charcoal text on Warm Paper	Aa	11.3:1	Pass	Body text
Warm Paper text on Charcoal	Aa	11.3:1	Pass	Dark surfaces
Bridge Orange on Charcoal	Aa	4.8:1	Pass	Highlights on dark
Success on its tint	Aa	5.2:1	Pass	Verified, synced
Warning text on its tint	Aa	5.5:1	Pass	Untouched, pending

Rule: orange is a fill, not a text colour. Orange buttons always carry charcoal text. Orange used as text or an icon on a light background uses Deep Orange.

3. Type, shape and motion

Typography

Sneha Reddy

Display and names. Manrope ExtraBold, 27 to 32 px

Share your details

Section titles. Manrope ExtraBold, 18 to 21 px

Senior Sales Executive

Labels and buttons. Manrope Bold, 13 to 16 px

Hyderabad's supplier of TMT bars and coated coils to builders and dealers.

Body. Manrope Regular, 13.5 to 14 px, line height 1.5, lines under 70 characters

नमस्ते, स्नेहा रेड्डी

Indian scripts fall back to Noto Sans for that script (Hindi in Phase 1; Tamil, Telugu, Kannada, Marathi, Bengali, Gujarati in Phase 2)

Manrope and the Noto fallbacks are proposals. Fonts are self-hosted for speed and privacy. Numbers use Indian grouping (12,48,000).


Shape and spacing

- Spacing scale in 4 px steps: 4, 8, 12, 16, 20, 24, 32.
- Radius by role: 12 px for inputs and chips, 16 px for buttons and tiles, 22 px for cards, full arch for hero frames.
- Touch targets 44 px or more. Primary buttons 56 px high on mobile.
- Borders 1.5 px in Sand. Shadows only on overlays (drawers, phone frames).

Motion

Moment	Motion	Duration
Visitor saves a contact or sends share-back	An arc draws from the visitor to the card owner, then settles	About 400 ms
Offboarding handover	An arc carries the lead count from the leaving seat to the successor	About 600 ms
Loading	Bridge-span progress, then skeleton screens	Looping until loaded
Reduced motion setting	All of the above become a simple fade	150 ms

4. Reference screen 1: Visitor card



Visitor card on mobile web

Purpose

Turn a scan or tap into a saved contact and a lead in one thumb reach.

Structure

1. Orange block with an arched window. The person sits under the arch and the keystone sits at the crown.
2. Name, role, company, branch and the verified chip.
3. Save contact (primary) and WhatsApp. Call, Email and Directions below.
4. Share-back panel with an arched top: three fields, consent, send.
5. About, products, links, then the Business ID footer.

Behaviour

- Save contact downloads a vCard with photo and company.
- Sending share-back draws an arc and confirms. It creates a lead and notifies the owner.
- EN and Hindi toggle at the top right.


Targets

- LCP 1.5 s or less on 4G
- View to save rate 25% or more

Needs no login

The page works with no app and no account.

5. Reference screen 2: My Card (PWA)



My Card, installed PWA

Purpose

Show my QR and share it in two taps, even offline.

Structure

1. Greeting and sync chip (Synced, Offline, N waiting).
2. Update banner with Refresh.
3. Hero QR in an arch frame, short link, source tag and full-screen button.
4. Share row: WhatsApp, copy link, email signature, NFC tap (Android only).
5. Stats for 7 days, then latest leads with a warning chip after 24 hours untouched.
6. Bottom bar: Card, Leads, Stats, Profile.


Behaviour

- The QR is generated on the device from the short link, so it works offline.
- Leads captured offline wait in a queue and sync when the app opens.
- Profile edits need a connection.

Targets

- QR visible in 300 ms or less when installed
- First JS 150 KB or less

6. Reference screen 3: Admin dashboard and handover



Purpose

Give admins a calm control room, and make the company-owned relationship story visible when someone leaves.

Dashboard

- Charcoal left rail, org switcher and Business ID at the bottom.
- Four tiles: cards against seats, views, saves, leads.
- Trend chart for views and saves, branch leaderboard, activity feed.

Offboarding handover

1. Admin chooses Offboard on an employee.
2. A drawer asks what visitors see and who takes over.
3. The summary shows an arc from the leaving seat to the successor with the counts that stay.
4. It states that access was removed and the person keeps only public card details.


Targets

- Offboarding in under 2 minutes
- Access revoked within 1 minute

7. States to design


Empty, error and waiting screens are directions, not moods. Each says what happened and what to do next. Errors never apologise and never stay vague. The copy below is a first draft for review.

Offline




My Card

Card not yet activated




Visitor sees this

Card inactive or lost




Visitor sees this

Employee has left




Visitor sees this

Student check pending




Student account

Student check failed




Student account

Plan lapsed



Admin banner

No leads yet



My Card

8. Components, accessibility and handoff

Component inventory for ob-ui-kit

Arch card, keystone badge, action button (primary orange, secondary outline, ghost), QR frame, seat chip, stat tile, lead row, status chip, org-tree node, handover timeline, side drawer, empty state, toast, offline and update banners, install guide sheet. Each component ships with Storybook stories for light mode, dark mode, loading, empty and error states.

Accessibility checklist

- WCAG 2.1 AA on dashboards and public pages. Contrast values are in section 2.
- Touch targets 44 px or more. Visible keyboard focus on every control.
- Colour is never the only signal. Status chips include an icon or a word.
- Reduced motion replaces arcs with a fade.
- Screen reader labels for the QR, keystone badge and arcs (for example, "Verified business").
- Test on a 2 GB Android phone and an iPhone on iOS 15 or later.

CSS variables for ob-ui-kit

```
:root {
  --ob-orange: #F68713;
  --ob-charcoal: #393536;
  --ob-charcoal-deep: #1E1E1E;
  --ob-paper: #FAF7F2;
  --ob-sand: #EFE8DC;
  --ob-orange-deep: #A04E08;
  --ob-success: #27704A;
  --ob-warning: #C99700;
  --ob-error: #C2362B;
  --ob-info: #3B6EA8;
  --ob-sand-border: #E3D9C8;
}
```

Handoff

- Design tokens live in ob-ui-kit and are published as @onebridge/ui. Squads consume them from there, not from this PDF.
- The three PNG files are direction references. Final screens are built in Figma and Storybook.
- Every new screen needs its states from section 7 designed before build.

Open design questions

#	Question	Suggested default
U1	Confirm the Manrope and Noto font choice	Manrope with Noto fallbacks
U2	Confirm exact logo colours from the vector source	Use the sampled #F68713 and #393536
U3	Dark mode for the visitor card page	Follow the visitor's system setting
U4	Company logo in the home-screen icon, or OneBridge only	OneBridge only (single manifest, PRD OPEN-D)
U5	Hindi copy review by a native speaker	Required before beta