



Wireshark 4.6.9 x64 Setup
Welcome to Wireshark 4.6.9 x64 Setup
This wizard will guide you through the installation of Wireshark.
Before starting the installation, make sure Wireshark is not running.
Click 'Next' to continue.
Next >
Cancel



Wireshark 4.6.9 x64 Setup
Completing Wireshark 4.6.9 x64 Setup
Wireshark 4.6.9 x64 has been installed on your computer.
Click Finish to close Setup.
Open the release notes
< Back
Finish
Cancel

484	30.628319100	2606:4700:90c3:ce32…	2401:4900:1c39:30e9…	UDP	90	443 → 58408 Len=24
485	30.831382100	2401:4900:1c39:30e9…	2606:4700:90c3:ce32…	UDP	103	58408 → 443 Len=41
486	30.831392200	2401:4900:1c39:30e9…	2606:4700:90c3:ce32…	UDP	103	58408 → 443 Len=41
487	30.846030300	2606:4700:90c3:ce32…	2401:4900:1c39:30e9…	UDP	90	443 → 58408 Len=24
488	31.046719200	2401:4900:1c39:30e9…	2606:4700:90c3:ce32…	UDP	103	58408 → 443 Len=41
489	31.046727800	2401:4900:1c39:30e9…	2606:4700:90c3:ce32…	UDP	103	58408 → 443 Len=41
490	31.064306000	2606:4700:90c3:ce32…	2401:4900:1c39:30e9…	UDP	90	443 → 58408 Len=24
491	31.250216200	2401:4900:1c39:30e9…	2400:6180:100:d0::9…	TCP	75	[TCP Keep-Alive] 10497 → 443 [ACK] Seq=1 Ack=28 Win=65508 Len=1
492	31.250224300	2401:4900:1c39:30e9…	2400:6180:100:d0::9…	TCP	75	[TCP Keep-Alive] 10497 → 443 [ACK] Seq=1 Ack=28 Win=65508 Len=1
493	31.266313700	2401:4900:1c39:30e9…	2606:4700:90c3:ce32…	UDP	103	58408 → 443 Len=41
494	31.266322600	2401:4900:1c39:30e9…	2606:4700:90c3:ce32…	UDP	103	58408 → 443 Len=41
495	31.280638900	2606:4700:90c3:ce32…	2401:4900:1c39:30e9…	UDP	90	443 → 58408 Len=24
496	31.320176500	2400:6180:100:d0::9…	2401:4900:1c39:30e9…	TCP	74	[TCP Keep-Alive ACK] 443 → 10497 [ACK] Seq=28 Ack=2 Win=63149 Len=0
497	31.485222300	2401:4900:1c39:30e9…	2606:4700:90c3:ce32…	UDP	103	58408 → 443 Len=41
498	31.485231500	2401:4900:1c39:30e9…	2606:4700:90c3:ce32…	UDP	103	58408 → 443 Len=41
499	31.499847000	2606:4700:90c3:ce32…	2401:4900:1c39:30e9…	UDP	90	443 → 58408 Len=24
500	31.907187900	2401:4900:1c39:30e9…	2606:4700:90c3:ce32…	UDP	103	58408 → 443 Len=41
501	31.907195800	2401:4900:1c39:30e9…	2606:4700:90c3:ce32…	UDP	103	58408 → 443 Len=41
502	31.922567800	2606:4700:90c3:ce32…	2401:4900:1c39:30e9…	UDP	90	443 → 58408 Len=24


Wireshark · Packet 1258 · Wi-Fi
Frame 1258: Packet, 91 bytes on wire (728 bits), 91 bytes captured (728 bits) on interface \Device\NPF_{E85974BE-5EE4-4245-9656-ABCA4381809C}, id 0
Ethernet II, Src: Intel_70:6b:6a (d0:65:78:70:6b:6a), Dst: ZyxelCommuni_34:ff:7d (fc:22:f4:34:ff:7d)
Internet Protocol Version 6, Src: 2401:4900:1c39:30e9:59e5:8406:4b65:3bdb, Dst: 2401:4900:50:9::7fe
User Datagram Protocol, Src Port: 50542, Dst Port: 53
Domain Name System (query)
0000 fc 22 f4 34 ff 7d d0 65 78 70 6b 6a 86 dd 60 02
0010 bb 70 00 25 11 40 24 01 49 00 1c 39 30 e9 59 e5
0020 84 06 4b 65 3b db 24 01 49 00 00 50 00 09 00 00
0030 00 00 00 00 07 fe c5 6e 00 35 00 25 94 de 91 4f
0040 01 00 00 01 00 00 00 00 00 00 07 63 68 61 74 67
0050 70 74 03 63 6f 6d 00 00 1c 00 01
No.: 1258 · Time: 59.896240900 · Source: 2401:4900:1c39:30e9:59e5:8406:4b65:3bdb · Destination: 2401:4900:50:9::7fe · Protocol: DNS · Length: 91 · Info: Standard query 0x914f AAAA chatgpt.com
Show packet bytes
Layout: Vertical (Stacked)
Close
Help


Capturing from Wi-Fi
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
tcp
No. Time Source Destination Protocol Length Info
2962 152.527472100 192.168.1.4 23.41.38.10 TCP 55 [TCP Keep-Alive] 61521 → 443 [ACK] Seq=1 Ack=1 Win=255 Len=1
2963 152.615681800 23.41.38.10 192.168.1.4 TCP 66 [TCP Keep-Alive ACK] 443 → 61521 [ACK] Seq=1 Ack=2 Win=584 Len=0 SLE=1 SRE=2
2967 153.897533700 2401:4900:1c39:30e9… 2400:6180:100:d0::9… TCP 75 [TCP Keep-Alive] 10497 → 443 [ACK] Seq=1 Ack=82 Win=65454 Len=1
2968 153.897543100 2401:4900:1c39:30e9… 2400:6180:100:d0::9… TCP 75 [TCP Keep-Alive] 10497 → 443 [ACK] Seq=1 Ack=82 Win=65454 Len=1
2969 153.961079500 2400:6180:100:d0::9… 2401:4900:1c39:30e9… TCP 74 [TCP Keep-Alive ACK] 443 → 10497 [ACK] Seq=82 Ack=2 Win=63149 Len=0
2970 154.074945500 2606:4700:90c1:d8b7… 2401:4900:1c39:30e9… TLSv1.2 102 Application Data
2971 154.075158700 2401:4900:1c39:30e9… 2606:4700:90c1:d8b7… TLSv1.2 102 Application Data
2972 154.075164500 2401:4900:1c39:30e9… 2606:4700:90c1:d8b7… TCP 102 [TCP Retransmission] 50953 → 443 [PSH, ACK] Seq=197 Ack=193 Win=252 Len=28
2973 154.092433200 2606:4700:90c1:d8b7… 2401:4900:1c39:30e9… TCP 78 443 → 50953 [ACK] Seq=193 Ack=225 Win=18 Len=0
2974 154.099733400 2401:4900:1c39:30e9… 2606:b740:1:20::102 TCP 75 [TCP Keep-Alive] 7046 → 443 [ACK] Seq=1 Ack=1 Win=252 Len=1
2975 154.099740600 2401:4900:1c39:30e9… 2606:b740:1:20::102 TCP 75 [TCP Keep-Alive] 7046 → 443 [ACK] Seq=1 Ack=1 Win=252 Len=1
2978 154.373693700 2606:b740:1:20::102 2401:4900:1c39:30e9… TCP 86 [TCP Keep-Alive ACK] 443 → 7046 [ACK] Seq=1 Ack=2 Win=62 Len=0 SLE=1 SRE=2
2980 155.684311400 2606:4700:90c1:d8b7… 2401:4900:1c39:30e9… TLSv1.2 102 Application Data
2981 155.684533200 2401:4900:1c39:30e9… 2606:4700:90c1:d8b7… TLSv1.2 102 Application Data
2982 155.684539500 2401:4900:1c39:30e9… 2606:4700:90c1:d8b7… TCP 102 [TCP Retransmission] 20880 → 443 [PSH, ACK] Seq=197 Ack=193 Win=253 Len=28
2983 155.700178800 2606:4700:90c1:d8b7… 2401:4900:1c39:30e9… TCP 78 443 → 20880 [ACK] Seq=193 Ack=225 Win=16 Len=0
2984 155.812201200 2401:4900:1c39:30e9… 2600:140f:cc00::17c… TCP 75 [TCP Keep-Alive] 33979 → 443 [ACK] Seq=1 Ack=1 Win=1023 Len=1
2985 155.812208000 2401:4900:1c39:30e9… 2600:140f:cc00::17c… TCP 75 [TCP Keep-Alive] 33979 → 443 [ACK] Seq=1 Ack=1 Win=1023 Len=1
2986 155.828254800 2600:140f:cc00::17c… 2401:4900:1c39:30e9… TCP 90 [TCP Keep-Alive ACK] 443 → 33979 [ACK] Seq=1 Ack=2 Win=546 Len=0 SLE=1 SRE=2
Frame 1254: Packet, 14242 bytes on wire (113936 bits), 14242 bytes captured (113936 bits) on interface
Ethernet II, Src: Intel_70:6b:6a (d0:65:78:70:6b:6a), Dst: ZyxelCommuni_34:ff:7d (fc:22:f4:34:ff:7d)
Internet Protocol Version 6, Src: 2401:4900:1c39:30e9:59e5:8406:4b65:3bdb, Dst: 2606:4700:90c2:7cbc:c23
Transmission Control Protocol, Src Port: 45739, Dst Port: 443, Seq: 42490, Ack: 2692, Len: 14168
0000 fc 22 f4 34 ff 7d d0 65 78 70 6b 6a 86 dd 60 03
0010 fb 9e 37 6c 06 40 24 01 49 00 1c 39 30 e9 59 e5
0020 84 06 4b 65 3b db 26 06 47 00 90 c2 7c bc c2 39
0030 05 25 5f f2 75 c4 b2 ab 01 bb 16 cc 3c b1 58 59
0040 ab 9f 50 18 03 ff 36 f1 00 00 17 03 03 37 53 c6

```
2793 143.029608200 2401:4900:1c39:30e9… 2401:4900:50:9::7fe  DNS        96 Standard query 0xeb27 AAAA wpad.domain.name
2794 143.029611300 2401:4900:1c39:30e9… 2401:4900:50:9::7fe  DNS        96 Standard query 0xeb27 AAAA wpad.domain.name
2795 143.034728900 2401:4900:50:9::7fe  2401:4900:1c39:30e9… DNS       163 Standard query response 0xb574 No such name A wpad.domain.name SOA ac1.nstld.com
2796 143.034729300 2401:4900:50:9::7fe  2401:4900:1c39:30e9… DNS       163 Standard query response 0xeb27 No such name AAAA wpad.domain.name SOA ac1.nstld.com
3115 171.251249300 2401:4900:1c39:30e9… 2401:4900:50:9::7fe  DNS        91 Standard query 0xcc38 AAAA b1.nel.goog
3116 171.251254000 2401:4900:1c39:30e9… 2401:4900:50:9::7fe  DNS        91 Standard query 0xcc38 AAAA b1.nel.goog
3117 171.285671100 2401:4900:1c39:30e9… 2401:4900:50:9::7af  DNS        91 Standard query 0xcc38 AAAA b1.nel.goog
3118 171.285677400 2401:4900:1c39:30e9… 2401:4900:50:9::7af  DNS        91 Standard query 0xcc38 AAAA b1.nel.goog
3119 171.393672600 2401:4900:50:9::7fe  2401:4900:1c39:30e9… DNS       119 Standard query response 0xcc38 AAAA b1.nel.goog AAAA 2404:6800:4013:807::5e
3130 171.399048400 2401:4900:50:9::7af  2401:4900:1c39:30e9… DNS       119 Standard query response 0xcc38 AAAA b1.nel.goog AAAA 2404:6800:4002:828::2003
3562 200.891382900 2401:4900:1c39:30e9… 2401:4900:50:9::7fe  DNS        91 Standard query 0xd59c AAAA chatgpt.com
3563 200.891390500 2401:4900:1c39:30e9… 2401:4900:50:9::7fe  DNS        91 Standard query 0xd59c AAAA chatgpt.com
3570 200.904356000 2401:4900:50:9::7fe  2401:4900:1c39:30e9… DNS       119 Standard query response 0xd59c AAAA chatgpt.com AAAA 2606:4700:90c2:7cbc:c239:524:5ff2:75c4
3890 228.455795700 2401:4900:1c39:30e9… 2401:4900:50:9::7fe  DNS       111 Standard query 0x87b7 A settings-win.data.microsoft.com
3891 228.455804300 2401:4900:1c39:30e9… 2401:4900:50:9::7fe  DNS       111 Standard query 0x87b7 A settings-win.data.microsoft.com
3892 228.456119800 2401:4900:1c39:30e9… 2401:4900:50:9::7fe  DNS       111 Standard query 0x441e AAAA settings-win.data.microsoft.com
3893 228.456122900 2401:4900:1c39:30e9… 2401:4900:50:9::7fe  DNS       111 Standard query 0x441e AAAA settings-win.data.microsoft.com
3894 228.459598000 2401:4900:50:9::7fe  2401:4900:1c39:30e9… DNS       298 Standard query response 0x441e AAAA settings-win.data.microsoft.com CNAME atm-settingsfe-prod-geo2.trafficmanager.net CNAME settings-
3895 228.459598600 2401:4900:50:9::7fe  2401:4900:1c39:30e9… DNS       254 Standard query response 0x87b7 A settings-win.data.microsoft.com CNAME atm-settingsfe-prod-geo2.trafficmanager.net CNAME settings-pro
```


Capturing from Wi-Fi
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
icmp
No. Time Source Destination Protocol Length Info
863 48.751093100 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
993 50.398494300 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
1002 51.765365600 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
1372 62.412452000 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
1394 63.835658600 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
1401 65.315334000 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
1569 75.866514800 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
1616 77.367141800 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
1631 78.873518300 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
3108 168.751970500 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
3114 170.298397800 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
3167 171.769201100 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
3340 182.414989100 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
3349 183.885145700 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
3368 185.360841600 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
3483 195.875316700 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
3518 197.378137000 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
3545 198.879190000 192.168.1.1 192.168.1.4 ICMP 142 Destination unreachable (Port unreachable)
Frame 863: Packet, 142 bytes on wire (1136 bits), 142 bytes captured (1136 bits) on interface \Device\NF
Ethernet II, Src: ZyxelCommuni_34:ff:7d (fc:22:f4:34:ff:7d), Dst: Intel_70:6b:6a (d0:65:78:70:6b:6a)
802.1Q Virtual LAN, PRI: 0, DEI: 0, ID: 0
Internet Protocol Version 4, Src: 192.168.1.1, Dst: 192.168.1.4
Internet Control Message Protocol
0000 d0 65 78 70 6b 6a fc 22 f4 34 ff 7d 81 00 00 00
0010 08 00 45 c0 00 7c 26 27 00 00 40 01 d0 44 c0 a8
0020 01 01 c0 a8 01 04 03 03 80 b0 00 00 00 00 45 00
0030 00 60 1a dc 00 00 80 11 9c 5b c0 a8 01 04 c0 a8
0040 01 01 00 89 00 89 00 4c 6e 86 d3 2d 40 00 00 01
0050 00 00 00 00 00 01 20 45 4d 45 42 46 41 46 45 45
0060 50 46 41 43 4e 44 47 46 42 46 41 44 44 44 46 45
0070 44 44 49 45 49 43 41 00 00 20 00 01 c0 0c 00 20
0080 00 01 00 04 93 e0 00 06 60 00 c0 a8 01 04