

Test Report: (8720)311-0196 MYNTRA JABONG INDIA (P) LTD

Received Date: November 06, 2020 Report Date: November 09, 2020

PASS

SUBMITTER

Ajanta Silk

A-4003-4004, Radha Krishna Logistic Park, Near Bharat Cancer Hospital, Saroli, Surat, Gujarat, 385010, India



STYLE NUMBER

WALLPAPER FLORAL

PRODUCT DESCRIPTION

POLY MOSS CREPE

EXECUTIVE SUMMARY

The submitted sample(s) MEET all the tested requirement(s).

REMARKS

TECHNICAL QUESTIONS

Viiith K P

/

Directline +91-080-40701600.Ext:684

vijith.kp@in.bureauveritas.com

GENERAL INFORMATION

Pradipta Kr. Lenka

Directline +91-080-40701600.Ext:632

pradipta.kumar@in.bureauveritas.com

SIGNATURES

Bureau Veritas Consumer Products Services (I) Pvt Ltd

Vijoh

Vijith K P

Program Manager Softlines Department

Note: The submitted samples were not drawn by the laboratory

Bureau Veritas Consumer Products Services (I) Pvt. Ltd. AKR Tech Park, Ground floor, C Block, Survey no 112, BANGALORE

Tel: 0091-80-40701600 Fax: 0091-80-40701655

This report is governed by, and incorporates by reference, CPS Conditions of Service as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute you unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



Test Report: (8720)311-0196 MYNTRA JABONG INDIA (P) LTD Received Date: November 06, 2020 Report Date: November 09, 2020

VERITAS	
BRAND	dressberry
TEST ITEM	Fabric
SAMPLE QUANTITY	1.5 MTR
COLOUR	BLUE
STYLE REFERENCE NO.	WALLPAPER FLORAL
COUNTRY OF ORIGIN	INDIA
FABRIC MILL NAME	AJANTA EXPORTS
MANUFACTURER	AJANTHA SILK
ORDER/PO NO.	N/A
PI / PO NO.	I
FABRIC CONSTRUCTION	100% POLYESTER
SEASON	SS-21
FABRIC WEIGHT	115 GSM
WOVEN OR KNITS OR DENIM	Woven
DIVISION/DEPARTMENT	Women's
TOPS OR BOTTOM	Tops
COUNTRY OF DESTINATION	INDIA
END USE	WOMEN'S WEAR
YARN COUNT	N/A
SIZE	N/A
AGE RANGE	N/A
TYPE OF FINISH/DYE	DIGITAL
TYPE OF PRINT	DIGITAL PRINT
SOLE MATERIAL	I
ORDER QUANTITY	795 MTR
ADDITIONAL INFORMATION	I
SUBMITTED FIBER CONTENT	100% POLYESTER
ACTUAL FIBER CONTENT	
SUGGESTED FIBER CONTENT	



Test Report: (8720)311-0196 MYNTRA JABONG INDIA (P) LTD Received Date: November 06, 2020 Report Date: November 09, 2020

SUBMITTED CARE INSTRUCTION(S)	MACHINE WASH COLD TUMBLE DRY LOW
CLIENT EXPECTED CARE INSTRUCTION	
SUGGESTED CARE INSTRUCTION(S)	
RANGE	1
GENDER	1
VENDOR ARTICLE NO.	1
PROTOCOL NUMBER	MYNT-SL-PTCL-00501.02-IND-WOVEN FABRIC ADDITIONAL COLOURWAY-V4
PROTOCOL STAR LEVEL	I
FAIL RETEST	NO
PREVIOUS REPORT NUMBER	(8720)258-0190
RETEST SAMPLE NUMBER	I
FABRIC REPORT NUMBER	1
REPORT EXPIRATION DATE	1



Test Report: (8720)311-0196 MYNTRA JABONG INDIA (P) LTD Received Date: November 06, 2020 Report Date: November 09, 2020

	c.	т і	- 1	-0	П		TG		٦.		ÐΥ	~ 1	•	/ 1	V.	\smallfrown	œ	e		Б	13	PΕ	
_	o		NΙ	-	U	ь.	1	т.	וגי	√		w.	_		WI	u	0	0	v	7	1=	-	4

Lengthwise Dimensional Change -3 to 3 % Widthwise Dimensional Change -3 to 3 % Colourfastness to rubbing (ISO 105-X12:2016) Poly Moss Crepe Colour Staining - Dry MYNT-SL-501.02-IND-V4 Min. Grade 3-4 Colour Staining - Wet Min. Grade 2-3 Colourfastness to washing (AATCC 61-13 / SASO ISO 105-C10:2006)*** Poly Moss Crepe Colour Change MYNT-SL-501.02-IND-V4 Min. Grade 4 Self Staining / Colour Staining on Acetate Colour Staining on Cotton Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Acrylic	-0.3 0.1 Grade 4-5 Grade 4-5	PASS
Poly Moss Crepe Dimensional Change -3 to 3 % Widthwise Dimensional Change -3 to 3 % Colourfastness to rubbing (ISO 105-X12:2016) Poly Moss Crepe Colour Staining - Dry MYNT-SL-501.02-IND-V4 Min. Grade 3-4 Colourfastness to washing (AATCC 61-13 / SASO ISO 105-C10:2006) ### Poly Moss Crepe Colour Change MYNT-SL-501.02-IND-V4 Min. Grade 4 Self Staining / Colour Staining on Acetate Colour Staining on Cotton Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Acrylic	-0.3 0.1 Grade 4-5 Grade 4-5	
Lengthwise Dimensional Change -3 to 3 % Widthwise Dimensional Change -3 to 3 % Colourfastness to rubbing (ISO 105-X12:2016) Poly Moss Crepe Colour Staining - Dry MYNT-SL-501.02-IND-V4 Min. Grade 3-4 Colour Staining - Wet Min. Grade 2-3 Colourfastness to washing (AATCC 61-13 / SASO ISO 105-C10:2006) ### Poly Moss Crepe Colour Change MYNT-SL-501.02-IND-V4 Min. Grade 4 Self Staining / Colour Staining on Acetate Colour Staining on Polyamide Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Acrylic	-0.3 0.1 Grade 4-5 Grade 4-5	PASS
Lengthwise Dimensional Change -3 to 3 % Widthwise Dimensional Change -3 to 3 % Colourfastness to rubbing (ISO 105-X12:2016) Poly Moss Crepe Colour Staining - Dry MYNT-SL-501.02-IND-V4 Min. Grade 3-4 Colour Staining - Wet Min. Grade 2-3 Colourfastness to washing (AATCC 61-13 / SASO ISO 105-C10:2006) ### Poly Moss Crepe Colour Change MYNT-SL-501.02-IND-V4 Min. Grade 4 Self Staining / Colour Staining on Acetate Colour Staining on Cotton Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Acrylic	-0.3 0.1 Grade 4-5 Grade 4-5	PASS
Widthwise Dimensional Change -3 to 3 % Colourfastness to rubbing (ISO 105-X12:2016) Poly Moss Crepe Colour Staining - Dry MYNT-SL-501.02-IND-V4 Min. Grade 3-4 Colour Staining - Wet Min. Grade 2-3 Colourfastness to washing (AATCC 61-13 / SASO ISO 105-C10:2006) Poly Moss Crepe Colour Change MYNT-SL-501.02-IND-V4 Min. Grade 4 Self Staining / Colour Staining on Acetate Min. Grade 3-4 Colour Staining on Cotton Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Acrylic	0.1 Grade 4-5 Grade 4-5	PASS
Widthwise Dimensional Change -3 to 3 % Colourfastness to rubbing (ISO 105-X12:2016) Poly Moss Crepe Colour Staining - Dry MYNT-SL-501.02-IND-V4 Min. Grade 3-4 Colour Staining - Wet Min. Grade 2-3 Colourfastness to washing (AATCC 61-13 / SASO ISO 105-C10:2006) Poly Moss Crepe Colour Change MYNT-SL-501.02-IND-V4 Min. Grade 4 Self Staining / Colour Staining on Acetate Min. Grade 3-4 Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Acrylic	0.1 Grade 4-5 Grade 4-5	PASS
Colour Staining - Dry MyNT-SL-501.02-IND-V4 Min. Grade 3-4 Colour Staining - Wet Min. Grade 2-3 Colour Grade 4 Self Staining / Colour Staining on Acetate Min. Grade 3-4 Colour Staining on Cotton Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Acrylic	Grade 4-5 Grade 4-5	PASS
Poly Moss Crepe Colour Staining - Dry MYNT-SL-501.02-IND-V4 Min. Grade 3-4 Colour Staining - Wet Min. Grade 2-3 Colourfastness to washing (AATCC 61-13 / SASO ISO 105-C10:2006)### Poly Moss Crepe Colour Change MYNT-SL-501.02-IND-V4 Min. Grade 4 Self Staining / Colour Staining on Acetate Min. Grade 3-4 Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Acrylic	Grade 4-5	PASS
Colour Staining - Dry MYNT-SL-501.02-IND-V4 Min. Grade 3-4 Colour Staining - Wet Min. Grade 2-3 Colourfastness to washing (AATCC 61-13 / SASO ISO 105-C10:2006)### Poly Moss Crepe Colour Change MYNT-SL-501.02-IND-V4 Min. Grade 4 Self Staining / Colour Staining on Acetate Colour Staining on Cotton Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Acrylic	Grade 4-5	1 700
Colour Staining on Polyester Colour Staining on Acrylic Colour Staining on Acrylic Colour Staining on Acrylic		
Poly Moss Crepe Colour Change MYNT-SL-501.02-IND-V4 Min. Grade 4 Self Staining / Colour Staining on Acetate Min. Grade 3-4 Colour Staining on Cotton Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Acrylic		
Poly Moss Crepe Colour Change MYNT-SL-501.02-IND-V4 Min. Grade 4 Self Staining / Colour Staining on Acetate Min. Grade 3-4 Colour Staining on Cotton Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Acrylic		
Colour Change MYNT-SL-501.02-IND-V4 Min. Grade 4 Self Staining / Colour Staining on Acetate Min. Grade 3-4 Colour Staining on Cotton Colour Staining on Polyester Colour Staining on Polyester Colour Staining on Acrylic		PASS
Colour Staining on Acetate Colour Staining on Cotton Colour Staining on Polyamide Colour Staining on Polyester Colour Staining on Acrylic	Grade 4	
Colour Staining on Cotton Colour Staining on Polyamide Colour Staining on Polyester Colour Staining on Acrylic	Grade 4-5	
Colour Staining on Polyamide Colour Staining on Polyester Colour Staining on Acrylic	Grade 4-5	
Polyamide Colour Staining on Polyester Colour Staining on Acrylic	Grade 4-5	
Colour Staining on Acrylic	Grade 4-5	
	Grade 4-5	
	Grade 4-5	
Colour Staining on Wool	Grade 4-5	
Colorfastness Rating		
Color Change Color Stain / Self Staining	9	
5 - Negligible or No Change 5 - Negligible or No Stain	ing	
4 - Slightly Changed 4 - Slightly Stained		
3 - Noticeably Changed 3 - Noticeably Stained		
2 - Considerably Changed 2 - Considerably Stained		
1 - Much Changed 1 - Heavily Stained		

END OF REPORT