# FORESTRY EQUIPMENT







#### **TABLE OF CONTENT**

LOGMAX	2
WARATAH	4
PONSSE	9
QUADCO	11
TIGERCAT	12
KOMATSU FOREST - VALMET	13
FORWARDERS	14
CRANAB – HARVESTER CRANES	15
OTHER FORESTRY EQUIPMENT	16



# **LOGMAX**

Model	Solutions	Benefits	Part Number
5000 6000 7000 Series	Solutions  1(a)- Replace main coupler with a Swiroll to eliminate hose torsion on both sides of the joint.  Two different supports are available:	Less hose failures Less downtime Better hose protection Less leaks Less oil in the environment Easy installation & maintenance	Part Number  SR5-JJ-501  * Ask for Logmax welded or bolted bracket  * See product catalog for details
	Bolted		



## **LOGMAX**

Model	Solutions	Benefits	Part Number
All models	1(b)-Install Taimi swivels below the main coupler to eliminate hose torsion.	Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	JIC and ORFS Male- Female swivels size 1 ¼ ", 1", ¾" and ½" available * See product catalog for details
6000 Serie and up	2- Install custom swivel manifold on feed roller motors to eliminate torsion on hoses.	Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	BSPP SM2L-P08-501 * Will fit on Parker V12-60 motors



Model	Solutions	Benefits	Part Number
260	Replace main coupler with Taimi SM2A Swivel Manifold Kit along with in-line swivels to eliminate torsion on hoses.	Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	* See product catalog for in-line swivel size and configuration to use with this swivel manifold  * Press fittings and 90 unions not included
270	Replace main coupler with Taimi SM2A Swivel Manifold Kit along with in-line swivels to eliminate torsion on hoses.	Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	JIC SM2A-W2-501  * See product catalog for in-line swivel size and configuration to use with this swivel manifold  * Press fittings and 90 unions not included



WAINAIAI			
Model	Solutions	Benefits	Part Number
400 Serie	1(a)- Replace main coupler with a Swiroll to eliminate hose torsion on both sides of the joint.	Less hose failures Less downtime Better hose protection Less leaks Less oil in the environment Easy installation & maintenance	SR5-JJ-501 (without accumulators)  SR4TS-JJ-501 (with accumulators)  * See product catalog for details
	1(b)- Replace main coupler with a custom swivel manifold to eliminate torsion on hoses.		SM4WH-J16-501



		T	
Model	Solutions	Benefits	Part Number
400 Serie (continued)	1(c) - Replace main coupler with a SM2A swivel manifold kit along with in-line swivels to eliminate torsion on hoses.	Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	JIC SM2A-W6-501  * See product catalog for in-line swivel size and configuration to use with this swivel manifold
	2- Install custom swivel manifold on feed roller motors to eliminate torsion on hoses .		JIC Left SM2D-J12WL-501 Right SM2D-J12WR-501  BSPP Left SM2D-P12WL-501
			Right SM2D-P12WR-501 * Will fit on Sauer Danfoss 630-800 series motors
	3- Add sturdy protectors on feed roller motors.		SM2D-WP-101



Model	Solutions	Benefits	Part Number
600 Serie	1(a)- Replace main coupler with Taimi SM2A swivel manifold kit along with SM2A swivel manifold kit or in-line swivels on the upper hoses to eliminate torsion.	Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	JIC SM2A-W6-501  JIC SM2A-W6-502 or see product catalog for in-line swivel size and configuration to use with this swivel manifold
	2- Install custom swivels on the body valve's BSPP ports.  * Taimi recommends the use of straight fittings instead of the stock 45 degrees.	Hoses are no longer failing near the press fitting  Downtime is reduced for increased productivity	1 X SZ-J12M-P12MW + 1 X SZ-J16M-P20MW + 1 X SZ-S16M-P16MW or 1 X SZ-J16M-P16M



			1
Model	Solutions	Benefits	Part Number
600 Serie (continued)	1(b)-Replace main coupler with a Swiroll to eliminate hose torsion on both sides of the joint.	Less hose failures  Less downtime  Better hose protection  Less leaks  Less oil in the environment  Easy installation & maintenance	* Ask for Waratah 600 serie bracket  CORRECT  INCORRECT
All Waratah Models	Install Taimi in-line swivels to eliminate torsion on hoses	Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	JIC and ORFS Male-Male swivels size 1 ¼ ", 1", ¾" and ½" available  * Other size and configuration available See product catalog



## **PONSSE**

	I	<u> </u>	
Model	Solutions	Benefits	Part Number
All Ponsse Models	Install Taimi in-line swivels to eliminate torsion on hoses.	Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	BSPP Male-Male swivels 1": SZ-P16M-P16M 34": SZ-P12M-P12M  OR  JIC Male-Male swivels 1": SZ-J16M-J16M 34": SZ-J12M-J12M  * Other size and configuration available. See product catalog.
H6-H7	Replace main coupler with Taimi SM2A Swivel Manifold Kit along with in-line swivels to eliminate torsion on hoses.  Ponsse existing Link	Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	BSPP SM2A-PH-501 OR JIC SM2A-PH-502  * See product catalog for in-line swivel size and configuration to use with this swivel manifold.  * See product catalog for manifolds port and configuration.



## **PONSSE**

	Т	T	
Model	Solutions	Benefits	Part Number
H73 and H53	Install custom swivel manifold on feed roller motors to eliminate torsion on hoses.	Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	BSPP SM2D-P12P-501  JIC SM2D-J12P-501  * Will fit on Sauer Danfoss 630-800 series motors  BSPP SM2D-P12P-504  JIC SM2D-J12P-504  * Will fit on Sauer Danfoss OMT 400 series motors
H60	Install custom swivel manifold on feed roller motor to eliminate torsion on hoses.	Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	BSPP SM2D-P12P-502  OR  JIC SM2D-J12P-502  * Will fit on Sauer Danfoss OMVW 630-800 series motors



## **QUADCO**

Model	Solutions	Benefits	Part Number
All Felling Heads	Replace swivels with Taimi swivels.	Taimi swivels last 8 to 12 times longer Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	JIC Male-Male swivels 34": SZ-J12M-J12M ½": SZ-J08M-J08M  * Other size and configuration available. See product catalog.



## **TIGERCAT**

Model	Solutions	Benefits	Part Number
All Felling Heads	Replace swivels with Taimi swivels .	Taimi swivels last 8 to 12 times longer Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	ORFS Male-Male swivels ¾": SZ-S12M-S12M OR JIC Male-Male swivels ¾": SZ-J12M-J12M



### **KOMATSU FOREST - VALMET**

Model	Solutions	Benefits	Part Number
360 and 370	1(a) - Install Taimi swivels at the main coupler.	Less hose failures Less downtime Less leaks Less oil in the environment	ORFS Male-Female Swivels 1": SZ-S16M-S16F 34": SZ-S12M-S12F JIC Male-Female Swivels 1": SZ-J16M-JB16F 34": SZ-J12M-JB12F
	1(b) -Install a Swivel Manifold on main coupler to eliminate torsion on hoses.	Easy installation & maintenance	SM4VH-J16-501
350	2- Install Taimi swivels on the body valve.	Downtime is reduced for increased productivity  Access is improved for easier maintenance  Hoses are no longer failing near the press fitting	ORFS Male-Female Swivels 1": SZ-S16M-S16F 34": SZ-S12M-S12F JIC Male-Female Swivels 1": SZ-J16M-JB16F 34": SZ-J12M-JB12F



### **FORWARDERS**

		<b>D C</b> 1	
All Models	Install custom swivel manifolds on the crane to eliminate torsion on hoses.	Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	JIC SM5F-J1208-501 SM5F-J1208-502  BSPP SM5F-P1208-502  * Manifold must be installed with swivel side of the manifold facing the ground.  * See product catalog for details.



### **CRANAB - HARVESTER CRANES**

Model	Solutions	Benefits	Part Number
45° Back Nose	Install custom swivel manifold on telescopic crane.  Non swivelling couplings (inside crane frame)  Swiwell Cartridges (outside crane frame)  J16 (2) + J12 (2)	Less hose failures Less downtime Less leaks Less oil in the environment Easy installation & maintenance	JIC SM4C-J1216-501 or BSPP SM4C-P1216-501



## OTHER FORESTRY EQUIPMENT

		ı	
Model	Solutions	Benefits	Part Number
Caterpillar	On all moving hydraulic hoses, use Taimi swivels for a better reliability, less downtime and more production.	Taimi swivels last 8 to 12 times longer	Available in BSPP, JIC, NPTF, ORFS and Metric from sizes 3/8"
John Deere		Less hose failures	to 2"
Logset		Less downtime Less leaks	* See product catalog for details.
AFM		Less oil in the environment	
GN Roy		Easy installation & maintenance	
Gilbert			
Kesla			
Risley			