









ISS	DATE	ECR/DESCRIPTION
A	06 Jul 2026	DEVELOPMENT RELEASE
Aluminium 6082 (HE30) CLEAN AND BURR FREE		
DO NOT SCALE DRAWING DIMENSION AND BREAK SHARP EDGES THIRD ANGLE PROJECTION		
UNLESS OTHERWISE SPECIFIED DIMENSIONS IN MILLIMETRES AND SURFACE TEXTURE		
TOLERANCES: 0 ± 1mm 0.0 ± 0.2mm 0.00 ± 0.1mm ANGULAR: ± 9° 30'		
DRAWING CREDITED TO BS 8888		
TITLE: BULKHEAD C CLAMP - KF16 / KF10 - VACUUM MANIFOLD		
DWG NO. 035838		
SCALE: A		

SCALE: 2:1 SHEET 1 OF 1

A3



ISS	DATE	ECR/DESCRIPTION
A	25/03/2022	DEVELOPMENT RELEASE

MATERIAL: Peek CLEAN

DO NOT SCALE DRAWING
RENDER AND BREAK
SHARP EDGES
WIND ANGLE PROJECTION

DRAWN: KC
APPROVED: JS

UNLESS OTHERWISE SPECIFIED
DIMENSIONS IN MILLIMETRES / Rg 0.8
W/CD SURFACE TEXTURE: V
TOLERANCES: 0.1mm
0.0 + 0.2mm
0.00 + 0.1mm
ANGULAR $\pm 0^\circ 30'$
DRAWING CREATED TO BS 8888



TITLE: STAGE SPACER BLOCK - PP3020

SCALE: 1:1

SHEET 1 OF 1

301581

A3








NOTES:

1. SURFACE REQUIRED FOR SEALING, TO BE FREE FROM SCRATCHES CHATTER MARKS AND ANY OTHER SURFACE IMPERFECTIONS.

ISS	DATE	ECR/DESCRIPTION
A	03 Dec 2020	DEVELOPMENT RELEASE
MATERIAL: Brass BS2874 C2121		
CLEAN AND BURR FREE		
TOLERANCES: 0.1mm		
0.05mm		
0.02mm		
ANGULAR: ± 0° 30'		
DRAWING CREATED TO BS 8888		
DWG NO: 031169		
A3		

4 x $\varnothing 4.50$ THRU ALL
 $\square \varnothing 8.00 \nabla 4.40$
EQSPCD ON PCD
AS SHOWN
 $\varnothing \varnothing 0.1 A$

1/8 Rc Tapped Hole
THRU ALL



NOTES:

1. SURFACE REQUIRED FOR SEALING, TO BE FREE FROM SCRATCHES CHATTER MARKS AND ANY OTHER SURFACE IMPERFECTIONS.

ISS	DATE	ECR/DESCRIPTION	
A	03 Dec 2022	DEVELOPMENT RELEASE	
MATERIAL:			Brass BS2874 CZ121
FINISH:			CLEAN AND BURR FREE
UNLESS OTHERWISE SPECIFIED DIMENSIONS IN MILLIMETRES / Ra 0.8			
SURFACE TEXTURE: $\sqrt{\quad}$			
TOLERANCES: 0.1mm			
0.05 + 0.2mm			
0.02 + 0.1mm			
ANGULAR: $\pm 0.30^\circ$			
DRAWING CREATED TO BS 8886			

TITLE:

VOC CONDENSER SIDE
FLANGE

DWG NO:

031167

SHEET:

A

SCALE: 2:1



SHEET 1 OF 1

A3

1
2
3
4
5
6



A
B

$\varnothing 8.00 \text{ f7 } \begin{matrix} -0.013 \\ -0.028 \end{matrix}$



SECTION A-A

$\varnothing 1.10 \begin{matrix} +0.1 \\ 0.0 \end{matrix}$

THREAD AS CLOSE TO
BOTTOM AS POSSIBLEISOMETRIC VIEW
SCALE 5:1

D

ISS	DATE	ECR/DESCRIPTION
02	05 Oct 2022	MATERIAL CHANGED TO PHOSPHOR BRONZE PB102
01	28 Jul 2022	PRODUCTION RELEASE
C	18 Jul 2022	SCALLOP CHANGED TO SUIT PIN TOLERANCE
B	09 Mar 2022	MATERIAL CHANGED TO PHOSPHOR BRONZE.

DO NOT SCALE DRAWING
DEBURY AND BREAK
SHARP EDGES
THIRD ANGLE PROJECTION

DRAWN JS
APPRVD MS

UNLESS OTHERWISE SPECIFIED
DIMENSIONS IN MILLIMETERS
M/cd SURFACE TEXTURE:
TOLERANCES
0 ± 1mm
0.0 ± 0.2mm
0.00 ± 0.1mm
ANGULAR ± 0° 30'

DRAWING CREATED TO BS 8888

MATERIAL: Phosphor bronze PB102
FINISH: CLEAN AND BURR FREE

TITLE: REMOVABLE COLLET HOLDING
BLOCK

DWG NO.

029068

ISSUE:
02

SCALE: 5:1

SHEET 1 OF 1

A4

VF2



1. For unspecified details refer to 3D data.
2. Unless otherwise specified, all surfaces controlled with  0.2 A B C
3. Remove all burrs and sharp edges.
4. For tolerances see standard border notes unless otherwise stated.
5. Parts to be clean and free from oil.

Sheet Size A3	Third Angle Projection 
Dims. mm	Mass 257.79

Tolerances to ISO 2768 -mk
(REFER TO STANDARD FOR FORM AND POSITION TOLERANCES)

Basic Size Range	Linear	Radcli & Chamf
0.5	±0.1	±0.2
3<	±0.1	±0.5
6<	±0.2	±1.0
30< ≤120	±0.3	
120< ≤400	±0.5	
400< ≤1000	±0.5	
1000< ≤2000	±0.5	
2000< ≤4000	±0.5	

Surface: ISO 1302

Edges: ISO 13715

Tolerance: ISO #015

Reg 3.2

0.2


0
+0.2

A	First Release	N/A	LMD1	LMD1	12-MAR-2026
Rev.	Description	Changed By	Checked By	Approved By	Date (DD-MM-YYYY)
Material		File Description			Drawn by:
316 STAINLESS STEEL		Fixture B - Simplified re-design			MLS1
Treatment		File Number		Rev	Sheet
N/A		Kepler_00884		A	1 of 2

WLS1

Street

1 of 2



General Notes:

- For unspecified details refer to 3D data.
- Unless otherwise specified, all surfaces controlled with $\Delta 0.2$ A B C
- Remove all burrs and sharp edges.
- For tolerances see standard border notes unless otherwise stated.
- Parts to be clean and free from oil. 0

SECTION C-C



Sheet Size
A3

Third Angle
Projection






Dim.
mm

Mass
257.79

Tolerances to ISO 2768 -mk
(REFER TO STANDARD FOR FORM AND POSITION TOLERANCES)

Basic Size Range	Linear	Radii & Chamf	Surface: ISO 1302	Edges: ISO 13715	Tolerance: ISO 8015
0.5 - 3	±0.1	±0.2	✓ Ra 3.2	✓ 0.2	✓ 0.2
3 - 6	±0.1	±0.2	✓ Ra 3.2	✓ 0.2	✓ 0.2
6 - 30	±0.2	±0.3	✓ Ra 3.2	✓ 0.2	✓ 0.2
30 - 120	±0.3	±0.5	✓ Ra 3.2	✓ 0.2	✓ 0.2
120 - 400	±0.5	±0.8	✓ Ra 3.2	✓ 0.2	✓ 0.2
400 - 1000	±0.8	±1.0	✓ Ra 3.2	✓ 0.2	✓ 0.2
1000 - 2000	±1.0	±1.0	✓ Ra 3.2	✓ 0.2	✓ 0.2
2000 - 4000	±1.5	±1.5	✓ Ra 3.2	✓ 0.2	✓ 0.2

A	First Release	N/A	LMD1	LMD1	12MAR-2026
Rev.	Description	Changed By	Checked By	Approved By	Date (DD-MM-YYYY)
Material: 316 STAINLESS STEEL		File Description: Fixture B - Simplified re-design			
Treatment: N/A		File Number: Kepler_00884		Rev: A	Sheet: 2 of 2



General Notes:

1. For all unspecified details refer to 3D data.
2. Remove all burrs and sharp edges.
3. For tolerances see standard border notes unless otherwise stated.
4. Parts to be clean and free from oil.

Sheet Size
A3

Third Angle
Projection

Dim.
mm

Mass
0.51

Tolerances to ISO 2768 -mk
(REFER TO STANDARD FOR FORM AND POSITION TOLERANCES)

Basic Size Range	Linear	Radii & Chamf
0.5 - 3	±0.1	±0.2
3 - 6	±0.1	±0.5
6 - 30	±0.2	±1.0
30 - 120	±0.3	
120 - 400	±0.5	
400 - 1000	±0.5	
1000 - 2000	±0.5	
2000 - 4000	±0.5	

Surface: ISO 1302

Edges: ISO 13715

Tolerance: ISO 8015



A	First Release	N/A	AGF1	AGF1	03-NOV-2025
Rev.	Description	Changed By	Checked By	Approved By	Date (DD-MMM-YYYY)
Material	STAINLESS STEEL				Drawn by: ADN1
Treatment	File Description Hollow arm bulkhead, short				Sheet 1 of 1
File Number OLY014_01921				Rev A	

1	2	3	4	5	6
---	---	---	---	---	---







C.

- D


D

Tolerances to ISO 2768 -mk (REFER TO STANDARD FOR FORM AND POSITION TOLERANCES)			
Basic Size Range	Linear	Radii & Chamfers	
0.5	± 0.1	± 0.2	Surface: ISO 1302  Re 3.2
3	± 0.1	± 0.2	
6	± 0.1	± 0.2	Edges: ISO 13715  0.2
30	± 0.1	± 0.1	
120	± 0.1	± 0.1	Tolerance: ISO 8015  0.03
400	± 0.1	± 0.1	
1000	± 0.1	± 0.1	
2000	± 0.1	± 0.1	



General Notes:

- For all unspecified details refer to 3D data.
- Remove all burrs and sharp edges.
- For tolerances see standard border notes unless otherwise stated.
- Parts to be clean and free from oil.




Sheet Size
A3

Third Angle
Projection

Dim's. Mass
mm 2.36

Tolerances to ISO 2768-mk
(REFER TO STANDARD FOR FORM AND POSITION TOLERANCES)

Basic Size Range	Linear	Radial & Chamf	Surface: ISO 1302	Edges: ISO 13715	Tolerance: ISO 8015
0.5 - 53	±0.1	±0.2			
53 - 300	±0.1	±0.5			
300 - 5120	±0.2	±1.0			
5120 - 12000	±0.3				
12000 - 40000	±0.5				
40000 - 100000	±0.5				
100000 - 200000	±0.5				
200000 - 500000	±0.5				



Rev.	Description	Changed By	Checked By	Approved By	Date (DD-MM-YYYY)
A	First Release	N/A	MB		
Material POM-H		File Description Toolset Drive Unit - Drive Dog			Drawn by: GS9
Treatment		File Number OLY014_01297		Rev A	Sheet 1 of 1