FINSIGHT AI

Complete Jira Scrum Backlog & XP One-Week Delivery Plan

Checked against the supplied 49-page SRS, database schema/ERD reference and component-diagram companion

Planning item	Decision
Backlog prepared	17 October 2026
Seven daily sprint dates	18–24 October 2026
Method	Extreme Programming (XP), tracked with a Jira Scrum board
Release 1	Read-only MVP: historical daily US equity data, quality/provenance, document ingestion, PostgreSQL + pgvector RAG, source-backed AI response, automated tests and CI/CD
Release 2 / future	Paper trading, broker integration and real-order execution remain excluded from Release 1
Architecture baseline	Next.js/React; FastAPI; PostgreSQL + pgvector; Ollama behind provider interface; background jobs and observability
Scope note	This is a complete proposed backlog catalog of the supplied SRS capabilities, not a claim that all capabilities fit in one week or are already implemented.

Correction to the previous PDF: the earlier 29-issue version was an MVP-focused starter backlog, not a complete catalog of the SRS. This revised document expands the backlog across all nine SRS application areas and the cross-cutting architecture, quality, security, reporting, portfolio, valuation and risk domains. The seven daily sprints still select only a feasible vertical slice.

1. Audit result: what was missing

The previous PDF included only 29 Jira issues and explicitly deferred several major SRS areas. It therefore did not include all user stories implied by the nine SRS pages and architecture diagrams. The revised backlog below groups related functional requirements into coherent stories, gives each story acceptance criteria and release scope, and separates the complete product backlog from the seven-day commitment.

Area	Coverage added/checked
P1 Authentication & Access	Login/session recovery, RBAC, protected APIs, audit, account protection, MFA/session management, read-vs-trade permissions, security/accessibility NFRs.
P2 Dashboard & portfolio views	Health/activity, market overview, charts/indicators, instrument comparison, fundamentals, watchlists, portfolio performance/risk, news/events/alerts, layout/freshness.
P3 AI Analyst	Conversation lifecycle, streaming/stop/retry, RAG citations, financial Q&A;, deterministic calculations, screening, saved analysis, tool authorization, privacy/prompt safety.
P4 Research & RAG	Upload/validation, parsing, chunking, embeddings/indexing, search/preview/filters, access control, dedup/recovery, provenance, versions, financial metadata/tables.
P5 Data Explorer & ingestion	Provider/source registration, historical prices/fundamentals/events, schema discovery, read-only queries, imports/transforms/joins, data quality, snapshots, lineage, refresh.
P6 Workflow/strategy	Workflow creation/versioning/scheduling, approvals, screening, strategy rules/variants, signals/alerts, readiness checks and reproducibility.
P7 Execution/backtesting/trading	Run logs/status/retry/cancel, backtesting and cost models, metrics/curves/exports, out-of-sample checks, paper trading/broker features marked Release 2.
P8 Settings/integrations	Ollama, embedding and vector config, chunking/retrieval tuning, provider management, refresh policy, financial/risk defaults, safe config activation, broker controls gated.
P9 Account/workspace/saved research	Profiles/preferences, membership/roles/sharing, credentials, export/deletion/privacy/audit, saved dashboards/watchlists/screens/strategies/reports and permissions.
Cross-cutting domains	DCF, quantitative risk, portfolio/returns/attribution, reporting/citations, CI/CD, testing, RTM, DevSecOps, SCM, release/rollback, usability, ethics and license/data rights.

Revised catalog: 72 grouped user stories/tasks across 11 epics. Stories are grouped by related SRS requirement ranges to keep Jira manageable; the story acceptance criteria cover the grouped capability, while the SRS remains the authoritative detailed requirement source.

2. Jira project configuration

Setting	Value
Project	FinSight AI — Release 1 MVP
Project type	Jira Software Scrum
Issue hierarchy	Epic → Story / Task / Bug → Sub-task
Columns	To Do → In Progress → Code Review → Testing → Done
Estimate scale	Fibonacci: 1, 2, 3, 5, 8; re-estimate with the team
Components	frontend, backend-api, market-data, research-rag, ai-analyst, portfolio-risk, strategy-backtest, reporting, database, testing, devops-security
Labels	xp, tdd, ci-cd, security, release-1, release-2, traceability, docs, performance, debt
Fix versions	1.0.0-MVP; 2.0.0-Trading-Future
Done gate	Acceptance criteria pass; review complete; tests pass; security checks considered; evidence/PR linked; documentation and traceability updated.

XP practices throughout

• Planning game and small releases: choose one demonstrable vertical slice per day; re-prioritize based on risk and feedback.

• TDD: write a failing test, implement the smallest change, refactor, and rerun the suite.

• Pair programming/collective ownership for auth, ingestion, RAG access filters, database migrations and release pipeline.

• Continuous integration: every PR runs lint/static checks, unit/API tests, security/dependency checks and build.

• Simple design/refactoring: start as a modular FastAPI application; keep module boundaries clear without premature microservices.

• Daily demo/retrospective and sustainable pace: record accepted stories, blockers, defects and one improvement action.

3. Epics

Epic	Outcome	Scope
E1 — Identity, Authentication & Security	Secure sessions, RBAC, privacy, secret handling and access boundaries.	R1 foundation
E2 — Dashboard, Market Views & Watchlists	Market/dashboard views, charts, watchlists, portfolio and alerts.	Mixed R1/later
E3 — AI Financial Analyst & Conversations	Conversation lifecycle, source-backed answers, approved tools and deterministic financial analysis.	R1 thin slice + later
E4 — Research Library, Documents & RAG	Document ingestion, extraction, indexing, search, citations and lifecycle.	R1 core + later
E5 — Market Data Ingestion, Data Quality & Explorer	Provider adapters, historical data, quality, snapshots, structured querying and lineage.	R1 core + later
E6 — Screening, Strategies, Signals & Workflow Studio	Screens, strategies, signals, workflow versioning, scheduling and approvals.	Later
E7 — Execution Monitoring, Backtesting & Future Trading	Run observability, backtests, performance analysis and future trading extension.	R1 jobs; trading R2
E8 — Models, Providers, RAG & Application Settings	LLM, embedding, retrieval, provider, refresh and risk configuration.	R1 subset + later
E9 — Account, Workspace, Saved Research & Reporting	Preferences, workspace, saved assets, sharing, report generation and export.	R1 basic + later
E10 — Quantitative Finance, Valuation & Portfolio Analytics	DCF, quantitative risk, portfolio returns, attribution and reporting.	Later increments
E11 — Engineering Quality, CI/CD, SCM & Course Evidence	TDD, automated quality gates, release, traceability, risk, SCM and course artifacts.	R1 foundation

4. Complete grouped user-story catalog

Each row is intended to become a Jira Story or Task. The suggested ID is a tracking alias only; Jira will generate the real issue key. For each story, set the Epic Link to the matching E-number and include the source requirement range in the Description.

Suggested ID / Epic	SRS area / refs	Story title and user story	Priority / release	SP	Acceptance criteria
FS-01-01 **E1**	P1 FR-P1-01..04	**Authenticate and manage sessions** As a user, I want to sign in, sign out, recover access, and use an approved onboarding flow so that my account is protected.	P0 R1 foundation	3	Valid credentials create a session; logout invalidates it; invalid credentials reveal no account existence; onboarding follows admin policy.
FS-01-02 **E1**	P1 FR-P1-05..08	**Enforce roles and protected routes** As an administrator, I want role-based access enforced on every protected API and page so that users only access permitted capabilities.	P0 R1 foundation	3	Unauthenticated requests are rejected; role/permission matrix is tested server-side; inactive sessions expire per configuration.
FS-01-03 **E1**	P1 FR-P1-09..12	**Protect accounts and audit authentication** As a security owner, I want authentication events, lockout/rate limits, optional MFA, and session management so that account abuse can be detected and limited.	P1 R1 hardening	3	Security events are auditable; repeated failures are throttled; MFA/session features are enabled only when configured.
FS-01-04 **E1**	P1 FR-P1-13..15	**Separate read-only and trading permissions** As an account owner, I want connection ownership and step-up checks for sensitive actions so that analysis access cannot silently become trading access.	P0 R1 boundary; trading R2	2	Users cannot use another user's credentials; Release 1 has no order-execution path; sensitive actions require policy checks.
FS-01-05 **E1**	P1 NFR-P1-01..06	**Meet identity security and accessibility requirements** As a user, I want secure credentials, transport, sessions and accessible authentication forms so that login is safe and usable.	P0 R1	3	No plaintext passwords; deployed auth uses HTTPS; session controls are secure; keyboard, labels, focus and understandable errors are tested.
FS-02-01 **E2**	P2 FR-P2-01..09	**Show dashboard health and activity** As a user, I want overview metrics, recent conversations/documents/jobs, quick actions, time filters and clear empty/error states so that I can understand system status.	P1 R1 thin slice; expand later	3	Dashboard scopes data to the user/workspace; shows service health and job status; refresh failures and empty states are explicit.
FS-02-02 **E2**	P2 FR-P2-10..14	**Show market overview, sessions, movers and heatmaps** As an investor, I want supported market summaries and movers so that I can scan market conditions quickly.	P1 Later R1 increment	3	Values show source/as-of/freshness; exchange session follows configured calendar; unavailable classifications are not fabricated.
FS-02-03 **E2**	P2 FR-P2-15..18	**Explore interactive historical price charts** As an investor, I want line/candlestick charts, date ranges, indicators and timestamp inspection so that I can study historical prices.	P1 Later R1 increment	5	Supported intervals match provider coverage; indicator values are reproducible; zoom/pan and timestamp inspection work.
FS-02-04 **E2**	P2 FR-P2-19..20	**Compare instruments and fundamentals** As an analyst, I want normalized instrument comparisons and sourced fundamental metrics so that comparisons use consistent periods and definitions.	P1 Later R1 increment	3	Comparison uses matching date windows; fundamentals show period/source where available; missing data is marked.
FS-02-05 **E2**	P2 FR-P2-21..22; P9 FR-P9-16	**Manage watchlists** As a user, I want to create and organize watchlists and monitor their instruments so that I can follow selected assets.	P1 Later R1 increment	3	Create/rename/reorder/delete and add/remove work; watchlist data is owner-scoped and includes freshness metadata.
FS-02-06 **E2**	P2 FR-P2-23..30	**View portfolio performance, allocation and risk** As a portfolio owner, I want holdings, returns, benchmark, contribution, allocation, correlation and downside-risk views so that I can assess portfolio behavior.	P1 Later R1 increment	5	Metrics use matching snapshots/date ranges; risk measures state assumptions; absent portfolio inputs produce a clear empty state.
FS-02-07 **E2**	P2 FR-P2-31..36	**View news, events, alerts and custom dashboard layout** As a user, I want attributed news/events, signal summaries, filters and saved dashboard widgets so that my workspace reflects my research needs.	P2 Later	3	News shows timestamp/source; filters apply consistently; layout persists and respects permissions.
FS-02-08 **E2**	P2 NFR-P2-01..05	**Keep dashboard responsive, isolated and freshness-aware** As a user, I want a responsive dashboard that reports stale or failed dependencies honestly so that I can judge data reliability.	P1 R1 foundation + later polish	2	Primary content meets agreed performance target; layouts work on supported screens; only authorized records are shown; freshness states are explicit.
FS-03-01 **E3**	P3 FR-P3-01..06	**Create and manage AI conversations** As a user, I want to create, search, rename and manage conversations and select an available model so that I can organize analysis.	P1 R1 thin slice	3	Conversation ownership is enforced; model selection only offers configured models; delete/archive behavior is confirmed.
FS-03-02 **E3**	P3 FR-P3-02..03; 11..12	**Stream, stop and regenerate answers** As a user, I want streaming responses, stop controls and safe regeneration so that I can interact efficiently with the assistant.	P1 R1 thin slice	3	Partial output is ordered; stop cancels generation where supported; retries do not duplicate persisted user messages.
FS-03-03 **E3**	P3 FR-P3-07..10; P4 FR-P4-24	**Answer with authorized retrieval and precise citations** As an analyst, I want retrieved evidence and precise source citations in answers so that research claims are auditable.	P0 R1 core	5	Only authorized chunks enter context; citations resolve to source/page/section metadata where available; no evidence is presented as a citation if absent.
FS-03-04 **E3**	P3 FR-P3-21..24; 26..33	**Answer financial questions using deterministic tools** As an analyst, I want instrument resolution, company/fundamental/technical/event/portfolio analysis and validated calculations so that answers are numerically reliable.	P1 Later R1 increments	5	Numeric outputs come from backend services; formulas/assumptions and as-of timestamps are shown; unsupported calculations are declined or marked unavailable.

Suggested ID / Epic	SRS area / refs	Story title and user story	Priority / release	SP	Acceptance criteria
FS-03-05 **E3**	P3 FR-P3-25; P6 FR-P6-15..16	**Create natural-language screening requests** As an analyst, I want to describe screening criteria in natural language so that the system can translate them into a validated screen.	P2 Later	3	Parsed rules are displayed for confirmation; unsupported fields are rejected; result set is reproducible against a data snapshot.
FS-03-06 **E3**	P3 FR-P3-13..20; 34..36	**Search, export, save and invoke approved workflows** As a user, I want conversation search, file context, feedback, usage information and saved analysis, while tool actions remain explicitly authorized.	P1 R1 basic save; broader later	3	Conversation isolation is enforced; export/save includes provenance; tool calls are allowlisted; analysis never silently submits a trade.
FS-03-07 **E3**	P3 NFR-P3-01..08	**Make AI behavior safe, traceable and understandable** As a user, I want clear model identity, streaming/failure states, privacy protections and prompt-injection defenses so that AI behavior is trustworthy.	P0 R1	3	Failures do not corrupt history; retrieved content is untrusted; sensitive prompts/secrets are not leaked; status and model limitations are visible.
FS-04-01 **E4**	P4 FR-P4-01..04	**Upload, validate and extract documents** As a researcher, I want to upload supported filings and reports and extract their text safely so that they become searchable.	P0 R1 core	3	Type/size/content validation runs; parser errors are visible; extracted text retains document/version metadata.
FS-04-02 **E4**	P4 FR-P4-05..08	**Chunk, embed, index and track processing** As a researcher, I want section-aware chunks and compatible embeddings indexed with processing status so that retrieval is reliable.	P0 R1 core	5	Chunks retain source/page/section; model/dimension metadata is stored; indexing is idempotent and incompatible vectors fail clearly.
FS-04-03 **E4**	P4 FR-P4-09..13; 22..24	**Search, preview, filter and manage research documents** As a researcher, I want hybrid search, previews, filters, metadata edits, re-indexing and deletion so that I can maintain the knowledge base.	P1 R1 basic search; expand later	3	Results are permission-filtered; metadata filters work; deleted/superseded chunks are not retrievable; evidence links point to source.
FS-04-04 **E4**	P4 FR-P4-14..17	**Handle duplicates and recover processing failures** As a researcher, I want duplicate detection, retry/recovery and clear processing outcomes so that failed ingestion does not corrupt the index.	P0 R1 core	3	Duplicate files/versions are detected by configured identity/hash; retry is safe; partial failures are traceable and recoverable.
FS-04-05 **E4**	P4 FR-P4-18..21; 25..27	**Enrich financial metadata and track document versions** As a researcher, I want company/ticker resolution, tables, provenance, revised-version detection and saved collections so that evidence stays organized and current.	P2 Later	5	Provider/publication metadata is retained; supported tables are extracted; versions/collections preserve access grants and lineage.
FS-04-06 **E4**	P4 NFR-P4-01..08	**Protect file processing, index consistency and document lifecycle** As a system owner, I want safe uploads, consistent relational/vector state, isolated jobs and lifecycle controls so that research data remains secure.	P0 R1	3	Prohibited files are rejected; metadata and vectors reconcile; long jobs are isolated; delete/reindex lifecycle is documented; unauthorized titles/content are not discoverable.
FS-05-01 **E5**	P5 FR-P5-01..05; 12..13	**Register and configure data sources securely** As an administrator, I want to register sources, test connections, inspect inventory/schema, set allowlists and manage credentials so that data access is controlled.	P1 R1 provider foundation	3	Connection tests show safe diagnostics; secrets are not returned; allowlists and ownership are enforced; minimum privileges are used.
FS-05-02 **E5**	P5 FR-P5-06..10; 28..29	**Query structured datasets safely** As an analyst, I want read-only structured search, a query builder, validated SQL and export so that I can explore data without modifying source systems.	P2 Later	3	Only permitted read operations run; queries have timeout/row limits; invalid queries are rejected; results are paginated and export permissions enforced.
FS-05-03 **E5**	P5 FR-P5-14..19	**Ingest market prices, instruments, fundamentals and events** As an analyst, I want provider-adapted historical prices, corporate actions, fundamentals and reference events so that analyses use structured market data.	P0 R1 core historical daily subset; expand later	5	Provider adapter normalizes instruments/time/currency; records identify source and snapshot; supported data types are explicit; no false real-time claim.
FS-05-04 **E5**	P5 FR-P5-20..22; 30..33	**Import, preview, clean, transform and combine datasets** As a data user, I want to import datasets, preview and clean them, apply transformations/joins and save reusable queries so that analyses are repeatable.	P2 Later	5	Operations are explicit and validated; original input remains traceable; compatible joins are checked; saved queries/datasets are access-controlled.
FS-05-05 **E5**	P5 FR-P5-23..27; 34..35	**Backfill and refresh data with quality and lineage** As a data owner, I want historical backfill, incremental refresh, quality checks, currency/adjustment handling and lineage so that data can be trusted.	P0 R1 subset; expand later	5	Runs are idempotent; missing/duplicate/outlier outcomes are reported; adjustment policy and source/as-of metadata are stored; snapshot IDs trace inputs.
FS-05-06 **E5**	P5 NFR-P5-01..07	**Enforce least privilege, query safety and source isolation** As a security owner, I want query timeouts, secret protection, auditability and data-boundary enforcement so that connectors cannot expose unauthorized data.	P0 R1 foundation	3	Source credentials use minimum permissions; failed source does not take down unrelated features; sensitive query/model data follows policy; changes are auditable.
FS-06-01 **E6**	P6 FR-P6-01..08	**Create, configure, validate, test and version workflows** As a researcher, I want configurable workflows with selected tools/data/knowledge sources, validation, test runs and versioning so that analysis pipelines are repeatable.	P2 Later	5	Invalid workflows cannot run; version is immutable once used by a run; ownership and source selection are checked.

Suggested ID / Epic	SRS area / refs	Story title and user story	Priority / release	SP	Acceptance criteria
FS-06-02 **E6**	P6 FR-P6-09..14	**Run, schedule and monitor workflows with approvals** As a user, I want to start/schedule workflows, track status and recover from failures with approval gates so that long-running work is controlled.	P2 Later	5	Each run has stable ID/status; bounded retries/timeouts; approval-required actions wait for approval; failures are visible and retryable.
FS-06-03 **E6**	P6 FR-P6-15..17	**Build and save stock screens** As an analyst, I want multi-factor screeners and reusable saved screens so that I can filter an instrument universe consistently.	P2 Later	3	Filters validate against available fields; results use a data snapshot; saved screens can be edited, cloned and rerun.
FS-06-04 **E6**	P6 FR-P6-18..21; 27..30	**Define versioned strategies, variants and readiness checks** As a strategy researcher, I want entry/exit, indicator, sizing, risk rules, variants and readiness validation so that a strategy is well-defined before backtesting.	P2 Later	5	Version and parameters are saved; unsupported rules fail validation; readiness reports missing data and risk assumptions; variants are comparable.
FS-06-05 **E6**	P6 FR-P6-22..26; 31	**Generate explainable signals and alerts safely** As an analyst, I want signal explanations, status history, threshold alerts and scheduled scans so that strategy outputs are interpretable without becoming trade orders.	P2 Later	3	Each signal stores rule/input/time provenance; alerts honor preferences; signals cannot execute orders; scan failures are recorded.
FS-06-06 **E6**	P6 NFR-P6-01..07	**Make workflow execution secure, bounded and reproducible** As an operator, I want isolated runs, authorized tools, timeouts, reproducibility and recovery so that workflows remain safe and diagnosable.	P1 Foundation now; advanced later	3	Only allowlisted tools execute; run records retain workflow version and inputs; approval gates are enforced; retries do not duplicate side effects.
FS-07-01 **E7**	P7 FR-P7-01..13	**Inspect execution history and troubleshoot jobs** As an operator, I want run listing/filtering, status, step traces, diagnostics, retry/cancel, usage metrics, logs, exports and notifications so that jobs are observable.	P1 R1 jobs/observability basic	3	Every run has a stable ID; status changes persist; retry/cancel rules are explicit; logs redact secrets; access is scoped.
FS-07-02 **E7**	P7 FR-P7-14..16	**Configure backtests and calculate performance metrics** As a quantitative researcher, I want backtests with transaction costs and performance statistics so that I can evaluate strategies fairly.	P2 Later	5	Backtest references strategy version and data snapshot; costs/assumptions are stored; metrics are reproducible.
FS-07-03 **E7**	P7 FR-P7-17..28	**Analyze, compare, validate and export backtests** As a researcher, I want equity curves, benchmark, drawdown, periodic returns, trade analysis, parameter/out-of-sample tests and exports so that I can assess robustness.	P2 Later	5	Look-ahead/survivorship issues are checked where supported; out-of-sample boundaries are explicit; saved runs retain parameters and data lineage.
FS-07-04 **E7**	P7 FR-P7-29..38	**Implement paper trading and broker execution controls** As an authorized trader, I want simulated accounts, orders, fills, approvals, risk checks, reconciliation, journal and notifications so that trades are controlled and auditable.	Future Release 2 only	8	Trading schema is not applied in R1; any future live order requires explicit confirmation, permissions, pre-trade checks and reconciliation.
FS-07-05 **E7**	P7 NFR-P7-01..07	**Secure execution logs and retain reliable run history** As an operator, I want observable, access-controlled and retained execution records so that failures can be investigated without exposing sensitive data.	P1 R1 basic	3	Run IDs link logs/steps; status freshness is measurable; transient UI failure cannot delete records; retention and pagination are configured.
FS-08-01 **E8**	P8 FR-P8-01..05; 12..16	**Configure Ollama, model selection and inference parameters** As an administrator, I want to test the model connection, discover models, select defaults and configure inference with versioning so that AI behavior is controlled.	P1 R1 core	3	Invalid settings fail before activation; unavailable model yields a controlled state; model and parameters are traceable.
FS-08-02 **E8**	P8 FR-P8-06..11	**Configure embeddings, chunking and retrieval** As an administrator, I want compatible embedding/vector settings, chunk policies, retrieval filters and RAG test queries so that search quality can be tuned safely.	P0 R1 core	3	Embedding model/dimension/index version match; metadata filters are tested; changes require re-index where needed; sample RAG test results are recorded.
FS-08-03 **E8**	P8 FR-P8-17..25; 29..31	**Manage market providers, data coverage and analytics defaults** As an administrator, I want provider/market/refresh configuration and financial display, indicator, risk and cost assumptions so that outputs reflect supported data and explicit settings.	P1 R1 subset; expand later	3	Provider coverage and entitlements are visible; settings validate before activation; changes record actor/time; assumptions are versioned.
FS-08-04 **E8**	P8 FR-P8-26..28	**Keep broker modes and trading safety controls gated** As an administrator, I want distinct read-only/trading permission modes and safety controls so that future broker features cannot activate accidentally.	Future Release 2 only	2	R1 exposes no live execution; future mode changes require authorization and step-up confirmation; controls default to disabled.
FS-08-05 **E8**	P8 NFR-P8-01..08	**Secure and validate configuration changes** As a system owner, I want secret-safe, traceable, compatible and reversible configuration changes so that model/provider changes do not break production unexpectedly.	P0 R1	3	Secrets are referenced securely; config changes are audited; validation precedes activation; retrieval/index compatibility is checked.
FS-09-01 **E9**	P9 FR-P9-01..05	**Manage profile, security, interface and notification preferences** As a user, I want to manage my profile and preferences so that the application fits my workflow.	P2 Later	2	Preferences persist across sessions; private fields are isolated; notification choices are honored.

Suggested ID / Epic	SRS area / refs	Story title and user story	Priority / release	SP	Acceptance criteria
FS-09-02 **E9**	P9 FR-P9-06..08; 23..24	**Manage workspaces, members, roles and sharing** As a workspace owner, I want to manage membership, roles and shared resources so that collaboration respects permission boundaries.	P1 R1 minimal ownership; full sharing later	3	Only authorized owners manage membership; shared items follow explicit grants; cross-workspace negative tests pass.
FS-09-03 **E9**	P9 FR-P9-09..14; 25	**Manage API credentials, privacy, export, deletion and audit** As a user, I want safe credential management, personal-data export/deletion and confirmations so that I control my data.	P1 Security foundation; full workflows later	3	Secrets are never redisplayed; destructive actions require confirmation; export/deletion follow documented retention rules; audit records are scoped.
FS-09-04 **E9**	P9 FR-P9-15..22	**Save dashboards, watchlists, screens, strategies, reports and preferences** As a user, I want to organize and reopen saved research assets so that work persists between sessions.	P1 R1 basic saved answer; broader later	3	Saved items retain owner/workspace, timestamps and relevant source/snapshot lineage; edits respect access grants.
FS-09-05 **E9**	P9 NFR-P9-01..07	**Enforce privacy and safe account administration** As a system owner, I want administrative isolation, sensitive-action checks and clear destructive-change confirmation so that personal and workspace data remain protected.	P0 R1 foundation	3	Cross-user read/write attempts fail; privilege changes are auditable; data lifecycle follows retention policy.
FS-10-01 **E10**	Architecture diagrams; schema domains	**Calculate DCF valuation with versioned assumptions** As an equity researcher, I want a deterministic DCF model using sourced financial inputs and explicit assumptions so that valuation outputs can be reproduced.	P2 Later R1 increment	5	Run stores company, data snapshot, model version, assumptions, forecasts and outputs; sensitivity results link to the run; missing inputs are surfaced.
FS-10-02 **E10**	Risk diagram; schema risk domain	**Calculate portfolio VaR/CVaR and drawdown** As a portfolio analyst, I want historical/parametric/Monte Carlo risk, drawdown and confidence-level outputs so that I can understand downside exposure.	P2 Later	5	Risk run stores input snapshot, configuration, lookback, frequency, seed/method and limitations; test cases validate calculations.
FS-10-03 **E10**	Risk diagram; schema risk domain	**Run Monte Carlo and stress scenarios** As a risk analyst, I want scenario and stress testing across selected instruments/sectors/factors so that I can inspect portfolio sensitivity.	P2 Later	5	Scenario parameters are versioned; outputs link to risk run and assumptions; invalid/incomplete data is flagged.
FS-10-04 **E10**	Portfolio diagram; P2 FR-P2-23..30	**Manage portfolios, transactions and snapshots** As a portfolio owner, I want portfolios, transactions, cash balances, holdings and snapshots so that portfolio calculations have reliable inputs.	P1 Later R1 increment	5	Transactions recalculate positions consistently; snapshots retain as-of and data snapshot; edits are auditable.
FS-10-05 **E10**	Portfolio diagram; schema portfolio domain	**Calculate returns, attribution and allocation** As an investor, I want time-weighted/money-weighted returns, benchmark comparison, contribution and allocation analysis so that performance is explainable.	P2 Later	5	Method and period are explicit; holdings reconcile to snapshot totals; results can be regenerated from saved inputs.
FS-10-06 **E10**	Reporting diagram; P9 FR-P9-19	**Generate source-backed PDF/CSV reports** As a researcher, I want saved reports with charts, tables, source citations and input snapshots so that I can share reproducible research.	P1 R1 simple evidence export; full later	3	Report retains as-of timestamp, source citations and data snapshot; export status is tracked; access grants apply to generated files.
FS-10-07 **E10**	Reporting diagram; jobs schema	**Share, reopen and version saved research** As a user, I want saved reports and research collections to be searchable, versioned and permission-controlled so that outputs remain accessible and auditable.	P2 Later	3	Owner/workspace permissions are enforced; duplicate/reopen behavior is defined; source and calculation lineage persists.
FS-11-01 **E11**	Implementation / SCM	**Create reproducible repository and environment setup** As a developer, I want documented setup, configuration templates and a clean repository so that teammates can build the project consistently.	P0 R1	2	Clean clone starts with documented steps; .env.example has placeholders only; no secrets or generated junk are committed.
FS-11-02 **E11**	CI/CD / DevOps	**Run CI quality gates on every pull request** As a maintainer, I want lint, static checks, unit tests, security scans and builds in CI so that defects are caught before merge.	P0 R1	3	A deliberately failing test/check makes CI fail; default branch stays green; reports are retained.
FS-11-03 **E11**	CI/CD / DevOps	**Build and deploy a versioned release artifact** As a maintainer, I want reproducible versioned builds and deployment configuration so that releases can be reproduced and rolled back.	P0 R1	3	Build artifact is tagged; configuration is environment-driven; deployment/rollback steps are documented and tested if hosting is available.
FS-11-04 **E11**	Testing / TDD	**Apply TDD and maintain unit/integration/E2E suites** As a developer, I want tests derived from acceptance criteria and written before implementation where practical so that behavior is verified continuously.	P0 R1	5	Critical validators, authorization filters, idempotency and API errors have automated tests; smoke path runs repeatably.
FS-11-05 **E11**	Testing / metrics	**Measure line/branch coverage and test quality** As a quality owner, I want coverage and defect metrics so that untested risk areas are visible rather than hidden by a single percentage.	P1 R1	2	Coverage report is generated; branch coverage is reported where tooling supports it; critical gaps have follow-up issues.
FS-11-06 **E11**	Security SDLC / DevSecOps	**Run security validation and dependency checks** As a security owner, I want secret scanning, dependency auditing, SAST and abuse-case tests so that high-risk defects block release.	P0 R1	3	Auth, workspace isolation, file validation, prompt injection and secret-leak cases are tested; critical issues block release.

Suggested ID / Epic	SRS area / refs	Story title and user story	Priority / release	SP	Acceptance criteria
FS-11-07 **E11**	Architecture / design	**Document architecture, APIs, ADRs and compatibility rules** As a developer, I want component boundaries, API contracts, error conventions and design decisions documented so that changes remain maintainable.	P1 R1	2	Architecture reflects implementation; API examples and error codes exist; schema/API breaking changes have migration/version notes.
FS-11-08 **E11**	Requirements engineering	**Maintain SRS addendum and requirement traceability matrix** As a project team, I want each requirement linked to a Jira issue and test so that scope and verification are auditable.	P0 R1	3	Every MVP requirement maps to story and test ID; deferred requirements have release labels; changes trigger impact analysis.
FS-11-09 **E11**	Project management / XP	**Run planning, daily review, demo and retrospective** As a team, I want a visible backlog, small sprint goals and daily feedback so that progress and impediments are managed transparently.	P0 Daily	2	Each day has sprint goal, accepted/rejected stories, demo evidence and one retro action; work in progress is limited.
FS-11-10 **E11**	SCM / release	**Manage baselines, bugs, versions, SBOM and release notes** As a maintainer, I want version tags, defect triage, dependency inventory and release notes so that changes can be audited and maintained.	P1 R1	2	Version baseline and changelog exist; bugs link to regression tests; SBOM is generated if tooling/time permits or limitation recorded.
FS-11-11 **E11**	Usability / ethics / open source	**Document usability, AI use, licenses and data rights** As a project team, I want to review usability, AI-assisted code, open-source licenses and data-provider terms so that delivery is ethical and compliant.	P1 R1	2	AI-generated code is reviewed and tested; license/data rights are recorded; usability checks include accessibility and understandable failures.
FS-11-12 **E11**	Operations / resilience	**Add health checks, structured logs, retry and recovery runbook** As an operator, I want health checks and safe failure recovery so that provider/model/job failures are diagnosable.	P1 R1 basic	3	Health endpoints work; logs include run IDs and redact secrets; retries are bounded/idempotent; outage drill has recorded outcome.

5. Seven daily sprints: one-week commitment

Only the Release 1 vertical slice is committed to these daily sprints. The remaining stories are in the complete prioritized product backlog and should not be marked Done merely because they are documented. One-day sprints are ceremony-heavy; keep planning, review and retrospective brief.

Sprint 1 — Requirements and repository baseline — 18 October 2026

Sprint goal: Confirm MVP boundary, repo setup, architecture/API decisions, RTM and acceptance criteria.

Exit criteria: Deliverables: reproducible clean setup, first RTM, architecture decisions, prioritized board and Sprint 1 demo.

Sprint 2 — CI/CD, test harness and security baseline — 19 October 2026

Sprint goal: Implement PR quality gates, environment secret handling, basic auth/authorization boundary and test harness.

Exit criteria: Deliverables: CI checks execute; test failure blocks merge; secret scan/dependency audit run; first tests are green.

Sprint 3 — Market-data vertical slice — 20 October 2026

Sprint goal: Implement provider interface, historical daily data fetch (or deterministic fixture), normalization, quality checks and snapshot lineage.

Exit criteria: Deliverables: accepted data persists idempotently; invalid records are rejected/quarantined; source/as-of/snapshot metadata is queryable.

Sprint 4 — Document ingestion and indexing — 21 October 2026

Sprint goal: Upload supported PDF/TXT, extract text, chunk, embed and index in PostgreSQL/pgvector.

Exit criteria: Deliverables: processing status and chunk metadata visible; re-indexing is safe; errors are diagnosable.

Sprint 5 — Authorized retrieval and grounded answer — 22 October 2026

Sprint goal: Enforce document/workspace filters before context assembly; integrate Ollama through interface; produce cited response.

Exit criteria: Deliverables: unauthorized chunks never reach model; source references present; model-down/no-result paths tested.

Sprint 6 — UI, observability and end-to-end tests — 23 October 2026

Sprint goal: Connect the minimum UI to ingestion and document-to-answer flow; add health/freshness/error states and E2E smoke test.

Exit criteria: Deliverables: one coherent user workflow demo; coverage report; basic operational logs/run IDs; security negative tests.

Sprint 7 — Hardening and release acceptance — 24 October 2026

Sprint goal: Run regression/security suite, fix critical issues, verify build/deployment path and prepare release notes/rollback.

Exit criteria: Deliverables: release checklist, known limitations, source/data limitations, green CI and no open critical security/data-integrity defects.

Daily XP/Scrum cadence

Event	Timebox	Output
Planning	10–15 min	Sprint goal, ready issues, acceptance tests and dependencies.
Stand-up/blocker check	5–10 min	Progress, next step, impediments.
Pair/build/test/review	Main work block	Small commits, tests first, frequent integration and peer review.
Demo and acceptance	10 min	Working behavior shown against acceptance criteria.
Retro/backlog reorder	5–10 min	One improvement action; risks and priorities updated.

6. Testing, security validation and release criteria

Test level	Required coverage	Evidence
Static checks / inspection	Lint, type/static checks, code review, secret scanning, dependency audit and SAST where available.	CI logs and triaged findings.
Unit tests	Data normalization/quality, idempotency, chunking, metadata, error mapping, prompt/context construction and deterministic calculations when implemented.	Automated test report and fixtures.
Integration tests	Auth guards, PostgreSQL migrations, ingestion persistence, pgvector indexing/retrieval, upload parsing and model timeout handling.	Integration report against test services; external dependencies mocked where practical.
System / E2E	Historical data ingest → validate → persist → query; document upload → extract → chunk/embed/index → authorized retrieval → cited answer.	Repeatable smoke test and run ID/evidence.
Regression	Fixed bugs, access filters, empty results, stale provider data, re-indexing, migration compatibility and retry behavior.	Suite runs on PR and release candidate.
Performance	Representative ingest/retrieval/API baseline, query pagination, timeout and batch behavior.	Measured environment and results; avoid invented SLA claims.
Security / privacy	Broken access control, workspace isolation, malicious/oversized files, prompt injection, SQL injection, secret leakage and tool allowlisting.	Security test cases; critical auth/data integrity/secret exposure defects block release.
User/usability	Setup flow, freshness and error clarity, citations, keyboard/focus and accessible forms.	Task checklist and findings.
Resilience/chaos (lightweight)	Simulate provider timeout or Ollama unavailable; bounded retries and recoverable job state.	Failure drill notes.
Release validation	Clean setup, migrations, CI, P0 acceptance, scope disclosure, deployment/rollback and known limitations.	Signed checklist linked to release.

Security validation checklist

• Authorization: unauthenticated and cross-workspace access attempts fail at backend endpoints.

• RAG: retrieved documents are untrusted data; they cannot grant permissions, reveal secrets or invoke tools.

• Inputs: upload size/type and structured payloads are validated; SQL is parameterized; provider/model timeouts are bounded.

• Secrets: no credentials in source control, logs, screenshots or generated reports; secret references are used.

• Supply chain: dependency checks and available SAST run; findings have severity and disposition; SBOM is generated if feasible.

• Release blocker: no unresolved critical authorization, data-corruption, secret-exposure or exploitable injection defect.

7. Course-topic evidence mapping

Course concepts	Concrete evidence / artifact
Introduction to SE, motivation, CrowdStrike case study, SDLC pros/cons, security SDLC, Agile and XP	Project charter and short SDLC comparison; explain XP feedback/TDD/pairing and Scrum board visibility; incident-learning note covering rollout validation, monitoring, recovery and update safety.
Requirements engineering, elicitation, analysis, FR/NFR/security requirements, SRS, RTM, change management	SRS source, MVP scope addendum, grouped stories with acceptance criteria, RTM and change-impact template.
UML use cases, personas and scenarios	Use-case diagram for analyst/researcher/admin; scenarios for ingest, upload, cited query, provider failure and denied retrieval.
Testing types, test planning, security validation	Testing matrix, test IDs, unit/API/E2E/security evidence, release acceptance checklist.
Project management, estimation, scheduling, risk, Gantt, monitoring and teamwork	Jira epics/backlog, story points, daily sprint plan, risk register, board review, daily demo/retro.
Architecture views, patterns, Agile architecture, security, microservices	Component diagrams and ADRs; modular monolith rationale; provider adapter, service/repository patterns and trust boundaries.
Design flow, API/ABI, compatibility, errors and usability	OpenAPI contracts, versioning/migration notes, error response conventions, empty/loading/error/freshness states.
Quality, technical debt and TDD	Definition of Done, tests-first workflow, coverage report, review checklist and debt log.
AI for SE, vibe coding and AI/ML engineering	Human review of AI-generated code, test proof, disclosure/ethics note, model/embedding version compatibility and RAG groundedness checks.
Secure/defensive coding, standards, reviews, PRs, codebase contribution	Contribution guide, small PRs, typed schemas, validation, secret handling and review checklist.
CI/CD, DevOps, DevSecOps and build system	PR workflow, build artifact, deployment config, dependency/SAST checks, version tag and rollback runbook.
Testing principles, measurement, release/user/performance/chaos testing	Coverage and defect metrics, performance baseline, user checklist and provider/model outage drill.
SCM, baselines, change control, bug/patch/install/release, SBOM	Git baseline/tag, changelog, Jira bug workflow, impact analysis, dependency inventory/SBOM and release notes.
Metrics, privacy, ethics, open source/patents	Quality/risk metrics, provider data rights, license inventory, AI-use review and privacy controls.
System testing, penetration testing, fuzzing, evolution and maintenance	E2E smoke tests, auth/RAG negative tests, fuzz/property tests if feasible, known limitations and maintenance backlog.

8. Starter requirement traceability matrix

Requirement family	Representative Jira story	Verification
P1 authentication/security	E1 auth/session/RBAC/permission stories	Auth unit/API tests; negative permission tests; secret scan.
P2 dashboard and market views	E2 dashboard/watchlist stories; E5 ingestion stories	UI/API tests, freshness checks, authorized data tests.
P3 AI analyst	E3 conversation/citation/tool/AI safety stories	E2E cited answer; model-down/no-result; prompt-injection test.
P4 research/RAG	E4 upload/index/search/lifecycle stories	Parser tests, index consistency, workspace isolation, citation tests.
P5 data sources/explorer	E5 provider/query/quality/lineage stories	Fixture ingestion, invalid data, idempotency, query safety.
P6 workflows/strategies	E6 workflow/screen/strategy/signal stories	Validation tests, version/run traceability, authorization.
P7 execution/backtesting/trading	E7 execution/backtest stories; trading marked R2	Run status/retry tests; reproducibility; R2 safety gates.
P8 settings/integrations	E8 model/embedding/provider config stories	Configuration validation, compatibility and audit tests.
P9 account/workspace/saved research	E9 workspace/preferences/export/report stories	Cross-user access, ownership, deletion/export and sharing tests.
Cross-cutting NFR/quality	E10 domain stories and E11 engineering stories	CI, coverage, performance baseline, security checklist, release gate.

Risk register

Risk	Mitigation
Seven days too short for full target system	Only commit the vertical slice; keep all other catalog stories in prioritized backlog; do not claim deferred stories are done.
Provider API/license/rate limits	Provider adapter, recorded fixtures, bounded retries, and explicit data entitlement/source notes.
Ollama unavailable in CI	Mock model in CI; run a separate local/staging integration check and document hardware/model assumptions.
Cross-workspace RAG leak	Permission filters before prompt construction and mandatory negative tests; release blocker.
Embedding mismatch or re-index failure	Persist model/dimension/index version; validate compatibility; safe re-index and recovery procedure.
AI-generated code defects/license issues	Human review, tests, dependency/license checks and explicit AI-use handling.
Deployment credentials unavailable	Keep build/test artifact pipeline green and record deployment as blocked, not complete.

Definition of Done

• Acceptance criteria are demonstrated and linked to the issue; no unresolved critical defect.

• Reviewed pull request merged; required CI checks are green.

• Unit and relevant integration/security tests pass; test evidence is linked.

• Authorization, validation, error handling, logging hygiene and failure behavior are considered.

• Schema changes have migration notes; Release 2 trading schema is not applied in Release 1.

• Traceability and docs updated; known limitations and provider/data assumptions stated.

• Feature is demonstrable and does not claim unconfigured real-time data, unsupported model behavior or incomplete functionality.

9. Jira issue description template and creation order

Story template: As a [persona], I want [capability], so that [outcome].
Source: SRS requirement IDs / architecture diagram.
Acceptance criteria: Given/When/Then, including failure and permission cases.
Dependencies: linked issues and external assumptions.
Testing: test IDs, fixtures and expected evidence.
Security/observability: authorization, logs/run IDs, sensitive-data handling.
Out of scope: explicit release exclusions.
Definition of Done: reviewed PR, green CI, tests, documentation and traceability.

1. Create the Scrum project, workflow columns, components, labels and Fix Versions.

2. Create epics E1–E11.

3. Create every story in Section 4 and link each to its epic; preserve source requirement references and release labels.

4. Use the seven daily sprints only for the MVP commitment; leave later/R2 stories in the product backlog.

5. Create test/bug issues as needed and link them to stories; never close a story only because code exists.

6. Review scope, accepted stories, blockers, risks and one retro action at the end of each day.

Source basis: Supplied FinSight AI SRS, Database Schema and ERD Reference, and Component Diagram Companion. The SRS and schema remain authoritative. This document groups related requirements into Jira-sized stories; it does not silently replace the source requirements. The full target schema and Release 2 trading features are not a one-week delivery commitment.