# **Interview Questions:-**

### Q.1) What is LILO?

\* boot-loader for linux it is used to load linux into main-memory

#### Q.2) What is swap space?

 $^{\star}$  memory on which linux hold some programs.since RAM is limited and there may be a possibility it is not able to store

all the programs. The program from swap space can be easily swap in.

#### Q.3) Difference between bash and DOS?

- \* 1. BASH commands are case-sensitive whereas DOS commands are not.
- $^{\star}$  2. BASH directory separator is  $^{\prime}/^{\prime}$  and in DOS the directory separator is  $^{\prime}/^{\prime}$
- $\star$  3. BASH files can be of any extension DOS it should be 8 character long and 3 character in extension

### Q.4) Find the current memory usage in linux?

- \* top
- \* htop
- \* free -m
- \* vmstat

## Q.5) What is typical size of swap space in linux?

 $^{\star}$  It should be twice the physical memory that is RAM if possible otherwise it can be equal to size of physical memory

## Q.6) What are symbolic links?

\* These are like shortcuts in windows it points to file,programs,path you can directly open that link instead of going through the whole link.

## Q.7) What does Ctrl+alt+del does in linux?

\* restart without asking

#### Q.8) How chmod works?

- \* chmod [reference][operator][mode] file...
- \* refernce: is user, group, other and notaion u,g,o
- \* operator: +,-,= //this will add,remove then the mode
- \* mode: r,w,x
- \* chmod u=rwx filename.txt

## Q.9) What is the pwd command?

 $\,{}^{\star}\,$  it will print the current working directory

## Q.10) What is Daemon?

- $^{\star}$  it is a process that will run in banground and wait for the request. After the service request is done it is then disconnected and waits for further requests.
- $\mbox{\scriptsize *}$  example:- sshd is the daemon which listens for the ssh connection httpd which is listens for http connection