

Codebook.md

Sandeep

03/10/2019

#The run_analysis.R script performs the data preparation and then followed by the 5 steps required as described in the course project.

Assign each data to variables features <- features.txt : 561 rows, 2 columns The features selected for this database come from the accelerometer and

gyroscope 3-axial raw signals tAcc-XYZ and tGyro-XYZ.

activities <- activity_labels.txt : 6 rows, 2 columns

List of activities performed when the corresponding measurements were taken and its codes (labels)

subject_test <- test/subject_test.txt : 2947 rows, 1 column

contains test data of 9/30 volunteer test subjects being observed

x_test <- test/X_test.txt : 2947 rows, 561 columns

contains recorded features test data

y_test <- test/y_test.txt : 2947 rows, 1 columns

contains test data of activities'code labels

subject_train <- test/subject_train.txt : 7352 rows, 1 column

contains train data of 21/30 volunteer subjects being observed

x_train <- test/X_train.txt : 7352 rows, 561 columns

contains recorded features train data

y_train <- test/y_train.txt : 7352 rows, 1 columns

contains train data of activities'code labels

Merges the training and the test sets to create one data set

X (10299 rows, 561 columns) is created by merging x_train and x_test using rbind() function

Y (10299 rows, 1 column) is created by merging y_train and y_test using rbind() function

subject (10299 rows, 1 column) is created by merging subject_train and subject_test using rbind() function

Merged_Data (10299 rows, 563 column) is created by merging Subject, Y and X using cbind() function

Extracts only the measurements on the mean and standard deviation for each measurement

TidyData_ms (10299 rows, 88 columns) is created by subsetting Merged_Data, selecting only columns: mean_x, std_x, mean_y, std_y, mean_z, std_z, total_count

Uses descriptive activity names to name the activities in the data set

Entire numbers in code column of the TidyData_ms replaced with corresponding activity taken from subject

Appropriately labels the data set with descriptive variable names

code column in TidyData renamed into activities

All Acc in column's name replaced by Accelerometer
All Gyro in column's name replaced by Gyroscope
All BodyBody in column's name replaced by Body
All Mag in column's name replaced by Magnitude
All start with character f in column's name replaced by Frequency
All start with character t in column's name replaced by Time

From the data set in step 4, creates a second, independent tidy data set with the average of each variable
Final (180 rows, 88 columns) is created by summarizing TidyData_ms taking the means of each variable
Export Final into Tidy_Data.csv file.

```
str(Final)
```