CLASS TEST(18th Feb 2026)

Prepared By:

Name: Sandeep Sabharwal

Course: BCA (2nd Semester)

SAP ID: 590024429

Academic Year: 2025-2026

Submitted To:

Mr. Vibhu Gautam

Faculty, School of Computer Science

UPES, Dehradun

sandeepsabharwal / python-programming

Type / to search

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Commits

History for python-programming / test.ipynb on main

All users All time

Commits on Feb 18, 2026

submit test
sandeepsabharwal committed last month
44a24c8

estfryui
sandeepsabharwal committed last month
7c6e2c0

End of commit history for this file

sandeepsabharwal / python-programming

Code Issues Pull requests Actions Projects Wiki Security Insi

main python-programming / test.ipynb

sandeepsabharwal submit test 44a24c8 · last month

168 lines (168 loc) · 3.42 KB

Preview Code Blame Raw

Section A

In [4]:
```
items = [("A", 90), ("B", 95), ("C", 95), ("D", 85)]
k = 2
sorted_items = sorted(items,key=lambda x:x[1], reverse=True)
result = sorted_items [ :k]
print (result)
```

```
[('B', 95), ('C', 95)]
```

In [9]:
```
pairs = [("sports","win"), ("sports","win"), ("tech","ai")]

def count_by_category(pairs):
    d={}
    for cat, word in pairs:
        d.setdefault(cat, {})
        d[cat].setdefault(word, 0)
        d[cat][word] += 1
    return d
print(count_by_category(pairs))
```

```
{'sports': {'win': 2}, 'tech': {'ai': 1}}
```

In [10]:
```
def missing_number(nums):
    n = len(nums)
    total = n * (n + 1) // 2
    return total - sum(nums)
nums = [3, 0, 1]
print(missing_number(nums))
```

```
2
```

In [13]:
```
def add_unique(x, seen = None):
    if seen is None:
        seen = set()
    if x not in seen:
        seen.add(x)
    return list(seen)
print(add_unique(1))
print(add_unique(2))
```

```
[1]
[2]
```

In [16]:
```
def parse(lines):
    parsed_data = []
    for line in lines:
        parts = line.split(",")
        if len(parts) == 3:
            name, age, score = parts
            parsed_data.append(f"{name}:{age}:{score}")
    return parsed_data


lines = [
    "john,25,90",
    "john,25,90",
    "anna,130,70",
```

```
    "bob,22,80"
]

print(parse(lines))
# ['john:25:90', 'john:25:90', 'anna:130:70', 'bob:22:80']
```

```
['john:25:90', 'john:25:90', 'anna:130:70', 'bob:22:80']
```