© GRIMM AND PARKER, P.C. 2014

SHEET KEY NOTES

1. OFFSET SANITARY VENT IN CEILING SPACE BELOW IF NECESSARY AND PROVIDE MIN 10'-0" CLEARANCE FROM ANY MECHANICAL EQUIPMENT AND FRESH AIR INTAKE.
2. SCUPPER TO METAL COLLECTOR BOX AND DOWNSPOUT AND BOOT AT GRADE BY OTHERS (TYPICAL).
3. REMOVE ROOF HYDRANT AFTER GREEN ROOF IS ESTABLISHED AND IN PERIOD NO LONGET THAN 2 YEARS. REMOVE ROOF HYDRANT & DRAIN LINE AND SEAL ELEVATION AND ROOF PENETRATION.
4. USE 100 FEET OF 3/4" HOSE TO ESTABLISH (WATERING) THE GREEN ROOF.

1 / P-1.8 PLUMBING PARTIAL ROOF PLAN – AREA B

SCALE: 1/8" = 1'-0"

KEY PLAN



SETTY
ONE SOUTH STREET, SUITE 1110
BALTIMORE, MARYLAND 21202
TEL 667-329-0035
MANAGEMENT CONSULTANTS • PROJECT MANAGEMENT
ENERGY MANAGEMENT SERVICES • DESIGN BUILD SERVICES
CAPITAL PROJECT MANAGEMENT • CONSTRUCTION MANAGEMENT
DISTRICT OF COLUMBIA • MARYLAND
www.SETTY.com

PROJECT NUMBER: SA2017-F-0-0-0-0

11720 Beltsville Drive
Suite 600
Calverton, MD 20705
Tel: 301.595.1000
www.grimmandparker.com
GRIMM AND PARKER

GP# 21553

PLUMBING PARTIAL ROOF PLAN – AREA B

HOLABIRD ACADEMY PK-8
CITY OF BALTIMORE, MARYLAND

DATE	DESCRIPTION

P-1.8

03/13/2017
BID SET

© GRIMM AND PARKER, P.C. 2014