© GRIMM AND PARKER, P.C. 2014

SHEET KEY NOTES

1. OFFSET SANITARY VENT IN CEILING SPACE BELOW IF NECESSARY AND PROVIDE MIN 10'-0" CLEARANCE FROM ANY MECHANICAL EQUIPMENT AND FRESH AIR INTAKE.

1 / P-1.9 PLUMBING PARTIAL ROOF PLAN – AREA C

SCALE: 1/8" = 1'-0"

KEY PLAN



SETTY
ONE SOUTH STREET, SUITE 1130
BALTIMORE, MARYLAND 21202
TEL 667-329-5035
MAINTENANCE MANAGEMENT SERVICES • ENERGY MANAGEMENT
ENERGY MANAGEMENT SERVICES • DESIGN BUILD SERVICES
CONSTRUCTION MANAGEMENT SERVICES
DISTRICT OF COLUMBIA • MARYLAND
www.SETTY.com
PROJECT NUMBER: SA2017-F-0-0-0-0

11720 Beltsville Drive
Suite 600
Calverton, MD 20705
Tel: 301.595.1000
www.grimmandparker.com
GRIMM AND PARKER

GP# 21553

PLUMBING PARTIAL ROOF PLAN – AREA C

HOLABIRD ACADEMY PK-8
CITY OF BALTIMORE, MARYLAND

DATE	DESCRIPTION

P-1.9

03/13/2017
BID SET

© GRIMM AND PARKER, P.C. 2014