

```

import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns

# Load Titanic dataset from local CSV file
df = pd.read_csv("titanic.csv")

# -----
# 1. Display first 5 rows
# -----
print("First 5 rows:")
print(df.head())

# -----
# 2. Basic information
# -----
print("\nDataset Shape:")
print(df.shape)

print("\nColumn Names:")
print(df.columns)

print("\nData Types:")
print(df.dtypes)

# -----
# 3. Check missing values
# -----
print("\nMissing Values:")
print(df.isnull().sum())

# -----
# 4. Summary statistics
# -----
print("\nSummary Statistics:")
print(df.describe())

# -----
# 5. Histogram
# -----
plt.figure(figsize=(8, 5))
plt.hist(df["Age"].dropna(), bins=20, edgecolor="black")
plt.title("Distribution of Passenger Age")
plt.xlabel("Age")
plt.ylabel("Number of Passengers")
plt.show()

# -----
# 6. Fare Histogram
# -----
plt.figure(figsize=(8, 5))

```

```
plt.hist(df["Fare"].dropna(), bins=20, edgecolor="black")
plt.title("Distribution of Fare")
plt.xlabel("Fare")
plt.ylabel("Number of Passengers")
plt.show()
```

```
# -----
```

```
# 7. Scatter Plot
```

```
# -----
```

```
plt.figure(figsize=(8, 5))
plt.scatter(df["Age"], df["Fare"], alpha=0.5)
plt.title("Age vs Fare")
plt.xlabel("Age")
plt.ylabel("Fare")
plt.show()
```

```
# -----
```

```
# 8. Box Plot - Age
```

```
# -----
```

```
plt.figure(figsize=(8, 5))
plt.boxplot(df["Age"].dropna())
plt.title("Box Plot of Age")
plt.ylabel("Age")
plt.show()
```

```
# -----
```

```
# 9. Box Plot - Fare
```

```
# -----
```

```
plt.figure(figsize=(8, 5))
plt.boxplot(df["Fare"].dropna())
plt.title("Box Plot of Fare")
plt.ylabel("Fare")
plt.show()
```

```
# -----
```

```
# 10. Survival Count
```

```
# -----
```

```
survival_counts = df["Survived"].value_counts()
```

```
plt.figure(figsize=(7, 5))
plt.bar(["Not Survived", "Survived"], survival_counts)
plt.title("Titanic Survival Count")
plt.xlabel("Survival Status")
plt.ylabel("Number of Passengers")
plt.show()
```

```
# -----
```

```
# 11. Survival by Gender
```

```
# -----
```

```
gender_survival = pd.crosstab(df["Sex"], df["Survived"])
```

```

gender_survival.plot(
    kind="bar",
    figsize=(8, 5)
)

plt.title("Survival by Gender")
plt.xlabel("Gender")
plt.ylabel("Number of Passengers")
plt.xticks(rotation=0)
plt.legend(["Not Survived", "Survived"])
plt.show()

# -----
# 12. Survival by Passenger Class
# -----
class_survival = pd.crosstab(df["Pclass"], df["Survived"])

class_survival.plot(
    kind="bar",
    figsize=(8, 5)
)

plt.title("Survival by Passenger Class")
plt.xlabel("Passenger Class")
plt.ylabel("Number of Passengers")
plt.xticks(rotation=0)
plt.legend(["Not Survived", "Survived"])
plt.show()

```