

Experiment 4

Program on CSS properties for HTML web page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Form</title>
  <Style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f4f4f4;
      color: #333;
      padding: 0;
      margin: 0;
      height: 100vh;
      display: flex;
      justify-content: center;
      align-items: center;
    }

    form {
      background-color: #fff;
      padding: 20px;
      border-radius: 5px;
      box-shadow: 0 2px 5px rgba(0, 0, 0, 0.1);
      width: 400px;
    }

    input[type="text"], input[type="email"], input[type="password"] {
      width: 100%;
      padding: 10px;
      margin: 10px 0;
      border: 1px solid #ccc;
      border-radius: 4px;
    }

    .form{
      padding: 10px 20px;
```

```

}

input[type="radio"] {
    margin-right: 5px;
    margin-top: 10px;
}

button {
    padding: 10px 15px;
    background-color: #8933eb;
    color: white;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    margin-top: 20px;
    width: 100%;
}

button:hover {
    background-color: #006e7c;
}

.result {
    margin-top: 20px;
    margin-left: 50px;
    padding: 15px;
    border: 1px solid #ccc;
    background-color: #fff;
    display: inline-block;
}

</Style>
</head>
<body>
    <form action="" method="post">
        <div class="form">
            <h1>Registration</h1>
            <label for="name">Name</label>
            <input type="text" name="name" placeholder="Enter your name"
required> <br>

```

```

        <label for="email">Email</label>
        <input type="email" name="email" placeholder="Enter your email"
required> <br>

        <label for="password">Password</label>
        <input type="password" name="password" placeholder="Enter your
password" required> <br>

        <label>Gender</label> <br>
        <input type="radio" name="gender" value="Male" required>
        <label for="Male">Male</label> <br>
        <input type="radio" name="gender" value="Female" required>
        <label for="Female">Female</label> <br>

        <button name="submit">Register</button>
    </div>
</form>
</body>
</html>

```

Output :

The screenshot displays a web browser window with a registration form. The browser's address bar shows the URL '127.0.0.1:5500/Ex4.html'. The form is titled 'Registration' and contains the following fields:

- Name:** A text input field with the placeholder 'Enter your name'.
- Email:** A text input field with the placeholder 'Enter your email'.
- Password:** A text input field with the placeholder 'Enter your password'.
- Gender:** Two radio button options: 'Male' and 'Female'.
- Register:** A blue button with the text 'Register'.

The browser's taskbar at the bottom shows the operating system as 'Sandesh Linux Mint' and the time as '23:15'.