

Find the Gaps

Acme Widget API

Repo: <https://github.com/acme/widget-api>

Docs: <https://docs.acme.example/widget-api/>

Generated: 2026-05-13 14:32 UTC

4 features - 3 gaps - 4 screenshot issues

Table of Contents

Features	3
inventory query	3
widget upsert	3
warehouse sync	3
audit log	3
Gaps	4
Large	4
Medium	4
Small	4
Screenshots	5
Missing Screenshots	5
Large	5
Medium	5
Image Issues	5
Medium	5
Possibly Covered	5
Small	5

Features

inventory query

Read widget counts across one or more warehouses. Supports filtering by SKU, location, and last-modified timestamp.

Layer: api

User-facing: yes

Documentation status: documented

Implemented in: internal/api/inventory.go, internal/api/inventory_handler.go

Symbols: QueryInventory, InventoryFilter

Documented on: <https://docs.acme.example/widget-api/inventory/>

widget upsert

Create or update one or more widgets in a single transactional call. Idempotent on (SKU, warehouse_id).

Layer: api

User-facing: yes

Documentation status: documented

Implemented in: internal/api/upsert.go

Symbols: UpsertWidget, BulkUpsert

Documented on: <https://docs.acme.example/widget-api/upsert/>

warehouse sync

Background reconciliation between the master inventory and per-warehouse replicas. Runs every 60 seconds by default.

Layer: background worker

User-facing: no

Documentation status: undocumented

Implemented in: internal/sync/loop.go, internal/sync/reconcile.go

Symbols: RunSync, Reconcile

audit log

Append-only record of every inventory mutation. Used by the compliance team for SOC2.

Layer: persistence

User-facing: yes

Documentation status: undocumented

Implemented in: internal/audit/log.go

Symbols: AppendAudit, QueryAuditRange

Gaps

Large

inventory query -

Documented response field ``count`` was renamed to ``quantity`` in v2.3.

Every consumer reading the docs will write code against the old field name and ship broken integrations.

(<https://docs.acme.example/widget-api/inventory/>)

Medium

inventory query -

Example curl invocation uses `/v1/inventory`; the docs page is for v2 endpoints.

First-time users will hit a 404 immediately when they try the example.

(<https://docs.acme.example/widget-api/inventory/>)

Small

widget upsert -

Docs say the endpoint accepts up to 100 widgets per call; code enforces 250.

Users get a more generous limit than advertised - they won't be blocked, just surprised.

(<https://docs.acme.example/widget-api/upsert/>)

Screenshots

Missing Screenshots

Large

<https://docs.acme.example/widget-api/inventory/>

Should show: The 'Filter by SKU' dropdown with three example SKUs visible, the second one highlighted.

Suggested alt: Inventory filter UI with SKU dropdown expanded

Insertion: After the paragraph beginning 'You can narrow results...'

Why: The prose describes a UI control without showing it; new users have no visual anchor for what to look for.

Medium

<https://docs.acme.example/widget-api/upsert/>

Should show: JSON response after a successful upsert, with the new widget ID highlighted.

Suggested alt: Successful upsert response JSON

Why: The response shape is described but not exemplified; copy-paste users have to guess field positions.

Image Issues

Medium

<https://docs.acme.example/widget-api/upsert/>

Image: /images/upsert-flow-v1.png

Issue: Diagram still shows the v1 request shape; the surrounding prose was updated for v2 in March.

Action: Re-generate the diagram from the current OpenAPI spec or remove it until updated.

Why: Users following the diagram will build the wrong request body and get 400s.

Possibly Covered

Small

<https://docs.acme.example/widget-api/inventory/>

Should show: Inventory listing UI

Why: An adjacent screenshot (inventory-listing.png) already covers the same UI moment; the prose mention is redundant.