

1. Add a "tooltip" to the paragraph below with the text "Python Web Development in Hindi".

```
<!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
</head>
<body>
<p>Python Web Development in Hindi</p>
</body>
</html>
```

```
<!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
</head>
<body>
<p title="Python web Development in Hindi">Python Web Development in Hindi</p>
</body>
</html>
```

2. In the form below, add an input field with the type "button" and the value "OK".

```
<!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
</head>
<body>
  <FORM>
    <input type="button" value="ok">
  </FORM>
</body>
</html>
```

3. Inside a form tag, add two radio buttons, both with the name "programming_language".

```
!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
```

```
</head>
<body>
  <FORM>
    <input type="radio" name="programmig_language">programming_language
    <input type="radio" name="programmig_language">programming_language
  </FORM>
</body>
</html>
```

4. Inside a form tag, add an empty drop down list with the name “food_menu”.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <select>
    <option>food_menu</option>
  </select>
</body>
</html>
```

5. Inside a form tag, add a text area with the name "note".

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <form>
    <textarea name="note" id="100" cols="30" rows="10" placeholder="note"></textarea>
  </form>
</body>
</html>
```

6. Inside a form tag, add a submit button with the value "Submit Form".

```
<!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
</head>
<body>
  <FORM>
    <input type="button" value="submit form">
  </FORM>
</body>
</html>
```

7. Disable the input field below.

```
<form action="/register">
<input type="text">
</form>
```

```
<!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
</head>
<body>
  <form action="/register">
    <input type="text" disabled>
  </form>
</body>
</html>
```

8. Restrict the maximum number of characters allowed in the input field to 10.

Note: You should not include any Javascript

```
<form action="/register">
<input type="text">
</form>
```

```
<!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
</head>
<body>
  <form action="/register">
    <input type="text" maxlength="10">
  </form>
```

```
</body>
</html>
```

9. Inside form tag, add an input field that accepts only .png files.

```
<!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
</head>
<body>
  <form action="/register">
    <input type="file" accept=".png">
  </form>
</body>
</html>
```

10. Add a table row with two table headers. The two table headers should have the value "Index" and "Topic".

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <table>
    <tr>
      <th>Index</th>
      <th>Topic</th>
    </tr>
    <tr>
      <td>1</td>
      <td>python</td>
    </tr>
    <tr>
      <td>2</td>
      <td>javascript</td>
    </tr>
    <tr>
      <td>3</td>
      <td>Rust</td>
    </tr>
    <tr>
```

```
<td>4</td>
<td>Matlab</td>
</tr>
</table>
</body>
</html>
```