

The FREQ Procedure

Table of S7Q4A1 by agegroup										
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)									
	1	2	3	4	5	6	7	8	9	Total
0	319	114	128	124	126	99	72	54	190	1226
	5.91	2.11	2.37	2.30	2.33	1.83	1.33	1.00	3.52	22.71
	26.02	9.30	10.44	10.11	10.28	8.08	5.87	4.40	15.50	
	27.60	22.18	22.82	21.05	21.95	20.71	17.65	19.42	22.59	
1	837	400	433	465	448	379	336	224	651	4173
	15.50	7.41	8.02	8.61	8.30	7.02	6.22	4.15	12.06	77.29
	20.06	9.59	10.38	11.14	10.74	9.08	8.05	5.37	15.60	
	72.40	77.82	77.18	78.95	78.05	79.29	82.35	80.58	77.41	
Total	1156	514	561	589	574	478	408	278	841	5399
	21.41	9.52	10.39	10.91	10.63	8.85	7.56	5.15	15.58	100.00
Frequency Missing = 37694										

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	8	25.6776	0.0012
Likelihood Ratio Chi-Square	8	25.4290	0.0013
Mantel-Haenszel Chi-Square	1	11.2584	0.0008
Phi Coefficient		0.0690	
Contingency Coefficient		0.0688	
Cramer's V		0.0690	

Effective Sample Size = 5399

Frequency Missing = 37694

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of S7Q4A1 by agegroup			
	S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
		1	2	Total
	0	319 19.10 73.67 27.60	114 6.83 26.33 22.18	433 25.93
	1	837 50.12 67.66 72.40	400 23.95 32.34 77.82	1237 74.07
	Total	1156 69.22	514 30.78	1670 100.00
Frequency Missing = 11288				

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

Statistic	DF	Value	Prob
Chi-Square	1	5.4346	0.0197
Likelihood Ratio Chi-Square	1	5.5410	0.0186
Continuity Adj. Chi-Square	1	5.1562	0.0232
Mantel-Haenszel Chi-Square	1	5.4313	0.0198
Phi Coefficient		0.0570	
Contingency Coefficient		0.0570	
Cramer's V		0.0570	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	319
Left-sided Pr <= F	0.9921
Right-sided Pr >= F	0.0111
Table Probability (P)	0.0031
Two-sided Pr <= P	0.0215

Effective Sample Size = 1670**Frequency Missing = 11288****WARNING: 87% of the data are missing.**

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of S7Q4A1 by agegroup			
	S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
		1	3	Total
	0	319 18.58 71.36 27.60	128 7.45 28.64 22.82	447 26.03
	1	837 48.75 65.91 72.40	433 25.22 34.09 77.18	1270 73.97
	Total	1156 67.33	561 32.67	1717 100.00
Frequency Missing = 11599				

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

Statistic	DF	Value	Prob
Chi-Square	1	4.4793	0.0343
Likelihood Ratio Chi-Square	1	4.5479	0.0330
Continuity Adj. Chi-Square	1	4.2346	0.0396
Mantel-Haenszel Chi-Square	1	4.4767	0.0344
Phi Coefficient		0.0511	
Contingency Coefficient		0.0510	
Cramer's V		0.0511	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	319
Left-sided Pr <= F	0.9857
Right-sided Pr >= F	0.0193
Table Probability (P)	0.0049
Two-sided Pr <= P	0.0349

Effective Sample Size = 1717

Frequency Missing = 11599

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	1	4	Total
0	319 18.28 72.01 27.60	124 7.11 27.99 21.05	443 25.39
1	837 47.97 64.29 72.40	465 26.65 35.71 78.95	1302 74.61
Total	1156 66.25	589 33.75	1745 100.00
Frequency Missing = 11361			

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

Statistic	DF	Value	Prob
Chi-Square	1	8.8175	0.0030
Likelihood Ratio Chi-Square	1	9.0071	0.0027
Continuity Adj. Chi-Square	1	8.4755	0.0036
Mantel-Haenszel Chi-Square	1	8.8124	0.0030
Phi Coefficient		0.0711	
Contingency Coefficient		0.0709	
Cramer's V		0.0711	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	319
Left-sided Pr <= F	0.9989
Right-sided Pr >= F	0.0017
Table Probability (P)	0.0005
Two-sided Pr <= P	0.0030

Effective Sample Size = 1745

Frequency Missing = 11361

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of S7Q4A1 by agegroup			
	S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
		1	5	Total
	0	319 18.44 71.69 27.60	126 7.28 28.31 21.95	445 25.72
	1	837 48.38 65.14 72.40	448 25.90 34.86 78.05	1285 74.28
	Total	1156 66.82	574 33.18	1730 100.00
Frequency Missing = 10954				

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

Statistic	DF	Value	Prob
Chi-Square	1	6.3947	0.0114
Likelihood Ratio Chi-Square	1	6.5118	0.0107
Continuity Adj. Chi-Square	1	6.1027	0.0135
Mantel-Haenszel Chi-Square	1	6.3910	0.0115
Phi Coefficient		0.0608	
Contingency Coefficient		0.0607	
Cramer's V		0.0608	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	319
Left-sided Pr <= F	0.9954
Right-sided Pr >= F	0.0064
Table Probability (P)	0.0019
Two-sided Pr <= P	0.0120

Effective Sample Size = 1730**Frequency Missing = 10954****WARNING: 86% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	1	6	Total
0	319 19.52 76.32 27.60	99 6.06 23.68 20.71	418 25.58
1	837 51.22 68.83 72.40	379 23.19 31.17 79.29	1216 74.42
Total	1156 70.75	478 29.25	1634 100.00
Frequency Missing = 10639			

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

Statistic	DF	Value	Prob
Chi-Square	1	8.4177	0.0037
Likelihood Ratio Chi-Square	1	8.6565	0.0033
Continuity Adj. Chi-Square	1	8.0600	0.0045
Mantel-Haenszel Chi-Square	1	8.4125	0.0037
Phi Coefficient		0.0718	
Contingency Coefficient		0.0716	
Cramer's V		0.0718	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	319
Left-sided Pr <= F	0.9987
Right-sided Pr >= F	0.0020
Table Probability (P)	0.0007
Two-sided Pr <= P	0.0041

Effective Sample Size = 1634**Frequency Missing = 10639****WARNING: 87% of the data are missing.**

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of S7Q4A1 by agegroup			
	S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
		1	7	Total
	0	319 20.40 81.59 27.60	72 4.60 18.41 17.65	391 25.00
	1	837 53.52 71.36 72.40	336 21.48 28.64 82.35	1173 75.00
	Total	1156 73.91	408 26.09	1564 100.00
Frequency Missing = 9949				

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

Statistic	DF	Value	Prob
Chi-Square	1	15.9170	<.0001
Likelihood Ratio Chi-Square	1	16.7553	<.0001
Continuity Adj. Chi-Square	1	15.3908	<.0001
Mantel-Haenszel Chi-Square	1	15.9068	<.0001
Phi Coefficient		0.1009	
Contingency Coefficient		0.1004	
Cramer's V		0.1009	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	319
Left-sided Pr <= F	1.0000
Right-sided Pr >= F	<.0001
Table Probability (P)	<.0001
Two-sided Pr <= P	<.0001

Effective Sample Size = 1564**Frequency Missing = 9949****WARNING: 86% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	1	8	Total
0	319 22.25 85.52 27.60	54 3.77 14.48 19.42	373 26.01
1	837 58.37 78.89 72.40	224 15.62 21.11 80.58	1061 73.99
Total	1156 80.61	278 19.39	1434 100.00
Frequency Missing = 9600			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	7.7740	0.0053
Likelihood Ratio Chi-Square	1	8.1586	0.0043
Continuity Adj. Chi-Square	1	7.3553	0.0067
Mantel-Haenszel Chi-Square	1	7.7686	0.0053
Phi Coefficient		0.0736	
Contingency Coefficient		0.0734	
Cramer's V		0.0736	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	319
Left-sided Pr <= F	0.9983
Right-sided Pr >= F	0.0028
Table Probability (P)	0.0011
Two-sided Pr <= P	0.0049

Effective Sample Size = 1434

Frequency Missing = 9600

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	1	9	Total
0	319 15.97 62.67 27.60	190 9.51 37.33 22.59	509 25.49
1	837 41.91 56.25 72.40	651 32.60 43.75 77.41	1488 74.51
Total	1156 57.89	841 42.11	1997 100.00
Frequency Missing = 14874			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	6.4161	0.0113
Likelihood Ratio Chi-Square	1	6.4686	0.0110
Continuity Adj. Chi-Square	1	6.1554	0.0131
Mantel-Haenszel Chi-Square	1	6.4129	0.0113
Phi Coefficient		0.0567	
Contingency Coefficient		0.0566	
Cramer's V		0.0567	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	319
Left-sided Pr <= F	0.9953
Right-sided Pr >= F	0.0064
Table Probability (P)	0.0017
Two-sided Pr <= P	0.0125

Effective Sample Size = 1997

Frequency Missing = 14874

WARNING: 88% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	2	3	Total
0	114 10.60 47.11 22.18	128 11.91 52.89 22.82	242 22.51
1	400 37.21 48.02 77.82	433 40.28 51.98 77.18	833 77.49
Total	514 47.81	561 52.19	1075 100.00
Frequency Missing = 7867			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.0625	0.8026
Likelihood Ratio Chi-Square	1	0.0625	0.8026
Continuity Adj. Chi-Square	1	0.0313	0.8596
Mantel-Haenszel Chi-Square	1	0.0624	0.8027
Phi Coefficient		-0.0076	
Contingency Coefficient		0.0076	
Cramer's V		-0.0076	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	114
Left-sided Pr <= F	0.4300
Right-sided Pr >= F	0.6264
Table Probability (P)	0.0565
Two-sided Pr <= P	0.8266

Effective Sample Size = 1075

Frequency Missing = 7867

WARNING: 88% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	2	4	Total
0	114 10.34 47.90 22.18	124 11.24 52.10 21.05	238 21.58
1	400 36.26 46.24 77.82	465 42.16 53.76 78.95	865 78.42
Total	514 46.60	589 53.40	1103 100.00
Frequency Missing = 7629			

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

Statistic	DF	Value	Prob
Chi-Square	1	0.2058	0.6501
Likelihood Ratio Chi-Square	1	0.2056	0.6502
Continuity Adj. Chi-Square	1	0.1446	0.7037
Mantel-Haenszel Chi-Square	1	0.2056	0.6502
Phi Coefficient		0.0137	
Contingency Coefficient		0.0137	
Cramer's V		0.0137	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	114
Left-sided Pr <= F	0.7011
Right-sided Pr >= F	0.3516
Table Probability (P)	0.0527
Two-sided Pr <= P	0.6604

Effective Sample Size = 1103**Frequency Missing = 7629****WARNING: 87% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	2	5	Total
0	114 10.48 47.50 22.18	126 11.58 52.50 21.95	240 22.06
1	400 36.76 47.17 77.82	448 41.18 52.83 78.05	848 77.94
Total	514 47.24	574 52.76	1088 100.00
Frequency Missing = 7222			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.0082	0.9279
Likelihood Ratio Chi-Square	1	0.0082	0.9279
Continuity Adj. Chi-Square	1	0.0003	0.9863
Mantel-Haenszel Chi-Square	1	0.0082	0.9280
Phi Coefficient		0.0027	
Contingency Coefficient		0.0027	
Cramer's V		0.0027	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	114
Left-sided Pr <= F	0.5653
Right-sided Pr >= F	0.4928
Table Probability (P)	0.0581
Two-sided Pr <= P	0.9417

Effective Sample Size = 1088

Frequency Missing = 7222

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	2	6	Total
0	114	99	213
	11.49	9.98	21.47
	53.52	46.48	
	22.18	20.71	
1	400	379	779
	40.32	38.21	78.53
	51.35	48.65	
	77.82	79.29	
Total	514	478	992
	51.81	48.19	100.00
Frequency Missing = 6907			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.3164	0.5738
Likelihood Ratio Chi-Square	1	0.3167	0.5736
Continuity Adj. Chi-Square	1	0.2354	0.6276
Mantel-Haenszel Chi-Square	1	0.3161	0.5740
Phi Coefficient		0.0179	
Contingency Coefficient		0.0179	
Cramer's V		0.0179	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	114
Left-sided Pr <= F	0.7387
Right-sided Pr >= F	0.3140
Table Probability (P)	0.0527
Two-sided Pr <= P	0.5888

Effective Sample Size = 992

Frequency Missing = 6907

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	2	7	Total
0	114 12.36 61.29 22.18	72 7.81 38.71 17.65	186 20.17
1	400 43.38 54.35 77.82	336 36.44 45.65 82.35	736 79.83
Total	514 55.75	408 44.25	922 100.00
Frequency Missing = 6217			

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

Statistic	DF	Value	Prob
Chi-Square	1	2.9009	0.0885
Likelihood Ratio Chi-Square	1	2.9249	0.0872
Continuity Adj. Chi-Square	1	2.6263	0.1051
Mantel-Haenszel Chi-Square	1	2.8977	0.0887
Phi Coefficient		0.0561	
Contingency Coefficient		0.0560	
Cramer's V		0.0561	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	114
Left-sided Pr <= F	0.9634
Right-sided Pr >= F	0.0521
Table Probability (P)	0.0155
Two-sided Pr <= P	0.0985

Effective Sample Size = 922

Frequency Missing = 6217

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	2	8	Total
0	114 14.39 67.86 22.18	54 6.82 32.14 19.42	168 21.21
1	400 50.51 64.10 77.82	224 28.28 35.90 80.58	624 78.79
Total	514 64.90	278 35.10	792 100.00
Frequency Missing = 5868			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.8191	0.3654
Likelihood Ratio Chi-Square	1	0.8274	0.3630
Continuity Adj. Chi-Square	1	0.6626	0.4157
Mantel-Haenszel Chi-Square	1	0.8181	0.3657
Phi Coefficient		0.0322	
Contingency Coefficient		0.0321	
Cramer's V		0.0322	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	114
Left-sided Pr <= F	0.8404
Right-sided Pr >= F	0.2084
Table Probability (P)	0.0488
Two-sided Pr <= P	0.4126

Effective Sample Size = 792

Frequency Missing = 5868

WARNING: 88% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	2	9	Total
0	114 8.41 37.50 22.18	190 14.02 62.50 22.59	304 22.44
1	400 29.52 38.06 77.82	651 48.04 61.94 77.41	1051 77.56
Total	514 37.93	841 62.07	1355 100.00
Frequency Missing = 11142			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.0313	0.8596
Likelihood Ratio Chi-Square	1	0.0313	0.8595
Continuity Adj. Chi-Square	1	0.0121	0.9126
Mantel-Haenszel Chi-Square	1	0.0313	0.8596
Phi Coefficient		-0.0048	
Contingency Coefficient		0.0048	
Cramer's V		-0.0048	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	114
Left-sided Pr <= F	0.4575
Right-sided Pr >= F	0.5953
Table Probability (P)	0.0527
Two-sided Pr <= P	0.8933

Effective Sample Size = 1355

Frequency Missing = 11142

WARNING: 89% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	3	4	Total
0	128 11.13 50.79 22.82	124 10.78 49.21 21.05	252 21.91
1	433 37.65 48.22 77.18	465 40.43 51.78 78.95	898 78.09
Total	561 48.78	589 51.22	1150 100.00
Frequency Missing = 7940			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.5224	0.4698
Likelihood Ratio Chi-Square	1	0.5222	0.4699
Continuity Adj. Chi-Square	1	0.4244	0.5148
Mantel-Haenszel Chi-Square	1	0.5219	0.4700
Phi Coefficient		0.0213	
Contingency Coefficient		0.0213	
Cramer's V		0.0213	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	128
Left-sided Pr <= F	0.7864
Right-sided Pr >= F	0.2573
Table Probability (P)	0.0438
Two-sided Pr <= P	0.4767

Effective Sample Size = 1150

Frequency Missing = 7940

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	3	5	Total
0	128 11.28 50.39 22.82	126 11.10 49.61 21.95	254 22.38
1	433 38.15 49.15 77.18	448 39.47 50.85 78.05	881 77.62
Total	561 49.43	574 50.57	1135 100.00
Frequency Missing = 7533			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.1223	0.7266
Likelihood Ratio Chi-Square	1	0.1223	0.7266
Continuity Adj. Chi-Square	1	0.0775	0.7807
Mantel-Haenszel Chi-Square	1	0.1221	0.7267
Phi Coefficient		0.0104	
Contingency Coefficient		0.0104	
Cramer's V		0.0104	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	128
Left-sided Pr <= F	0.6631
Right-sided Pr >= F	0.3903
Table Probability (P)	0.0534
Two-sided Pr <= P	0.7758

Effective Sample Size = 1135

Frequency Missing = 7533

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	3	6	Total
0	128 12.32 56.39 22.82	99 9.53 43.61 20.71	227 21.85
1	433 41.67 53.33 77.18	379 36.48 46.67 79.29	812 78.15
Total	561 53.99	478 46.01	1039 100.00
Frequency Missing = 7218			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.6698	0.4131
Likelihood Ratio Chi-Square	1	0.6713	0.4126
Continuity Adj. Chi-Square	1	0.5522	0.4574
Mantel-Haenszel Chi-Square	1	0.6692	0.4133
Phi Coefficient		0.0254	
Contingency Coefficient		0.0254	
Cramer's V		0.0254	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	128
Left-sided Pr <= F	0.8142
Right-sided Pr >= F	0.2289
Table Probability (P)	0.0431
Two-sided Pr <= P	0.4514

Effective Sample Size = 1039

Frequency Missing = 7218

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	3	7	Total
0	128 13.21 64.00 22.82	72 7.43 36.00 17.65	200 20.64
1	433 44.69 56.31 77.18	336 34.67 43.69 82.35	769 79.36
Total	561 57.89	408 42.11	969 100.00
Frequency Missing = 6528			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	3.8535	0.0496
Likelihood Ratio Chi-Square	1	3.9003	0.0483
Continuity Adj. Chi-Square	1	3.5444	0.0597
Mantel-Haenszel Chi-Square	1	3.8496	0.0498
Phi Coefficient		0.0631	
Contingency Coefficient		0.0629	
Cramer's V		0.0631	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	128
Left-sided Pr <= F	0.9800
Right-sided Pr >= F	0.0293
Table Probability (P)	0.0093
Two-sided Pr <= P	0.0538

Effective Sample Size = 969

Frequency Missing = 6528

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	3	8	Total
0	128 15.26 70.33 22.82	54 6.44 29.67 19.42	182 21.69
1	433 51.61 65.91 77.18	224 26.70 34.09 80.58	657 78.31
Total	561 66.87	278 33.13	839 100.00
Frequency Missing = 6179			

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

Statistic	DF	Value	Prob
Chi-Square	1	1.2590	0.2618
Likelihood Ratio Chi-Square	1	1.2765	0.2586
Continuity Adj. Chi-Square	1	1.0672	0.3016
Mantel-Haenszel Chi-Square	1	1.2575	0.2621
Phi Coefficient		0.0387	
Contingency Coefficient		0.0387	
Cramer's V		0.0387	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	128
Left-sided Pr <= F	0.8876
Right-sided Pr >= F	0.1507
Table Probability (P)	0.0383
Two-sided Pr <= P	0.2860

Effective Sample Size = 839**Frequency Missing = 6179****WARNING: 88% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	3	9	Total
0	128 9.13 40.25 22.82	190 13.55 59.75 22.59	318 22.68
1	433 30.88 39.94 77.18	651 46.43 60.06 77.41	1084 77.32
Total	561 40.01	841 59.99	1402 100.00
Frequency Missing = 11453			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.0096	0.9217
Likelihood Ratio Chi-Square	1	0.0096	0.9218
Continuity Adj. Chi-Square	1	0.0011	0.9736
Mantel-Haenszel Chi-Square	1	0.0096	0.9218
Phi Coefficient		0.0026	
Contingency Coefficient		0.0026	
Cramer's V		0.0026	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	128
Left-sided Pr <= F	0.5658
Right-sided Pr >= F	0.4858
Table Probability (P)	0.0516
Two-sided Pr <= P	0.9481

Effective Sample Size = 1402

Frequency Missing = 11453

WARNING: 89% of the data are missing.

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of S7Q4A1 by agegroup			
	S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
		4	5	Total
	0	124 10.66 49.60 21.05	126 10.83 50.40 21.95	250 21.50
	1	465 39.98 50.93 78.95	448 38.52 49.07 78.05	913 78.50
	Total	589 50.64	574 49.36	1163 100.00
Frequency Missing = 7295				

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.1391	0.7092
Likelihood Ratio Chi-Square	1	0.1391	0.7092
Continuity Adj. Chi-Square	1	0.0909	0.7630
Mantel-Haenszel Chi-Square	1	0.1390	0.7093
Phi Coefficient		-0.0109	
Contingency Coefficient		0.0109	
Cramer's V		-0.0109	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	124
Left-sided Pr <= F	0.3815
Right-sided Pr >= F	0.6716
Table Probability (P)	0.0531
Two-sided Pr <= P	0.7216

Effective Sample Size = 1163

Frequency Missing = 7295

WARNING: 86% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	4	6	Total
0	124 11.62 55.61 21.05	99 9.28 44.39 20.71	223 20.90
1	465 43.58 55.09 78.95	379 35.52 44.91 79.29	844 79.10
Total	589 55.20	478 44.80	1067 100.00
Frequency Missing = 6980			

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

Statistic	DF	Value	Prob
Chi-Square	1	0.0186	0.8915
Likelihood Ratio Chi-Square	1	0.0186	0.8915
Continuity Adj. Chi-Square	1	0.0037	0.9516
Mantel-Haenszel Chi-Square	1	0.0186	0.8916
Phi Coefficient		0.0042	
Contingency Coefficient		0.0042	
Cramer's V		0.0042	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	124
Left-sided Pr <= F	0.5834
Right-sided Pr >= F	0.4764
Table Probability (P)	0.0598
Two-sided Pr <= P	0.9397

Effective Sample Size = 1067**Frequency Missing = 6980****WARNING: 87% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	4	7	Total
0	124	72	196
	12.44	7.22	19.66
	63.27	36.73	
	21.05	17.65	
1	465	336	801
	46.64	33.70	80.34
	58.05	41.95	
	78.95	82.35	
Total	589	408	997
	59.08	40.92	100.00
Frequency Missing = 6290			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	1.7700	0.1834
Likelihood Ratio Chi-Square	1	1.7860	0.1814
Continuity Adj. Chi-Square	1	1.5609	0.2115
Mantel-Haenszel Chi-Square	1	1.7682	0.1836
Phi Coefficient		0.0421	
Contingency Coefficient		0.0421	
Cramer's V		0.0421	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	124
Left-sided Pr <= F	0.9214
Right-sided Pr >= F	0.1054
Table Probability (P)	0.0269
Two-sided Pr <= P	0.1953

Effective Sample Size = 997

Frequency Missing = 6290

WARNING: 86% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	4	8	Total
0	124 14.30 69.66 21.05	54 6.23 30.34 19.42	178 20.53
1	465 53.63 67.49 78.95	224 25.84 32.51 80.58	689 79.47
Total	589 67.94	278 32.06	867 100.00
Frequency Missing = 5941			

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

Statistic	DF	Value	Prob
Chi-Square	1	0.3069	0.5796
Likelihood Ratio Chi-Square	1	0.3091	0.5782
Continuity Adj. Chi-Square	1	0.2152	0.6427
Mantel-Haenszel Chi-Square	1	0.3065	0.5798
Phi Coefficient		0.0188	
Contingency Coefficient		0.0188	
Cramer's V		0.0188	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	124
Left-sided Pr <= F	0.7390
Right-sided Pr >= F	0.3232
Table Probability (P)	0.0622
Two-sided Pr <= P	0.6525

Effective Sample Size = 867**Frequency Missing = 5941****WARNING: 87% of the data are missing.**

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of S7Q4A1 by agegroup			
	S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
		4	9	Total
	0	124 8.67 39.49 21.05	190 13.29 60.51 22.59	314 21.96
	1	465 32.52 41.67 78.95	651 45.52 58.33 77.41	1116 78.04
	Total	589 41.19	841 58.81	1430 100.00
Frequency Missing = 11215				

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

Statistic	DF	Value	Prob
Chi-Square	1	0.4791	0.4888
Likelihood Ratio Chi-Square	1	0.4806	0.4881
Continuity Adj. Chi-Square	1	0.3935	0.5305
Mantel-Haenszel Chi-Square	1	0.4788	0.4890
Phi Coefficient		-0.0183	
Contingency Coefficient		0.0183	
Cramer's V		-0.0183	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	124
Left-sided Pr <= F	0.2657
Right-sided Pr >= F	0.7752
Table Probability (P)	0.0409
Two-sided Pr <= P	0.5166

Effective Sample Size = 1430**Frequency Missing = 11215****WARNING: 89% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	5	6	Total
0	126 11.98 56.00 21.95	99 9.41 44.00 20.71	225 21.39
1	448 42.59 54.17 78.05	379 36.03 45.83 79.29	827 78.61
Total	574 54.56	478 45.44	1052 100.00
Frequency Missing = 6573			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.2385	0.6253
Likelihood Ratio Chi-Square	1	0.2388	0.6251
Continuity Adj. Chi-Square	1	0.1704	0.6797
Mantel-Haenszel Chi-Square	1	0.2383	0.6255
Phi Coefficient		0.0151	
Contingency Coefficient		0.0151	
Cramer's V		0.0151	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	126
Left-sided Pr <= F	0.7132
Right-sided Pr >= F	0.3403
Table Probability (P)	0.0535
Two-sided Pr <= P	0.6509

Effective Sample Size = 1052

Frequency Missing = 6573

WARNING: 86% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	5	7	Total
0	126	72	198
	12.83	7.33	20.16
	63.64	36.36	
	21.95	17.65	
1	448	336	784
	45.62	34.22	79.84
	57.14	42.86	
	78.05	82.35	
Total	574	408	982
	58.45	41.55	100.00
Frequency Missing = 5883			

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

Statistic	DF	Value	Prob
Chi-Square	1	2.7446	0.0976
Likelihood Ratio Chi-Square	1	2.7741	0.0958
Continuity Adj. Chi-Square	1	2.4837	0.1150
Mantel-Haenszel Chi-Square	1	2.7418	0.0978
Phi Coefficient		0.0529	
Contingency Coefficient		0.0528	
Cramer's V		0.0529	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	126
Left-sided Pr <= F	0.9594
Right-sided Pr >= F	0.0570
Table Probability (P)	0.0164
Two-sided Pr <= P	0.1066

Effective Sample Size = 982**Frequency Missing = 5883****WARNING: 86% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	5	8	Total
0	126 14.79 70.00 21.95	54 6.34 30.00 19.42	180 21.13
1	448 52.58 66.67 78.05	224 26.29 33.33 80.58	672 78.87
Total	574 67.37	278 32.63	852 100.00
Frequency Missing = 5534			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.7176	0.3969
Likelihood Ratio Chi-Square	1	0.7254	0.3944
Continuity Adj. Chi-Square	1	0.5740	0.4487
Mantel-Haenszel Chi-Square	1	0.7168	0.3972
Phi Coefficient		0.0290	
Contingency Coefficient		0.0290	
Cramer's V		0.0290	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	126
Left-sided Pr <= F	0.8253
Right-sided Pr >= F	0.2251
Table Probability (P)	0.0505
Two-sided Pr <= P	0.4214

Effective Sample Size = 852
Frequency Missing = 5534

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	5	9	Total
0	126 8.90 39.87 21.95	190 13.43 60.13 22.59	316 22.33
1	448 31.66 40.76 78.05	651 46.01 59.24 77.41	1099 77.67
Total	574 40.57	841 59.43	1415 100.00
Frequency Missing = 10808			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.0808	0.7762
Likelihood Ratio Chi-Square	1	0.0809	0.7761
Continuity Adj. Chi-Square	1	0.0481	0.8265
Mantel-Haenszel Chi-Square	1	0.0807	0.7763
Phi Coefficient		-0.0076	
Contingency Coefficient		0.0076	
Cramer's V		-0.0076	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	126
Left-sided Pr <= F	0.4141
Right-sided Pr >= F	0.6358
Table Probability (P)	0.0499
Two-sided Pr <= P	0.7951

Effective Sample Size = 1415

Frequency Missing = 10808

WARNING: 88% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	6	7	Total
0	99 11.17 57.89 20.71	72 8.13 42.11 17.65	171 19.30
1	379 42.78 53.01 79.29	336 37.92 46.99 82.35	715 80.70
Total	478 53.95	408 46.05	886 100.00
Frequency Missing = 5568			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	1.3270	0.2493
Likelihood Ratio Chi-Square	1	1.3324	0.2484
Continuity Adj. Chi-Square	1	1.1375	0.2862
Mantel-Haenszel Chi-Square	1	1.3255	0.2496
Phi Coefficient		0.0387	
Contingency Coefficient		0.0387	
Cramer's V		0.0387	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	99
Left-sided Pr <= F	0.8922
Right-sided Pr >= F	0.1430
Table Probability (P)	0.0352
Two-sided Pr <= P	0.2674

Effective Sample Size = 886

Frequency Missing = 5568

WARNING: 86% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	6	8	Total
0	99 13.10 64.71 20.71	54 7.14 35.29 19.42	153 20.24
1	379 50.13 62.85 79.29	224 29.63 37.15 80.58	603 79.76
Total	478 63.23	278 36.77	756 100.00
Frequency Missing = 5219			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.1803	0.6711
Likelihood Ratio Chi-Square	1	0.1811	0.6704
Continuity Adj. Chi-Square	1	0.1094	0.7408
Mantel-Haenszel Chi-Square	1	0.1801	0.6713
Phi Coefficient		0.0154	
Contingency Coefficient		0.0154	
Cramer's V		0.0154	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	99
Left-sided Pr <= F	0.6966
Right-sided Pr >= F	0.3721
Table Probability (P)	0.0687
Two-sided Pr <= P	0.7079

Effective Sample Size = 756

Frequency Missing = 5219

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	6	9	Total
0	99 7.51 34.26 20.71	190 14.40 65.74 22.59	289 21.91
1	379 28.73 36.80 79.29	651 49.36 63.20 77.41	1030 78.09
Total	478 36.24	841 63.76	1319 100.00
Frequency Missing = 10493			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.6302	0.4273
Likelihood Ratio Chi-Square	1	0.6339	0.4259
Continuity Adj. Chi-Square	1	0.5250	0.4687
Mantel-Haenszel Chi-Square	1	0.6297	0.4275
Phi Coefficient		-0.0219	
Contingency Coefficient		0.0219	
Cramer's V		-0.0219	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	99
Left-sided Pr <= F	0.2349
Right-sided Pr >= F	0.8057
Table Probability (P)	0.0406
Two-sided Pr <= P	0.4468

Effective Sample Size = 1319

Frequency Missing = 10493

WARNING: 89% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	7	8	Total
0	72	54	126
	10.50	7.87	18.37
	57.14	42.86	
	17.65	19.42	
1	336	224	560
	48.98	32.65	81.63
	60.00	40.00	
	82.35	80.58	
Total	408	278	686
	59.48	40.52	100.00
Frequency Missing = 4529			

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	0.3484	0.5550
Likelihood Ratio Chi-Square	1	0.3468	0.5559
Continuity Adj. Chi-Square	1	0.2399	0.6243
Mantel-Haenszel Chi-Square	1	0.3479	0.5553
Phi Coefficient		-0.0225	
Contingency Coefficient		0.0225	
Cramer's V		-0.0225	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	72
Left-sided Pr <= F	0.3111
Right-sided Pr >= F	0.7557
Table Probability (P)	0.0668
Two-sided Pr <= P	0.6157

Effective Sample Size = 686
Frequency Missing = 4529

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by agegroup			
S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
	7	9	Total
0	72	190	262
	5.76	15.21	20.98
	27.48	72.52	
	17.65	22.59	
1	336	651	987
	26.90	52.12	79.02
	34.04	65.96	
	82.35	77.41	
Total	408	841	1249
	32.67	67.33	100.00
Frequency Missing = 9803			

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

Statistic	DF	Value	Prob
Chi-Square	1	4.0527	0.0441
Likelihood Ratio Chi-Square	1	4.1450	0.0418
Continuity Adj. Chi-Square	1	3.7599	0.0525
Mantel-Haenszel Chi-Square	1	4.0495	0.0442
Phi Coefficient		-0.0570	
Contingency Coefficient		0.0569	
Cramer's V		-0.0570	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	72
Left-sided Pr <= F	0.0253
Right-sided Pr >= F	0.9824
Table Probability (P)	0.0077
Two-sided Pr <= P	0.0456

Effective Sample Size = 1249**Frequency Missing = 9803****WARNING: 89% of the data are missing.**

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of S7Q4A1 by agegroup			
	S7Q4A1(Fear to talk in front of others)	agegroup(Age groups impacted)		
		8	9	Total
	0	54 4.83 22.13 19.42	190 16.98 77.87 22.59	244 21.81
	1	224 20.02 25.60 80.58	651 58.18 74.40 77.41	875 78.19
	Total	278 24.84	841 75.16	1119 100.00
Frequency Missing = 9454				

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

Statistic	DF	Value	Prob
Chi-Square	1	1.2296	0.2675
Likelihood Ratio Chi-Square	1	1.2528	0.2630
Continuity Adj. Chi-Square	1	1.0508	0.3053
Mantel-Haenszel Chi-Square	1	1.2285	0.2677
Phi Coefficient		-0.0331	
Contingency Coefficient		0.0331	
Cramer's V		-0.0331	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	54
Left-sided Pr <= F	0.1525
Right-sided Pr >= F	0.8842
Table Probability (P)	0.0368
Two-sided Pr <= P	0.2775

Effective Sample Size = 1119

Frequency Missing = 9454

WARNING: 89% of the data are missing.