

The FREQ Procedure

| Table of S7Q4A1 by agegroup | | | | | | | | | | |
|---|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | | | | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | Total |
| 0 | 319 | 114 | 128 | 124 | 126 | 99 | 72 | 54 | 190 | 1226 |
| | 5.91 | 2.11 | 2.37 | 2.30 | 2.33 | 1.83 | 1.33 | 1.00 | 3.52 | 22.71 |
| | 26.02 | 9.30 | 10.44 | 10.11 | 10.28 | 8.08 | 5.87 | 4.40 | 15.50 | |
| | 27.60 | 22.18 | 22.82 | 21.05 | 21.95 | 20.71 | 17.65 | 19.42 | 22.59 | |
| 1 | 837 | 400 | 433 | 465 | 448 | 379 | 336 | 224 | 651 | 4173 |
| | 15.50 | 7.41 | 8.02 | 8.61 | 8.30 | 7.02 | 6.22 | 4.15 | 12.06 | 77.29 |
| | 20.06 | 9.59 | 10.38 | 11.14 | 10.74 | 9.08 | 8.05 | 5.37 | 15.60 | |
| | 72.40 | 77.82 | 77.18 | 78.95 | 78.05 | 79.29 | 82.35 | 80.58 | 77.41 | |
| Total | 1156 | 514 | 561 | 589 | 574 | 478 | 408 | 278 | 841 | 5399 |
| | 21.41 | 9.52 | 10.39 | 10.91 | 10.63 | 8.85 | 7.56 | 5.15 | 15.58 | 100.00 |
| Frequency Missing = 37694 | | | | | | | | | | |

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|---------|--------|
| Chi-Square | 8 | 25.6776 | 0.0012 |
| Likelihood Ratio Chi-Square | 8 | 25.4290 | 0.0013 |
| Mantel-Haenszel Chi-Square | 1 | 11.2584 | 0.0008 |
| Phi Coefficient | | 0.0690 | |
| Contingency Coefficient | | 0.0688 | |
| Cramer's V | | 0.0690 | |

Effective Sample Size = 5399

Frequency Missing = 37694

WARNING: 87% of the data are missing.

The FREQ Procedure

| Frequency Percent Row Pct Col Pct | Table of S7Q4A1 by agegroup | | | |
|--|--|----------------------------------|--------------------------------|----------------|
| | S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | | 1 | 2 | Total |
| | 0 | 319 19.10 73.67 27.60 | 114 6.83 26.33 22.18 | 433 25.93 |
| | 1 | 837 50.12 67.66 72.40 | 400 23.95 32.34 77.82 | 1237 74.07 |
| | Total | 1156 69.22 | 514 30.78 | 1670 100.00 |
| Frequency Missing = 11288 | | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 5.4346 | 0.0197 |
| Likelihood Ratio Chi-Square | 1 | 5.5410 | 0.0186 |
| Continuity Adj. Chi-Square | 1 | 5.1562 | 0.0232 |
| Mantel-Haenszel Chi-Square | 1 | 5.4313 | 0.0198 |
| Phi Coefficient | | 0.0570 | |
| Contingency Coefficient | | 0.0570 | |
| Cramer's V | | 0.0570 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 319 |
| Left-sided Pr <= F | 0.9921 |
| Right-sided Pr >= F | 0.0111 |
| | |
| Table Probability (P) | 0.0031 |
| Two-sided Pr <= P | 0.0215 |

Effective Sample Size = 1670**Frequency Missing = 11288****WARNING: 87% of the data are missing.**

The FREQ Procedure

| Frequency Percent Row Pct Col Pct | Table of S7Q4A1 by agegroup | | | |
|--|--|----------------------------------|--------------------------------|----------------|
| | S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | | 1 | 3 | Total |
| | 0 | 319 18.58 71.36 27.60 | 128 7.45 28.64 22.82 | 447 26.03 |
| | 1 | 837 48.75 65.91 72.40 | 433 25.22 34.09 77.18 | 1270 73.97 |
| | Total | 1156 67.33 | 561 32.67 | 1717 100.00 |
| Frequency Missing = 11599 | | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 4.4793 | 0.0343 |
| Likelihood Ratio Chi-Square | 1 | 4.5479 | 0.0330 |
| Continuity Adj. Chi-Square | 1 | 4.2346 | 0.0396 |
| Mantel-Haenszel Chi-Square | 1 | 4.4767 | 0.0344 |
| Phi Coefficient | | 0.0511 | |
| Contingency Coefficient | | 0.0510 | |
| Cramer's V | | 0.0511 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 319 |
| Left-sided Pr <= F | 0.9857 |
| Right-sided Pr >= F | 0.0193 |
| | |
| Table Probability (P) | 0.0049 |
| Two-sided Pr <= P | 0.0349 |

Effective Sample Size = 1717

Frequency Missing = 11599

WARNING: 87% of the data are missing.

The FREQ Procedure

| Frequency Percent Row Pct Col Pct | Table of S7Q4A1 by agegroup | | | |
|--|--|----------------------------------|--------------------------------|----------------|
| | S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | | 1 | 4 | Total |
| | 0 | 319 18.28 72.01 27.60 | 124 7.11 27.99 21.05 | 443 25.39 |
| | 1 | 837 47.97 64.29 72.40 | 465 26.65 35.71 78.95 | 1302 74.61 |
| | Total | 1156 66.25 | 589 33.75 | 1745 100.00 |
| Frequency Missing = 11361 | | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 8.8175 | 0.0030 |
| Likelihood Ratio Chi-Square | 1 | 9.0071 | 0.0027 |
| Continuity Adj. Chi-Square | 1 | 8.4755 | 0.0036 |
| Mantel-Haenszel Chi-Square | 1 | 8.8124 | 0.0030 |
| Phi Coefficient | | 0.0711 | |
| Contingency Coefficient | | 0.0709 | |
| Cramer's V | | 0.0711 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 319 |
| Left-sided Pr <= F | 0.9989 |
| Right-sided Pr >= F | 0.0017 |
| | |
| Table Probability (P) | 0.0005 |
| Two-sided Pr <= P | 0.0030 |

Effective Sample Size = 1745**Frequency Missing = 11361****WARNING: 87% of the data are missing.**

The FREQ Procedure

| Frequency Percent Row Pct Col Pct | Table of S7Q4A1 by agegroup | | | |
|--|--|----------------------------------|--------------------------------|----------------|
| | S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | | 1 | 5 | Total |
| | 0 | 319 18.44 71.69 27.60 | 126 7.28 28.31 21.95 | 445 25.72 |
| | 1 | 837 48.38 65.14 72.40 | 448 25.90 34.86 78.05 | 1285 74.28 |
| | Total | 1156 66.82 | 574 33.18 | 1730 100.00 |
| Frequency Missing = 10954 | | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 6.3947 | 0.0114 |
| Likelihood Ratio Chi-Square | 1 | 6.5118 | 0.0107 |
| Continuity Adj. Chi-Square | 1 | 6.1027 | 0.0135 |
| Mantel-Haenszel Chi-Square | 1 | 6.3910 | 0.0115 |
| Phi Coefficient | | 0.0608 | |
| Contingency Coefficient | | 0.0607 | |
| Cramer's V | | 0.0608 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 319 |
| Left-sided Pr <= F | 0.9954 |
| Right-sided Pr >= F | 0.0064 |
| | |
| Table Probability (P) | 0.0019 |
| Two-sided Pr <= P | 0.0120 |

Effective Sample Size = 1730**Frequency Missing = 10954****WARNING: 86% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 1 | 6 | Total |
| 0 | 319 19.52 76.32 27.60 | 99 6.06 23.68 20.71 | 418 25.58 |
| 1 | 837 51.22 68.83 72.40 | 379 23.19 31.17 79.29 | 1216 74.42 |
| Total | 1156 70.75 | 478 29.25 | 1634 100.00 |
| Frequency Missing = 10639 | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 8.4177 | 0.0037 |
| Likelihood Ratio Chi-Square | 1 | 8.6565 | 0.0033 |
| Continuity Adj. Chi-Square | 1 | 8.0600 | 0.0045 |
| Mantel-Haenszel Chi-Square | 1 | 8.4125 | 0.0037 |
| Phi Coefficient | | 0.0718 | |
| Contingency Coefficient | | 0.0716 | |
| Cramer's V | | 0.0718 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 319 |
| Left-sided Pr <= F | 0.9987 |
| Right-sided Pr >= F | 0.0020 |
| | |
| Table Probability (P) | 0.0007 |
| Two-sided Pr <= P | 0.0041 |

Effective Sample Size = 1634**Frequency Missing = 10639****WARNING: 87% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|-------|--------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 1 | 7 | Total |
| 0 | 319 | 72 | 391 |
| | 20.40 | 4.60 | 25.00 |
| | 81.59 | 18.41 | |
| | 27.60 | 17.65 | |
| 1 | 837 | 336 | 1173 |
| | 53.52 | 21.48 | 75.00 |
| | 71.36 | 28.64 | |
| | 72.40 | 82.35 | |
| Total | 1156 | 408 | 1564 |
| | 73.91 | 26.09 | 100.00 |
| Frequency Missing = 9949 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|---------|--------|
| Chi-Square | 1 | 15.9170 | <.0001 |
| Likelihood Ratio Chi-Square | 1 | 16.7553 | <.0001 |
| Continuity Adj. Chi-Square | 1 | 15.3908 | <.0001 |
| Mantel-Haenszel Chi-Square | 1 | 15.9068 | <.0001 |
| Phi Coefficient | | 0.1009 | |
| Contingency Coefficient | | 0.1004 | |
| Cramer's V | | 0.1009 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 319 |
| Left-sided Pr <= F | 1.0000 |
| Right-sided Pr >= F | <.0001 |
| | |
| Table Probability (P) | <.0001 |
| Two-sided Pr <= P | <.0001 |

Effective Sample Size = 1564

Frequency Missing = 9949

WARNING: 86% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 1 | 8 | Total |
| 0 | 319 22.25 85.52 27.60 | 54 3.77 14.48 19.42 | 373 26.01 |
| 1 | 837 58.37 78.89 72.40 | 224 15.62 21.11 80.58 | 1061 73.99 |
| Total | 1156 80.61 | 278 19.39 | 1434 100.00 |
| Frequency Missing = 9600 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 7.7740 | 0.0053 |
| Likelihood Ratio Chi-Square | 1 | 8.1586 | 0.0043 |
| Continuity Adj. Chi-Square | 1 | 7.3553 | 0.0067 |
| Mantel-Haenszel Chi-Square | 1 | 7.7686 | 0.0053 |
| Phi Coefficient | | 0.0736 | |
| Contingency Coefficient | | 0.0734 | |
| Cramer's V | | 0.0736 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 319 |
| Left-sided Pr <= F | 0.9983 |
| Right-sided Pr >= F | 0.0028 |
| | |
| Table Probability (P) | 0.0011 |
| Two-sided Pr <= P | 0.0049 |

Effective Sample Size = 1434

Frequency Missing = 9600

WARNING: 87% of the data are missing.

The FREQ Procedure

| Frequency Percent Row Pct Col Pct | Table of S7Q4A1 by agegroup | | | |
|--|--|----------------------------------|--------------------------------|----------------|
| | S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | | 1 | 9 | Total |
| | 0 | 319 15.97 62.67 27.60 | 190 9.51 37.33 22.59 | 509 25.49 |
| | 1 | 837 41.91 56.25 72.40 | 651 32.60 43.75 77.41 | 1488 74.51 |
| | Total | 1156 57.89 | 841 42.11 | 1997 100.00 |
| Frequency Missing = 14874 | | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 6.4161 | 0.0113 |
| Likelihood Ratio Chi-Square | 1 | 6.4686 | 0.0110 |
| Continuity Adj. Chi-Square | 1 | 6.1554 | 0.0131 |
| Mantel-Haenszel Chi-Square | 1 | 6.4129 | 0.0113 |
| Phi Coefficient | | 0.0567 | |
| Contingency Coefficient | | 0.0566 | |
| Cramer's V | | 0.0567 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 319 |
| Left-sided Pr <= F | 0.9953 |
| Right-sided Pr >= F | 0.0064 |
| | |
| Table Probability (P) | 0.0017 |
| Two-sided Pr <= P | 0.0125 |

Effective Sample Size = 1997

Frequency Missing = 14874

WARNING: 88% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 2 | 3 | Total |
| 0 | 114 10.60 47.11 22.18 | 128 11.91 52.89 22.82 | 242 22.51 |
| 1 | 400 37.21 48.02 77.82 | 433 40.28 51.98 77.18 | 833 77.49 |
| Total | 514 47.81 | 561 52.19 | 1075 100.00 |
| Frequency Missing = 7867 | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|---------|--------|
| Chi-Square | 1 | 0.0625 | 0.8026 |
| Likelihood Ratio Chi-Square | 1 | 0.0625 | 0.8026 |
| Continuity Adj. Chi-Square | 1 | 0.0313 | 0.8596 |
| Mantel-Haenszel Chi-Square | 1 | 0.0624 | 0.8027 |
| Phi Coefficient | | -0.0076 | |
| Contingency Coefficient | | 0.0076 | |
| Cramer's V | | -0.0076 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 114 |
| Left-sided Pr <= F | 0.4300 |
| Right-sided Pr >= F | 0.6264 |
| | |
| Table Probability (P) | 0.0565 |
| Two-sided Pr <= P | 0.8266 |

Effective Sample Size = 1075**Frequency Missing = 7867****WARNING: 88% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 2 | 4 | Total |
| 0 | 114 10.34 47.90 22.18 | 124 11.24 52.10 21.05 | 238 21.58 |
| 1 | 400 36.26 46.24 77.82 | 465 42.16 53.76 78.95 | 865 78.42 |
| Total | 514 46.60 | 589 53.40 | 1103 100.00 |
| Frequency Missing = 7629 | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 0.2058 | 0.6501 |
| Likelihood Ratio Chi-Square | 1 | 0.2056 | 0.6502 |
| Continuity Adj. Chi-Square | 1 | 0.1446 | 0.7037 |
| Mantel-Haenszel Chi-Square | 1 | 0.2056 | 0.6502 |
| Phi Coefficient | | 0.0137 | |
| Contingency Coefficient | | 0.0137 | |
| Cramer's V | | 0.0137 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 114 |
| Left-sided Pr <= F | 0.7011 |
| Right-sided Pr >= F | 0.3516 |
| | |
| Table Probability (P) | 0.0527 |
| Two-sided Pr <= P | 0.6604 |

Effective Sample Size = 1103**Frequency Missing = 7629****WARNING: 87% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 2 | 5 | Total |
| 0 | 114 10.48 47.50 22.18 | 126 11.58 52.50 21.95 | 240 22.06 |
| 1 | 400 36.76 47.17 77.82 | 448 41.18 52.83 78.05 | 848 77.94 |
| Total | 514 47.24 | 574 52.76 | 1088 100.00 |
| Frequency Missing = 7222 | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 0.0082 | 0.9279 |
| Likelihood Ratio Chi-Square | 1 | 0.0082 | 0.9279 |
| Continuity Adj. Chi-Square | 1 | 0.0003 | 0.9863 |
| Mantel-Haenszel Chi-Square | 1 | 0.0082 | 0.9280 |
| Phi Coefficient | | 0.0027 | |
| Contingency Coefficient | | 0.0027 | |
| Cramer's V | | 0.0027 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 114 |
| Left-sided Pr <= F | 0.5653 |
| Right-sided Pr >= F | 0.4928 |
| | |
| Table Probability (P) | 0.0581 |
| Two-sided Pr <= P | 0.9417 |

Effective Sample Size = 1088**Frequency Missing = 7222****WARNING: 87% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|---------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 2 | 6 | Total |
| 0 | 114 11.49 53.52 22.18 | 99 9.98 46.48 20.71 | 213 21.47 |
| 1 | 400 40.32 51.35 77.82 | 379 38.21 48.65 79.29 | 779 78.53 |
| Total | 514 51.81 | 478 48.19 | 992 100.00 |
| Frequency Missing = 6907 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 0.3164 | 0.5738 |
| Likelihood Ratio Chi-Square | 1 | 0.3167 | 0.5736 |
| Continuity Adj. Chi-Square | 1 | 0.2354 | 0.6276 |
| Mantel-Haenszel Chi-Square | 1 | 0.3161 | 0.5740 |
| Phi Coefficient | | 0.0179 | |
| Contingency Coefficient | | 0.0179 | |
| Cramer's V | | 0.0179 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 114 |
| Left-sided Pr <= F | 0.7387 |
| Right-sided Pr >= F | 0.3140 |
| | |
| Table Probability (P) | 0.0527 |
| Two-sided Pr <= P | 0.5888 |

Effective Sample Size = 992

Frequency Missing = 6907

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|---------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 2 | 7 | Total |
| 0 | 114 12.36 61.29 22.18 | 72 7.81 38.71 17.65 | 186 20.17 |
| 1 | 400 43.38 54.35 77.82 | 336 36.44 45.65 82.35 | 736 79.83 |
| Total | 514 55.75 | 408 44.25 | 922 100.00 |
| Frequency Missing = 6217 | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 2.9009 | 0.0885 |
| Likelihood Ratio Chi-Square | 1 | 2.9249 | 0.0872 |
| Continuity Adj. Chi-Square | 1 | 2.6263 | 0.1051 |
| Mantel-Haenszel Chi-Square | 1 | 2.8977 | 0.0887 |
| Phi Coefficient | | 0.0561 | |
| Contingency Coefficient | | 0.0560 | |
| Cramer's V | | 0.0561 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 114 |
| Left-sided Pr <= F | 0.9634 |
| Right-sided Pr >= F | 0.0521 |
| | |
| Table Probability (P) | 0.0155 |
| Two-sided Pr <= P | 0.0985 |

Effective Sample Size = 922

Frequency Missing = 6217

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|---------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 2 | 8 | Total |
| 0 | 114 14.39 67.86 22.18 | 54 6.82 32.14 19.42 | 168 21.21 |
| 1 | 400 50.51 64.10 77.82 | 224 28.28 35.90 80.58 | 624 78.79 |
| Total | 514 64.90 | 278 35.10 | 792 100.00 |
| Frequency Missing = 5868 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 0.8191 | 0.3654 |
| Likelihood Ratio Chi-Square | 1 | 0.8274 | 0.3630 |
| Continuity Adj. Chi-Square | 1 | 0.6626 | 0.4157 |
| Mantel-Haenszel Chi-Square | 1 | 0.8181 | 0.3657 |
| Phi Coefficient | | 0.0322 | |
| Contingency Coefficient | | 0.0321 | |
| Cramer's V | | 0.0322 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 114 |
| Left-sided Pr <= F | 0.8404 |
| Right-sided Pr >= F | 0.2084 |
| | |
| Table Probability (P) | 0.0488 |
| Two-sided Pr <= P | 0.4126 |

Effective Sample Size = 792

Frequency Missing = 5868

WARNING: 88% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 2 | 9 | Total |
| 0 | 114 8.41 37.50 22.18 | 190 14.02 62.50 22.59 | 304 22.44 |
| 1 | 400 29.52 38.06 77.82 | 651 48.04 61.94 77.41 | 1051 77.56 |
| Total | 514 37.93 | 841 62.07 | 1355 100.00 |
| Frequency Missing = 11142 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|---------|--------|
| Chi-Square | 1 | 0.0313 | 0.8596 |
| Likelihood Ratio Chi-Square | 1 | 0.0313 | 0.8595 |
| Continuity Adj. Chi-Square | 1 | 0.0121 | 0.9126 |
| Mantel-Haenszel Chi-Square | 1 | 0.0313 | 0.8596 |
| Phi Coefficient | | -0.0048 | |
| Contingency Coefficient | | 0.0048 | |
| Cramer's V | | -0.0048 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 114 |
| Left-sided Pr <= F | 0.4575 |
| Right-sided Pr >= F | 0.5953 |
| | |
| Table Probability (P) | 0.0527 |
| Two-sided Pr <= P | 0.8933 |

Effective Sample Size = 1355

Frequency Missing = 11142

WARNING: 89% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 3 | 4 | Total |
| 0 | 128 11.13 50.79 22.82 | 124 10.78 49.21 21.05 | 252 21.91 |
| 1 | 433 37.65 48.22 77.18 | 465 40.43 51.78 78.95 | 898 78.09 |
| Total | 561 48.78 | 589 51.22 | 1150 100.00 |
| Frequency Missing = 7940 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 0.5224 | 0.4698 |
| Likelihood Ratio Chi-Square | 1 | 0.5222 | 0.4699 |
| Continuity Adj. Chi-Square | 1 | 0.4244 | 0.5148 |
| Mantel-Haenszel Chi-Square | 1 | 0.5219 | 0.4700 |
| Phi Coefficient | | 0.0213 | |
| Contingency Coefficient | | 0.0213 | |
| Cramer's V | | 0.0213 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 128 |
| Left-sided Pr <= F | 0.7864 |
| Right-sided Pr >= F | 0.2573 |
| | |
| Table Probability (P) | 0.0438 |
| Two-sided Pr <= P | 0.4767 |

Effective Sample Size = 1150

Frequency Missing = 7940

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 3 | 5 | Total |
| 0 | 128 11.28 50.39 22.82 | 126 11.10 49.61 21.95 | 254 22.38 |
| 1 | 433 38.15 49.15 77.18 | 448 39.47 50.85 78.05 | 881 77.62 |
| Total | 561 49.43 | 574 50.57 | 1135 100.00 |
| Frequency Missing = 7533 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 0.1223 | 0.7266 |
| Likelihood Ratio Chi-Square | 1 | 0.1223 | 0.7266 |
| Continuity Adj. Chi-Square | 1 | 0.0775 | 0.7807 |
| Mantel-Haenszel Chi-Square | 1 | 0.1221 | 0.7267 |
| Phi Coefficient | | 0.0104 | |
| Contingency Coefficient | | 0.0104 | |
| Cramer's V | | 0.0104 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 128 |
| Left-sided Pr <= F | 0.6631 |
| Right-sided Pr >= F | 0.3903 |
| | |
| Table Probability (P) | 0.0534 |
| Two-sided Pr <= P | 0.7758 |

Effective Sample Size = 1135

Frequency Missing = 7533

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 3 | 6 | Total |
| 0 | 128 12.32 56.39 22.82 | 99 9.53 43.61 20.71 | 227 21.85 |
| 1 | 433 41.67 53.33 77.18 | 379 36.48 46.67 79.29 | 812 78.15 |
| Total | 561 53.99 | 478 46.01 | 1039 100.00 |
| Frequency Missing = 7218 | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 0.6698 | 0.4131 |
| Likelihood Ratio Chi-Square | 1 | 0.6713 | 0.4126 |
| Continuity Adj. Chi-Square | 1 | 0.5522 | 0.4574 |
| Mantel-Haenszel Chi-Square | 1 | 0.6692 | 0.4133 |
| Phi Coefficient | | 0.0254 | |
| Contingency Coefficient | | 0.0254 | |
| Cramer's V | | 0.0254 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 128 |
| Left-sided Pr <= F | 0.8142 |
| Right-sided Pr >= F | 0.2289 |
| | |
| Table Probability (P) | 0.0431 |
| Two-sided Pr <= P | 0.4514 |

Effective Sample Size = 1039**Frequency Missing = 7218****WARNING: 87% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|---------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 3 | 7 | Total |
| 0 | 128 13.21 64.00 22.82 | 72 7.43 36.00 17.65 | 200 20.64 |
| 1 | 433 44.69 56.31 77.18 | 336 34.67 43.69 82.35 | 769 79.36 |
| Total | 561 57.89 | 408 42.11 | 969 100.00 |
| Frequency Missing = 6528 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 3.8535 | 0.0496 |
| Likelihood Ratio Chi-Square | 1 | 3.9003 | 0.0483 |
| Continuity Adj. Chi-Square | 1 | 3.5444 | 0.0597 |
| Mantel-Haenszel Chi-Square | 1 | 3.8496 | 0.0498 |
| Phi Coefficient | | 0.0631 | |
| Contingency Coefficient | | 0.0629 | |
| Cramer's V | | 0.0631 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 128 |
| Left-sided Pr <= F | 0.9800 |
| Right-sided Pr >= F | 0.0293 |
| | |
| Table Probability (P) | 0.0093 |
| Two-sided Pr <= P | 0.0538 |

Effective Sample Size = 969

Frequency Missing = 6528

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|---------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 3 | 8 | Total |
| 0 | 128 15.26 70.33 22.82 | 54 6.44 29.67 19.42 | 182 21.69 |
| 1 | 433 51.61 65.91 77.18 | 224 26.70 34.09 80.58 | 657 78.31 |
| Total | 561 66.87 | 278 33.13 | 839 100.00 |
| Frequency Missing = 6179 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 1.2590 | 0.2618 |
| Likelihood Ratio Chi-Square | 1 | 1.2765 | 0.2586 |
| Continuity Adj. Chi-Square | 1 | 1.0672 | 0.3016 |
| Mantel-Haenszel Chi-Square | 1 | 1.2575 | 0.2621 |
| Phi Coefficient | | 0.0387 | |
| Contingency Coefficient | | 0.0387 | |
| Cramer's V | | 0.0387 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 128 |
| Left-sided Pr <= F | 0.8876 |
| Right-sided Pr >= F | 0.1507 |
| | |
| Table Probability (P) | 0.0383 |
| Two-sided Pr <= P | 0.2860 |

Effective Sample Size = 839

Frequency Missing = 6179

WARNING: 88% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 3 | 9 | Total |
| 0 | 128 9.13 40.25 22.82 | 190 13.55 59.75 22.59 | 318 22.68 |
| 1 | 433 30.88 39.94 77.18 | 651 46.43 60.06 77.41 | 1084 77.32 |
| Total | 561 40.01 | 841 59.99 | 1402 100.00 |
| Frequency Missing = 11453 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 0.0096 | 0.9217 |
| Likelihood Ratio Chi-Square | 1 | 0.0096 | 0.9218 |
| Continuity Adj. Chi-Square | 1 | 0.0011 | 0.9736 |
| Mantel-Haenszel Chi-Square | 1 | 0.0096 | 0.9218 |
| Phi Coefficient | | 0.0026 | |
| Contingency Coefficient | | 0.0026 | |
| Cramer's V | | 0.0026 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 128 |
| Left-sided Pr <= F | 0.5658 |
| Right-sided Pr >= F | 0.4858 |
| | |
| Table Probability (P) | 0.0516 |
| Two-sided Pr <= P | 0.9481 |

Effective Sample Size = 1402

Frequency Missing = 11453

WARNING: 89% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 4 | 5 | Total |
| 0 | 124 10.66 49.60 21.05 | 126 10.83 50.40 21.95 | 250 21.50 |
| 1 | 465 39.98 50.93 78.95 | 448 38.52 49.07 78.05 | 913 78.50 |
| Total | 589 50.64 | 574 49.36 | 1163 100.00 |
| Frequency Missing = 7295 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|---------|--------|
| Chi-Square | 1 | 0.1391 | 0.7092 |
| Likelihood Ratio Chi-Square | 1 | 0.1391 | 0.7092 |
| Continuity Adj. Chi-Square | 1 | 0.0909 | 0.7630 |
| Mantel-Haenszel Chi-Square | 1 | 0.1390 | 0.7093 |
| Phi Coefficient | | -0.0109 | |
| Contingency Coefficient | | 0.0109 | |
| Cramer's V | | -0.0109 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 124 |
| Left-sided Pr <= F | 0.3815 |
| Right-sided Pr >= F | 0.6716 |
| | |
| Table Probability (P) | 0.0531 |
| Two-sided Pr <= P | 0.7216 |

Effective Sample Size = 1163

Frequency Missing = 7295

WARNING: 86% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 4 | 6 | Total |
| 0 | 124 11.62 55.61 21.05 | 99 9.28 44.39 20.71 | 223 20.90 |
| 1 | 465 43.58 55.09 78.95 | 379 35.52 44.91 79.29 | 844 79.10 |
| Total | 589 55.20 | 478 44.80 | 1067 100.00 |
| Frequency Missing = 6980 | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 0.0186 | 0.8915 |
| Likelihood Ratio Chi-Square | 1 | 0.0186 | 0.8915 |
| Continuity Adj. Chi-Square | 1 | 0.0037 | 0.9516 |
| Mantel-Haenszel Chi-Square | 1 | 0.0186 | 0.8916 |
| Phi Coefficient | | 0.0042 | |
| Contingency Coefficient | | 0.0042 | |
| Cramer's V | | 0.0042 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 124 |
| Left-sided Pr <= F | 0.5834 |
| Right-sided Pr >= F | 0.4764 |
| | |
| Table Probability (P) | 0.0598 |
| Two-sided Pr <= P | 0.9397 |

Effective Sample Size = 1067**Frequency Missing = 6980****WARNING: 87% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|-------|--------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 4 | 7 | Total |
| 0 | 124 | 72 | 196 |
| | 12.44 | 7.22 | 19.66 |
| | 63.27 | 36.73 | |
| | 21.05 | 17.65 | |
| 1 | 465 | 336 | 801 |
| | 46.64 | 33.70 | 80.34 |
| | 58.05 | 41.95 | |
| | 78.95 | 82.35 | |
| Total | 589 | 408 | 997 |
| | 59.08 | 40.92 | 100.00 |
| Frequency Missing = 6290 | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 1.7700 | 0.1834 |
| Likelihood Ratio Chi-Square | 1 | 1.7860 | 0.1814 |
| Continuity Adj. Chi-Square | 1 | 1.5609 | 0.2115 |
| Mantel-Haenszel Chi-Square | 1 | 1.7682 | 0.1836 |
| Phi Coefficient | | 0.0421 | |
| Contingency Coefficient | | 0.0421 | |
| Cramer's V | | 0.0421 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 124 |
| Left-sided Pr <= F | 0.9214 |
| Right-sided Pr >= F | 0.1054 |
| | |
| Table Probability (P) | 0.0269 |
| Two-sided Pr <= P | 0.1953 |

Effective Sample Size = 997
Frequency Missing = 6290

WARNING: 86% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|---------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 4 | 8 | Total |
| 0 | 124 14.30 69.66 21.05 | 54 6.23 30.34 19.42 | 178 20.53 |
| 1 | 465 53.63 67.49 78.95 | 224 25.84 32.51 80.58 | 689 79.47 |
| Total | 589 67.94 | 278 32.06 | 867 100.00 |
| Frequency Missing = 5941 | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 0.3069 | 0.5796 |
| Likelihood Ratio Chi-Square | 1 | 0.3091 | 0.5782 |
| Continuity Adj. Chi-Square | 1 | 0.2152 | 0.6427 |
| Mantel-Haenszel Chi-Square | 1 | 0.3065 | 0.5798 |
| Phi Coefficient | | 0.0188 | |
| Contingency Coefficient | | 0.0188 | |
| Cramer's V | | 0.0188 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 124 |
| Left-sided Pr <= F | 0.7390 |
| Right-sided Pr >= F | 0.3232 |
| | |
| Table Probability (P) | 0.0622 |
| Two-sided Pr <= P | 0.6525 |

Effective Sample Size = 867**Frequency Missing = 5941****WARNING: 87% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 4 | 9 | Total |
| 0 | 124 8.67 39.49 21.05 | 190 13.29 60.51 22.59 | 314 21.96 |
| 1 | 465 32.52 41.67 78.95 | 651 45.52 58.33 77.41 | 1116 78.04 |
| Total | 589 41.19 | 841 58.81 | 1430 100.00 |
| Frequency Missing = 11215 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|---------|--------|
| Chi-Square | 1 | 0.4791 | 0.4888 |
| Likelihood Ratio Chi-Square | 1 | 0.4806 | 0.4881 |
| Continuity Adj. Chi-Square | 1 | 0.3935 | 0.5305 |
| Mantel-Haenszel Chi-Square | 1 | 0.4788 | 0.4890 |
| Phi Coefficient | | -0.0183 | |
| Contingency Coefficient | | 0.0183 | |
| Cramer's V | | -0.0183 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 124 |
| Left-sided Pr <= F | 0.2657 |
| Right-sided Pr >= F | 0.7752 |
| | |
| Table Probability (P) | 0.0409 |
| Two-sided Pr <= P | 0.5166 |

Effective Sample Size = 1430

Frequency Missing = 11215

WARNING: 89% of the data are missing.

The FREQ Procedure

| Frequency Percent Row Pct Col Pct | Table of S7Q4A1 by agegroup | | | |
|--|--|----------------------------------|--------------------------------|----------------|
| | S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | | 5 | 6 | Total |
| | 0 | 126 11.98 56.00 21.95 | 99 9.41 44.00 20.71 | 225 21.39 |
| | 1 | 448 42.59 54.17 78.05 | 379 36.03 45.83 79.29 | 827 78.61 |
| | Total | 574 54.56 | 478 45.44 | 1052 100.00 |
| Frequency Missing = 6573 | | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 0.2385 | 0.6253 |
| Likelihood Ratio Chi-Square | 1 | 0.2388 | 0.6251 |
| Continuity Adj. Chi-Square | 1 | 0.1704 | 0.6797 |
| Mantel-Haenszel Chi-Square | 1 | 0.2383 | 0.6255 |
| Phi Coefficient | | 0.0151 | |
| Contingency Coefficient | | 0.0151 | |
| Cramer's V | | 0.0151 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 126 |
| Left-sided Pr <= F | 0.7132 |
| Right-sided Pr >= F | 0.3403 |
| | |
| Table Probability (P) | 0.0535 |
| Two-sided Pr <= P | 0.6509 |

Effective Sample Size = 1052**Frequency Missing = 6573****WARNING: 86% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|---------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 5 | 7 | Total |
| 0 | 126 12.83 63.64 21.95 | 72 7.33 36.36 17.65 | 198 20.16 |
| 1 | 448 45.62 57.14 78.05 | 336 34.22 42.86 82.35 | 784 79.84 |
| Total | 574 58.45 | 408 41.55 | 982 100.00 |
| Frequency Missing = 5883 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 2.7446 | 0.0976 |
| Likelihood Ratio Chi-Square | 1 | 2.7741 | 0.0958 |
| Continuity Adj. Chi-Square | 1 | 2.4837 | 0.1150 |
| Mantel-Haenszel Chi-Square | 1 | 2.7418 | 0.0978 |
| Phi Coefficient | | 0.0529 | |
| Contingency Coefficient | | 0.0528 | |
| Cramer's V | | 0.0529 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 126 |
| Left-sided Pr <= F | 0.9594 |
| Right-sided Pr >= F | 0.0570 |
| | |
| Table Probability (P) | 0.0164 |
| Two-sided Pr <= P | 0.1066 |

Effective Sample Size = 982

Frequency Missing = 5883

WARNING: 86% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|---------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 5 | 8 | Total |
| 0 | 126 14.79 70.00 21.95 | 54 6.34 30.00 19.42 | 180 21.13 |
| 1 | 448 52.58 66.67 78.05 | 224 26.29 33.33 80.58 | 672 78.87 |
| Total | 574 67.37 | 278 32.63 | 852 100.00 |
| Frequency Missing = 5534 | | | |

The FREQ Procedure**Statistics for Table of S7Q4A1 by agegroup**

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 0.7176 | 0.3969 |
| Likelihood Ratio Chi-Square | 1 | 0.7254 | 0.3944 |
| Continuity Adj. Chi-Square | 1 | 0.5740 | 0.4487 |
| Mantel-Haenszel Chi-Square | 1 | 0.7168 | 0.3972 |
| Phi Coefficient | | 0.0290 | |
| Contingency Coefficient | | 0.0290 | |
| Cramer's V | | 0.0290 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 126 |
| Left-sided Pr <= F | 0.8253 |
| Right-sided Pr >= F | 0.2251 |
| | |
| Table Probability (P) | 0.0505 |
| Two-sided Pr <= P | 0.4214 |

Effective Sample Size = 852
Frequency Missing = 5534

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 5 | 9 | Total |
| 0 | 126 8.90 39.87 21.95 | 190 13.43 60.13 22.59 | 316 22.33 |
| 1 | 448 31.66 40.76 78.05 | 651 46.01 59.24 77.41 | 1099 77.67 |
| Total | 574 40.57 | 841 59.43 | 1415 100.00 |
| Frequency Missing = 10808 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|---------|--------|
| Chi-Square | 1 | 0.0808 | 0.7762 |
| Likelihood Ratio Chi-Square | 1 | 0.0809 | 0.7761 |
| Continuity Adj. Chi-Square | 1 | 0.0481 | 0.8265 |
| Mantel-Haenszel Chi-Square | 1 | 0.0807 | 0.7763 |
| Phi Coefficient | | -0.0076 | |
| Contingency Coefficient | | 0.0076 | |
| Cramer's V | | -0.0076 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 126 |
| Left-sided Pr <= F | 0.4141 |
| Right-sided Pr >= F | 0.6358 |
| | |
| Table Probability (P) | 0.0499 |
| Two-sided Pr <= P | 0.7951 |

Effective Sample Size = 1415

Frequency Missing = 10808

WARNING: 88% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|---------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 6 | 7 | Total |
| 0 | 99 11.17 57.89 20.71 | 72 8.13 42.11 17.65 | 171 19.30 |
| 1 | 379 42.78 53.01 79.29 | 336 37.92 46.99 82.35 | 715 80.70 |
| Total | 478 53.95 | 408 46.05 | 886 100.00 |
| Frequency Missing = 5568 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 1.3270 | 0.2493 |
| Likelihood Ratio Chi-Square | 1 | 1.3324 | 0.2484 |
| Continuity Adj. Chi-Square | 1 | 1.1375 | 0.2862 |
| Mantel-Haenszel Chi-Square | 1 | 1.3255 | 0.2496 |
| Phi Coefficient | | 0.0387 | |
| Contingency Coefficient | | 0.0387 | |
| Cramer's V | | 0.0387 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 99 |
| Left-sided Pr <= F | 0.8922 |
| Right-sided Pr >= F | 0.1430 |
| | |
| Table Probability (P) | 0.0352 |
| Two-sided Pr <= P | 0.2674 |

Effective Sample Size = 886

Frequency Missing = 5568

WARNING: 86% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|---------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 6 | 8 | Total |
| 0 | 99 13.10 64.71 20.71 | 54 7.14 35.29 19.42 | 153 20.24 |
| 1 | 379 50.13 62.85 79.29 | 224 29.63 37.15 80.58 | 603 79.76 |
| Total | 478 63.23 | 278 36.77 | 756 100.00 |
| Frequency Missing = 5219 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|--------|--------|
| Chi-Square | 1 | 0.1803 | 0.6711 |
| Likelihood Ratio Chi-Square | 1 | 0.1811 | 0.6704 |
| Continuity Adj. Chi-Square | 1 | 0.1094 | 0.7408 |
| Mantel-Haenszel Chi-Square | 1 | 0.1801 | 0.6713 |
| Phi Coefficient | | 0.0154 | |
| Contingency Coefficient | | 0.0154 | |
| Cramer's V | | 0.0154 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 99 |
| Left-sided Pr <= F | 0.6966 |
| Right-sided Pr >= F | 0.3721 |
| | |
| Table Probability (P) | 0.0687 |
| Two-sided Pr <= P | 0.7079 |

Effective Sample Size = 756

Frequency Missing = 5219

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | |
|--|----------------------------------|---------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | |
| | 9 | Total |
| 0 | 190 22.59 100.00 22.59 | 190 22.59 |
| 1 | 651 77.41 100.00 77.41 | 651 77.41 |
| Total | 841 100.00 | 841 100.00 |
| Frequency Missing = 7364 | | |

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|-------|--------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 7 | 8 | Total |
| 0 | 72 | 54 | 126 |
| | 10.50 | 7.87 | 18.37 |
| | 57.14 | 42.86 | |
| | 17.65 | 19.42 | |
| 1 | 336 | 224 | 560 |
| | 48.98 | 32.65 | 81.63 |
| | 60.00 | 40.00 | |
| | 82.35 | 80.58 | |
| Total | 408 | 278 | 686 |
| | 59.48 | 40.52 | 100.00 |
| Frequency Missing = 4529 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|---------|--------|
| Chi-Square | 1 | 0.3484 | 0.5550 |
| Likelihood Ratio Chi-Square | 1 | 0.3468 | 0.5559 |
| Continuity Adj. Chi-Square | 1 | 0.2399 | 0.6243 |
| Mantel-Haenszel Chi-Square | 1 | 0.3479 | 0.5553 |
| Phi Coefficient | | -0.0225 | |
| Contingency Coefficient | | 0.0225 | |
| Cramer's V | | -0.0225 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 72 |
| Left-sided Pr <= F | 0.3111 |
| Right-sided Pr >= F | 0.7557 |
| | |
| Table Probability (P) | 0.0668 |
| Two-sided Pr <= P | 0.6157 |

Effective Sample Size = 686
Frequency Missing = 4529

WARNING: 87% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|-------|--------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 7 | 9 | Total |
| 0 | 72 | 190 | 262 |
| | 5.76 | 15.21 | 20.98 |
| | 27.48 | 72.52 | |
| | 17.65 | 22.59 | |
| | | | |
| 1 | 336 | 651 | 987 |
| | 26.90 | 52.12 | 79.02 |
| | 34.04 | 65.96 | |
| | 82.35 | 77.41 | |
| | | | |
| Total | 408 | 841 | 1249 |
| | 32.67 | 67.33 | 100.00 |
| Frequency Missing = 9803 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|---------|--------|
| Chi-Square | 1 | 4.0527 | 0.0441 |
| Likelihood Ratio Chi-Square | 1 | 4.1450 | 0.0418 |
| Continuity Adj. Chi-Square | 1 | 3.7599 | 0.0525 |
| Mantel-Haenszel Chi-Square | 1 | 4.0495 | 0.0442 |
| Phi Coefficient | | -0.0570 | |
| Contingency Coefficient | | 0.0569 | |
| Cramer's V | | -0.0570 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 72 |
| Left-sided Pr <= F | 0.0253 |
| Right-sided Pr >= F | 0.9824 |
| | |
| Table Probability (P) | 0.0077 |
| Two-sided Pr <= P | 0.0456 |

Effective Sample Size = 1249

Frequency Missing = 9803

WARNING: 89% of the data are missing.

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

| Table of S7Q4A1 by agegroup | | | |
|--|----------------------------------|--------------------------------|----------------|
| S7Q4A1(Fear to talk in front of others) | agegroup(Age groups impacted) | | |
| | 8 | 9 | Total |
| 0 | 54 4.83 22.13 19.42 | 190 16.98 77.87 22.59 | 244 21.81 |
| 1 | 224 20.02 25.60 80.58 | 651 58.18 74.40 77.41 | 875 78.19 |
| Total | 278 24.84 | 841 75.16 | 1119 100.00 |
| Frequency Missing = 9454 | | | |

The FREQ Procedure

Statistics for Table of S7Q4A1 by agegroup

| Statistic | DF | Value | Prob |
|-----------------------------|----|---------|--------|
| Chi-Square | 1 | 1.2296 | 0.2675 |
| Likelihood Ratio Chi-Square | 1 | 1.2528 | 0.2630 |
| Continuity Adj. Chi-Square | 1 | 1.0508 | 0.3053 |
| Mantel-Haenszel Chi-Square | 1 | 1.2285 | 0.2677 |
| Phi Coefficient | | -0.0331 | |
| Contingency Coefficient | | 0.0331 | |
| Cramer's V | | -0.0331 | |

| Fisher's Exact Test | |
|--------------------------|--------|
| Cell (1,1) Frequency (F) | 54 |
| Left-sided Pr <= F | 0.1525 |
| Right-sided Pr >= F | 0.8842 |
| | |
| Table Probability (P) | 0.0368 |
| Two-sided Pr <= P | 0.2775 |

Effective Sample Size = 1119

Frequency Missing = 9454

WARNING: 89% of the data are missing.