

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by S4BQ1			
S7Q4A1(Fear to talk in front of others)	S4BQ1(Dad ever depressed)		
	0	1	Total
0	785 17.55 77.72 22.59	225 5.03 22.28 22.52	1010 22.57
1	2690 60.13 77.66 77.41	774 17.30 22.34 77.48	3464 77.43
Total	3475 77.67	999 22.33	4474 100.00
Frequency Missing = 38619			

The FREQ Procedure**Statistics for Table of S7Q4A1 by S4BQ1**

Statistic	DF	Value	Prob
Chi-Square	1	0.0020	0.9642
Likelihood Ratio Chi-Square	1	0.0020	0.9642
Continuity Adj. Chi-Square	1	0.0000	0.9984
Mantel-Haenszel Chi-Square	1	0.0020	0.9642
Phi Coefficient		0.0007	
Contingency Coefficient		0.0007	
Cramer's V		0.0007	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	785
Left-sided Pr <= F	0.5333
Right-sided Pr >= F	0.5009
Table Probability (P)	0.0342
Two-sided Pr <= P	1.0000

Effective Sample Size = 4474**Frequency Missing = 38619****WARNING: 90% of the data are missing.**

The FREQ Procedure

Frequency Percent Row Pct Col Pct

Table of S7Q4A1 by S4BQ2			
S7Q4A1(Fear to talk in front of others)	S4BQ2(Mom ever depressed)		
	0	1	Total
0	739 15.23 67.61 23.45	354 7.29 32.39 20.80	1093 22.52
1	2412 49.70 64.15 76.55	1348 27.78 35.85 79.20	3760 77.48
Total	3151 64.93	1702 35.07	4853 100.00
Frequency Missing = 38240			

The FREQ Procedure**Statistics for Table of S7Q4A1 by S4BQ2**

Statistic	DF	Value	Prob
Chi-Square	1	4.4602	0.0347
Likelihood Ratio Chi-Square	1	4.5000	0.0339
Continuity Adj. Chi-Square	1	4.3094	0.0379
Mantel-Haenszel Chi-Square	1	4.4592	0.0347
Phi Coefficient		0.0303	
Contingency Coefficient		0.0303	
Cramer's V		0.0303	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	739
Left-sided Pr <= F	0.9844
Right-sided Pr >= F	0.0186
Table Probability (P)	0.0031
Two-sided Pr <= P	0.0367

Effective Sample Size = 4853**Frequency Missing = 38240****WARNING: 89% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by S4BQ3C			
S7Q4A1(Fear to talk in front of others)	S4BQ3C(Bros ever depressed)		
	0	1	Total
0	938 18.72 83.08 22.68	191 3.81 16.92 21.78	1129 22.53
1	3197 63.79 82.33 77.32	686 13.69 17.67 78.22	3883 77.47
Total	4135 82.50	877 17.50	5012 100.00
Frequency Missing = 38081			

The FREQ Procedure**Statistics for Table of S7Q4A1 by S4BQ3C**

Statistic	DF	Value	Prob
Chi-Square	1	0.3400	0.5598
Likelihood Ratio Chi-Square	1	0.3422	0.5586
Continuity Adj. Chi-Square	1	0.2901	0.5902
Mantel-Haenszel Chi-Square	1	0.3400	0.5599
Phi Coefficient		0.0082	
Contingency Coefficient		0.0082	
Cramer's V		0.0082	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	938
Left-sided Pr <= F	0.7338
Right-sided Pr >= F	0.2964
Table Probability (P)	0.0302
Two-sided Pr <= P	0.5934

Effective Sample Size = 5012**Frequency Missing = 38081****WARNING: 88% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by S4BQ4C			
S7Q4A1(Fear to talk in front of others)	S4BQ4C(Siss ever depressed)		
	0	1	Total
0	922 18.16 80.10 23.24	229 4.51 19.90 20.61	1151 22.67
1	3045 59.96 77.54 76.76	882 17.37 22.46 79.39	3927 77.33
Total	3967 78.12	1111 21.88	5078 100.00
Frequency Missing = 38015			

The FREQ Procedure**Statistics for Table of S7Q4A1 by S4BQ4C**

Statistic	DF	Value	Prob
Chi-Square	1	3.4240	0.0643
Likelihood Ratio Chi-Square	1	3.4798	0.0621
Continuity Adj. Chi-Square	1	3.2757	0.0703
Mantel-Haenszel Chi-Square	1	3.4234	0.0643
Phi Coefficient		0.0260	
Contingency Coefficient		0.0260	
Cramer's V		0.0260	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	922
Left-sided Pr <= F	0.9714
Right-sided Pr >= F	0.0344
Table Probability (P)	0.0058
Two-sided Pr <= P	0.0681

Effective Sample Size = 5078**Frequency Missing = 38015****WARNING: 88% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by S4BQ7C			
S7Q4A1(Fear to talk in front of others)	S4BQ7C(Dad's bros ever depressed)		
	0	1	Total
0	784 20.17 89.60 22.49	91 2.34 10.40 22.69	875 22.51
1	2702 69.51 89.71 77.51	310 7.98 10.29 77.31	3012 77.49
Total	3486 89.68	401 10.32	3887 100.00
Frequency Missing = 39206			

The FREQ Procedure**Statistics for Table of S7Q4A1 by S4BQ7C**

Statistic	DF	Value	Prob
Chi-Square	1	0.0085	0.9264
Likelihood Ratio Chi-Square	1	0.0085	0.9265
Continuity Adj. Chi-Square	1	0.0009	0.9767
Mantel-Haenszel Chi-Square	1	0.0085	0.9265
Phi Coefficient		-0.0015	
Contingency Coefficient		0.0015	
Cramer's V		-0.0015	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	784
Left-sided Pr <= F	0.4847
Right-sided Pr >= F	0.5653
Table Probability (P)	0.0500
Two-sided Pr <= P	0.9497

Effective Sample Size = 3887**Frequency Missing = 39206****WARNING: 91% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by S4BQ8C			
S7Q4A1(Fear to talk in front of others)	S4BQ8C(Dad's siss ever depressed)		
	0	1	Total
0	794 19.81 87.54 22.52	113 2.82 12.46 23.40	907 22.63
1	2731 68.14 88.07 77.48	370 9.23 11.93 76.60	3101 77.37
Total	3525 87.95	483 12.05	4008 100.00
Frequency Missing = 39085			

The FREQ Procedure**Statistics for Table of S7Q4A1 by S4BQ8C**

Statistic	DF	Value	Prob
Chi-Square	1	0.1839	0.6680
Likelihood Ratio Chi-Square	1	0.1827	0.6691
Continuity Adj. Chi-Square	1	0.1375	0.7107
Mantel-Haenszel Chi-Square	1	0.1839	0.6681
Phi Coefficient		-0.0068	
Contingency Coefficient		0.0068	
Cramer's V		-0.0068	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	794
Left-sided Pr <= F	0.3528
Right-sided Pr >= F	0.6890
Table Probability (P)	0.0418
Two-sided Pr <= P	0.6849

Effective Sample Size = 4008**Frequency Missing = 39085****WARNING: 91% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by S4BQ9C			
S7Q4A1(Fear to talk in front of others)	S4BQ9C(Mom's bros ever depressed)		
	0	1	Total
0	846 19.90 86.24 22.85	135 3.18 13.76 24.64	981 23.08
1	2857 67.21 87.37 77.15	413 9.72 12.63 75.36	3270 76.92
Total	3703 87.11	548 12.89	4251 100.00
Frequency Missing = 38842			

The FREQ Procedure

Statistics for Table of S7Q4A1 by S4BQ9C

Statistic	DF	Value	Prob
Chi-Square	1	0.8604	0.3536
Likelihood Ratio Chi-Square	1	0.8492	0.3568
Continuity Adj. Chi-Square	1	0.7625	0.3825
Mantel-Haenszel Chi-Square	1	0.8602	0.3537
Phi Coefficient		-0.0142	
Contingency Coefficient		0.0142	
Cramer's V		-0.0142	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	846
Left-sided Pr <= F	0.1908
Right-sided Pr >= F	0.8370
Table Probability (P)	0.0278
Two-sided Pr <= P	0.3560

Effective Sample Size = 4251

Frequency Missing = 38842

WARNING: 90% of the data are missing.

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of S7Q4A1 by S4BQ10C			
	S7Q4A1(Fear to talk in front of others)	S4BQ10C(Mom's siss ever depressed)		
		0	1	Total
	0	835 19.19 85.12 23.17	146 3.36 14.88 19.54	981 22.55
	1	2769 63.64 82.17 76.83	601 13.81 17.83 80.46	3370 77.45
	Total	3604 82.83	747 17.17	4351 100.00
Frequency Missing = 38742				

The FREQ Procedure**Statistics for Table of S7Q4A1 by S4BQ10C**

Statistic	DF	Value	Prob
Chi-Square	1	4.6530	0.0310
Likelihood Ratio Chi-Square	1	4.7790	0.0288
Continuity Adj. Chi-Square	1	4.4478	0.0349
Mantel-Haenszel Chi-Square	1	4.6520	0.0310
Phi Coefficient		0.0327	
Contingency Coefficient		0.0327	
Cramer's V		0.0327	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	835
Left-sided Pr <= F	0.9871
Right-sided Pr >= F	0.0166
Table Probability (P)	0.0037
Two-sided Pr <= P	0.0305

Effective Sample Size = 4351**Frequency Missing = 38742****WARNING: 90% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by S4BQ11			
S7Q4A1(Fear to talk in front of others)	S4BQ11(Grand dad-dad ever depressed)		
	0	1	Total
0	683 21.19 93.69 22.91	46 1.43 6.31 19.01	729 22.62
1	2298 71.30 92.14 77.09	196 6.08 7.86 80.99	2494 77.38
Total	2981 92.49	242 7.51	3223 100.00
Frequency Missing = 39870			

The FREQ Procedure**Statistics for Table of S7Q4A1 by S4BQ11**

Statistic	DF	Value	Prob
Chi-Square	1	1.9486	0.1627
Likelihood Ratio Chi-Square	1	2.0227	0.1550
Continuity Adj. Chi-Square	1	1.7320	0.1882
Mantel-Haenszel Chi-Square	1	1.9480	0.1628
Phi Coefficient		0.0246	
Contingency Coefficient		0.0246	
Cramer's V		0.0246	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	683
Left-sided Pr <= F	0.9322
Right-sided Pr >= F	0.0924
Table Probability (P)	0.0246
Two-sided Pr <= P	0.1748

Effective Sample Size = 3223**Frequency Missing = 39870****WARNING: 93% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by S4BQ12			
S7Q4A1(Fear to talk in front of others)	S4BQ12(Grand mom-dad ever depressed)		
	0	1	Total
0	693 20.36 89.53 22.65	81 2.38 10.47 23.48	774 22.74
1	2366 69.51 89.96 77.35	264 7.76 10.04 76.52	2630 77.26
Total	3059 89.86	345 10.14	3404 100.00
Frequency Missing = 39689			

The FREQ Procedure**Statistics for Table of S7Q4A1 by S4BQ12**

Statistic	DF	Value	Prob
Chi-Square	1	0.1198	0.7293
Likelihood Ratio Chi-Square	1	0.1190	0.7302
Continuity Adj. Chi-Square	1	0.0775	0.7808
Mantel-Haenszel Chi-Square	1	0.1197	0.7293
Phi Coefficient		-0.0059	
Contingency Coefficient		0.0059	
Cramer's V		-0.0059	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	693
Left-sided Pr <= F	0.3869
Right-sided Pr >= F	0.6634
Table Probability (P)	0.0504
Two-sided Pr <= P	0.7349

Effective Sample Size = 3404**Frequency Missing = 39689****WARNING: 92% of the data are missing.**

The FREQ Procedure

Frequency
Percent
Row Pct
Col Pct

Table of S7Q4A1 by S4BQ13			
S7Q4A1(Fear to talk in front of others)	S4BQ13(Grand dad-mom ever depressed)		
	0	1	Total
0	724 20.70 92.23 22.59	61 1.74 7.77 20.82	785 22.44
1	2481 70.93 91.45 77.41	232 6.63 8.55 79.18	2713 77.56
Total	3205 91.62	293 8.38	3498 100.00
Frequency Missing = 39595			

The FREQ Procedure

Statistics for Table of S7Q4A1 by S4BQ13

Statistic	DF	Value	Prob
Chi-Square	1	0.4835	0.4868
Likelihood Ratio Chi-Square	1	0.4914	0.4833
Continuity Adj. Chi-Square	1	0.3872	0.5338
Mantel-Haenszel Chi-Square	1	0.4834	0.4869
Phi Coefficient		0.0118	
Contingency Coefficient		0.0118	
Cramer's V		0.0118	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	724
Left-sided Pr <= F	0.7775
Right-sided Pr >= F	0.2692
Table Probability (P)	0.0467
Two-sided Pr <= P	0.5111

Effective Sample Size = 3498

Frequency Missing = 39595

WARNING: 92% of the data are missing.

The FREQ Procedure

Frequency Percent Row Pct Col Pct

Table of S7Q4A1 by S4BQ14			
S7Q4A1(Fear to talk in front of others)	S4BQ14(Grand mom-mom ever depressed)		
	0	1	Total
0	715 19.36 87.20 22.47	105 2.84 12.80 20.55	820 22.20
1	2467 66.80 85.87 77.53	406 10.99 14.13 79.45	2873 77.80
Total	3182 86.16	511 13.84	3693 100.00
Frequency Missing = 39400			

The FREQ Procedure

Statistics for Table of S7Q4A1 by S4BQ14

Statistic	DF	Value	Prob
Chi-Square	1	0.9418	0.3318
Likelihood Ratio Chi-Square	1	0.9565	0.3281
Continuity Adj. Chi-Square	1	0.8338	0.3612
Mantel-Haenszel Chi-Square	1	0.9415	0.3319
Phi Coefficient		0.0160	
Contingency Coefficient		0.0160	
Cramer's V		0.0160	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	715
Left-sided Pr <= F	0.8481
Right-sided Pr >= F	0.1809
Table Probability (P)	0.0290
Two-sided Pr <= P	0.3590

Effective Sample Size = 3693

Frequency Missing = 39400

WARNING: 91% of the data are missing.